


4A SAFE DISPERSAL AREA SIGNAGE
AS1.1 SCALE: 1/12" = 1'-0"



5A VAN ACCESSIBLE PARKING SIGNAGE
AS1.1 SCALE: 1/12" = 1'-0"

- ### SITE SYMBOLS
- (E) PATH OF TRAVEL (POT)
 - PATH OF TRAVEL IS A BARRIER FREE ACCESS WITHOUT ANY ABRUPT VERTICAL CHANGES EXCEEDING 1/2" AT 1:2 MAXIMUM SLOPE. EXCEPT THAT LEVEL CHANGES DOES NOT EXCEED 1/4" VERTICAL.
 - EGRESS PATH
 - RESTROOM
 - NEW BUILDING
 - EXISTING BUILDING TO BE ALTERED
 - EXISTING BUILDING - NOT IN CONTRACT
 - PROPERTY LINE
 - (E) CHAIN - LINK FENCE
 - (N) ORNAMENTAL FENCE
 - (N) DOUBLE SWING GATE
 - (E) FIRE HYDRANT
 - (E) CONCRETE PAVING
 - (E) LAWN / GRASS / LANDSCAPE
 - (N) FIRE HYDRANT
 - (N) CONCRETE PAVING
 - (N) ASPHALT PAVING
 - SAFE DISPERSAL AREA
 - DF (N) DRINKING FOUNTAIN

PARKING RATIO (PER CBC 11B-208.2)

PARKING A		
	REQUIRED	PROVIDED
REGULAR	0	132
ACCESSIBLE	4	5
VAN ACCESSIBLE	1	1
TOTAL # OF STALLS	5	138
PARKING B		
	REQUIRED	PROVIDED
REGULAR	0	161
ACCESSIBLE	5	7
VAN ACCESSIBLE	1	3
TOTAL # OF STALLS	6	171
PARKING C		
	REQUIRED	PROVIDED
REGULAR	0	6
ACCESSIBLE	0	0
VAN ACCESSIBLE	1	1
TOTAL # OF STALLS	1	7
PARKING D		
	REQUIRED	PROVIDED
REGULAR	0	10
ACCESSIBLE	0	0
VAN ACCESSIBLE	1	1
TOTAL # OF STALLS	1	11
TOTAL PARKING COUNTS		
	REQUIRED	PROVIDED
REGULAR	0	309
ACCESSIBLE	9	12
VAN ACCESSIBLE	4	6
GRAND TOTAL	13	327

- ### KEYNOTES
- 32.005 PROVIDE POLE MOUNTED SAFE DISPERSAL AREA SIGNAGE. REFER TO 4A AND 5 FOR SIGNAGE DETAIL.
 - 32.006 PROVIDE EXISTING VAN ACCESSIBLE PARKING SIGNAGE AND PROVIDE NEW VAN ACCESSIBLE PARKING SIGNAGE MOUNTED ON EXISTING POLE. REFER TO 5A FOR SIGNAGE DETAIL.

REMODEL SITE PLAN
SCALE: 1" = 50'-0"

DLR GROUP
© DLR Group

JESSE MILLER
No. C-32306
10/31/2023
STATE OF CALIFORNIA

DLR

COVINA VALLEY HS POOL REPLACEMENT
COVINA VALLEY UNIFIED SCHOOL DISTRICT
463 SOUTH HOLLENBECK AVENUE COVINA, CA 91723

DSA SUBMITTED SET
12/19/2022
REVISIONS

75-22616-00
DSA # 03-122700
DSA FILE # 19-48

OVERALL SITE PLAN

AS1.1