


NOTES:

- 1. SEE DWG E004 FOR DETAILED CONSTRUCTION SEQUENCE.
- 2. VERIFY PHASE ROTATION OF 3-PHASE SERVICES BEFORE DISCONNECTING THE SERVICE FROM THE EXISTING SECONDARY CABLES AND AFTER CONNECTING TO THE NEW SECONDARY CABLE, BUT BEFORE CLOSING THE SERVICE DISCONNECT.
- 3. ALL EXISTING SERVICE CABLES TO BE KEPT IF IN ACCEPTABLE CONDITION UNLESS OTHERWISE NOTED. ALL SERVICE CABLES TO BE TAGGED WITH SERVICE ADDRESSES.
- 4. RECONNECT ALL LIGHTING/OUTLET CABLES NOT SHOWN ON THE DRAWING.
- 5. VERIFY CONDUIT PATHS BEFORE PULLING NEW CABLES.
- 6. ALL EXISTING CABLE WALL SUPPORTS SHALL BE REMOVED AND REPLACED. ALL EXISTING CABLE SUPPORT BRACKETS SHALL BE REMOVED AND NEW BRACKETS INSTALLED AS SHOWN. NEW GROUND CABLE SHOULD BE INSTALLED FROM EXISTING GROUND ROD TO NEW CHANNELS.
- 7. LIGHTS MUST BE TEMPORARILY CONNECTED TO T3 OPEN-WYE/OPEN-DELTA SECONDARY WHILE T3 SINGLE PHASE TRANSFORMER SECONDARY CABLE IS PULLED THROUGH CONDUIT WHERE EXISTING SECONDARY CABLE MUST BE REMOVED.

## LEGEND:

## $\oslash$ CONDUIT USED BY OTHERS $\bigcirc$




OPEN CONDUIT CONDUIT KNOCKOUT

HOMAC 175 SERIES

HOMAC 175 SERIES

- 000
- —— SSS —— —— SSS —— -·- SSS -·-DUCT C-A5
- HOMAC 125 SERIES SINGLE PHASE TRANSFORMER SECONDARY SIZE SSS THREE PHASE TRANSFORMER SECONDARY SIZE SSS TEMPORARY SECONDARY SERVICES SIZE SSS
- PRIMARY CABLE EXTENDS TO CONDUIT A5 ON FACE C OF PULLBOX



|     |           |          |   | CITY OF GEORGETOWN<br>GEORGETOWN, SC<br>FRONT ST ELECTRIC UPGRADE - PH. 2<br>CABLE RACKING DETAILS<br>PULLBOX 10 |   |           |             |
|-----|-----------|----------|---|--|---|-----------|-------------|
|     |           |          | PRELIMINARY<br>NOT TO BE USED<br>FOR CONSTRUCTION |  |   |           |             |
|     |           |          | REVISION10/31/22                                  |  | UTILITY 7<br>ENGINEERS -<br>P.O. Box 2629 • Asl | CONSUL    | FANTS, PLLC |
| 0   | BID ISSUE | 12/01/22 |   | DWN. LMB   | DATE: 10/31/22                                  | DWG. NO.  | E2030       |
| NO. | REVISIONS | DATE     |   | SCALE: 3/4" = 1'-0"  | JOB NO. 220901                                  | SHEET NO. | 1 OF 1      |