

## Local Public Agency Formal Contract Proposal

|  |  | PROPOSAL              | SUBMITTED BY | ,        |
|--|--|-----------------------|--------------|----------|
|  |  | Contractor's Name     |              |          |
|  |  | Street                |              | P.O. Box |
|  |  | City                  | State        | Zip Code |
|  | E OF ILLINOIS                          |                       |              |          |
|  | ENDALL                                 |                       |              |          |
| Ker<br>(Name of City. Vill             | ndall County<br>lage, Town or Road Dis | trict)                |              |          |
|  |  | · · · /               |              |          |
| FOR THE<br>STREET NAME OR ROUTE NOPU   | IMPROVEMENT OF                         | alth Dent Parking Lot | c            |          |
| STREET NAME OR ROUTE NO<br>SECTION NO. |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
| SPECIFICATIONS (required)              | (1                                     |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
|  |  |                       |              |          |
| Submitted/Approved                     |  |                       |              |          |
| Facilities Management Director         |  |                       |              |          |
|  |  |                       |              |          |
| Date                                   |  |                       |              |          |

Note: All proposal documents, including Proposal Guaranty Checks or Proposal Bid Bonds, should be stapled together to prevent loss when bids are processed.

## **RETURN WITH BID**

| NOTICE TO BIDDERS   | CountyKendallLocal Public AgencyKendall CountySection NumberRouteParking Lots |
|---|---|
| Sealed proposals for the improvement described below will be received | ived at the office of Facilities Management                                   |
| 804 W. John Street, Suite B, Yorkville, IL 60560<br>Address           | until 10:00 AM on August 4, 2017<br>Time Date                                 |
| Sealed proposals will be opened and read publicly at the office of    | the County Enigneer   |
| 804 W. John Street, Suite B, Yorkville, IL 60560<br>Address           | at <u>10:00 AM</u> on <u>August 4, 2017</u><br>Time Date                      |
| DESCRIPTION OF  | FWORK   |
| Name Public Safety & Health Dept. Parking Lots                        | Size: 4,200 Sq. Yd.   |
| Location 1102 Cornell Lane and 811 W. John Street, Yorkville, IL 6    | 60560   |
| Proposed Improvement Remove 1 ½" existing HMA and replace w           | with 1 <sup>1</sup> / <sub>2</sub> " of new HMA                               |

1. Plans and proposal forms will be available in the office of Kendall County Facilities Management

804 W. John Street, Suite B, Yorkville, IL

Address

2. Prequalification

If checked, the 2 low bidders must file within 24 hours after the letting an "Affidavit of Availability" (Form BC 57), in duplicate, showing all uncompleted contracts awarded to them and all low bids pending award for Federal, State, County, Municipal and private work. One original shall be filed with the Awarding Authority and one original with the IDOT District Office.

- 3. The Awarding Authority reserves the right to waive technicalities and to reject any or all proposals as provided in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals.
- 4. The following BLR Forms shall be returned by the bidder to the Awarding Authority:
  - a. BLR 12200: Local Public Agency Formal Contract Proposal
  - b. BLR 12200a Schedule of Prices
  - c. BLR 12230: Proposal Bid Bond (if applicable)
  - d. BLR 12325: Apprenticeship or Training Program Certification (do not use for federally funded projects)
  - e. BLR 12326: Affidavit of Illinois Business Office
- 5. The quantities appearing in the bid schedule are approximate and are prepared for the comparison of bids. Payment to the Contractor will be made only for the actual quantities of work performed and accepted or materials furnished according to the contract. The scheduled quantities of work to be done and materials to be furnished may be increased, decreased or omitted as hereinafter provided.
- 6. Submission of a bid shall be conclusive assurance and warranty the bidder has examined the plans and understands all requirements for the performance of work. The bidder will be responsible for all errors in the proposal resulting from failure or neglect to conduct an in depth examination. The Awarding Authority will, in no case be responsible for any costs, expenses, losses or changes in anticipated profits resulting from such failure or neglect of the bidder.
- 7. The bidder shall take no advantage of any error or omission in the proposal and advertised contract.
- 8. If a special envelope is supplied by the Awarding Authority, each proposal should be submitted in that envelope furnished by the Awarding Agency and the blank spaces on the envelope shall be filled in correctly to clearly indicate its contents. When an envelope other than the special one furnished by the Awarding Authority is used, it shall be marked to clearly indicate its contents. When sent by mail, the sealed proposal shall be addressed to the Awarding Authority at the address and in care of the official in whose office the bids are to be received. All proposals shall be filed prior to the time and at the place specified in the Notice to Bidders. Proposals received after the time specified will be returned to the bidder unopened.
- 9. Permission will be given to a bidder to withdraw a proposal if the bidder makes the request in writing or in person before the time for opening proposals.

County Kendall

Local Public Agency Kendall County

Section Number

Route Parking Lots

## 1. Proposal of

for the improvement of the above section by the construction of <u>New HMA parking lot consisting of 1 ½" Surface Course for</u> Parts of the Public Safety Center parking lot and the Health Department parking lot

a total area of 4,200 Square Yards

The plans for the proposed work are those prepared by Kendall County Facilities Management

and approved by the Department of Transportation on \_\_\_\_\_\_n/a

PROPOSAL

- 3. The specifications referred to herein are those prepared by the Department of Transportation and designated as "Standard Specifications for Road and Bridge Construction" and the "Supplemental Specifications and Recurring Special Provisions" thereto, adopted and in effect on the date of invitation for bids.
- 4. The undersigned agrees to accept, as part of the contract, the applicable Special Provisions indicated on the "Check Sheet for Recurring Special Provisions" contained in this proposal.
- 5. The undersigned agrees to complete the work within \_\_\_\_\_\_ working days or by \_\_\_\_\_\_ November 10, 2017 \_\_\_\_\_\_ unless additional time is granted in accordance with the specifications.
- 6. A proposal guaranty in the proper amount, as specified in BLRS Special Provision for Bidding Requirements and Conditions for Contract Proposals, will be required. Bid Bonds <u>Will</u> be allowed as a proposal guaranty. Accompanying this proposal is either a bid bond if allowed, on Department form BLR 12230 or a proposal guaranty check, complying with the specifications, made payable to:

| the County                 | Treasurer of | Kendall County |   |    |
|----------------------------|--------------|----------------|---|----|
| The amount of the check is |              |                | ( | ). |

- 7. In the event that one proposal guaranty check is intended to cover two or more proposals, the amount must be equal to the sum of the proposal guaranties, which would be required for each individual proposal. If the proposal guaranty check is placed in another proposal, it will be found in the proposal for: Section Number \_\_\_\_\_.
- 8. The successful bidder at the time of execution of the contract <u>Will</u> be required to deposit a contract bond for the full amount of the award. When a contract bond is not required, the proposal guaranty check will be held in lieu thereof. If this proposal is accepted and the undersigned fails to execute a contract and contract bond as required, it is hereby agreed that the Bid Bond or check shall be forfeited to the Awarding Authority.
- 9. Each pay item should have a unit price and a total price. If no total price is shown or if there is a discrepancy between the product of the unit price multiplied by the quantity, the unit price shall govern. If a unit price is omitted, the total price will be divided by the quantity in order to establish a unit price.
- 10. A bid will be declared unacceptable if neither a unit price nor a total price is shown.
- 11. The undersigned submits herewith the schedule of prices on BLR 12200a covering the work to be performed under this contract.
- 12. The undersigned further agrees that if awarded the contract for the sections contained in the combinations on BLR 12200a, the work shall be in accordance with the requirements of each individual proposal for the multiple bid specified in the Schedule for Multiple Bids below.



## SCHEDULE OF PRICES

## Schedule for Single Bid

(For complete information covering these items, see plans and specifications)

| No. | Item                         | Unit  | Quantity | Unit Price | Total |
|-----|------------------------------|-------|----------|------------|-------|
| 1   | HMA Surface Removal 1 1/2"   | SQ YD | 4,200    |            |       |
| 2   | Class D Patches, Type IV, 8" | SQ YD | 25       |            |       |
| 3   | Bit Matr (Prime Coat)        | POUND | 2,000    |            |       |
| 4   | HMA Surface Course Mix C N50 | TON   | 350      |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |
|     |                              |       |          |            |       |

**Bidders Proposal to Make Entire Improvement:** 

## **RETURN WITH BID**

County Kendall

## **CONTRACTOR CERTIFICATIONS**

Local Public Agency Kendall County

Section Number

Route Parking Lots

The certifications hereinafter made by the bidder are each a material representation of fact upon which reliance is placed should the Department enter into the contract with the bidder.

- 1. **Debt Deliquency.** The bidder or contractor or subcontractor, respectively, certifies that it is not delinquent in the payment of any tax administered by the Department of Revenue unless the individual or other entity is contesting, in accordance with the procedures established by the appropriate revenue Act, its liability for the tax or the amount of tax. Making a false statement voids the contract and allows the Department to recover all amounts paid to the individual or entity under the contract in a civil action.
- 2. **Bid-Rigging or Bid Rotating.** The bidder or contractor or subcontractor, respectively, certifies that it is not barred from contracting with the Department by reason of a violation of either 720 ILCS 5/33E-3 or 720 ILCS 5/33E-4.

A violation of Section 33E-3 would be represented by a conviction of the crime of bid-rigging which, in addition to Class 3 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be barred for 5 years from the date of conviction from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government. No corporation of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

A violation of Section 33E-4 would be represented by a conviction of the crime of bid-rotating which, in addition to Class 2 felony sentencing, provides that any person convicted of this offense or any similar offense of any state or the United States which contains the same elements as this offense shall be permanently barred from contracting with any unit of State or local government. No corporation shall be barred from contracting with any unit of State or local government as a result of a conviction under this Section of any employee or agent of such corporation if the employee so convicted is no longer employed by the corporation and: (1) it has been finally adjudicated not guilty or (2) if it demonstrates to the governmental entity with which it seeks to contract and that entity finds that the commission of the offense was neither authorized, requested, commanded, nor performed by a director, officer or a high managerial agent in behalf of the corporation.

- 3. Bribery. The bidder or contractor or subcontractor, respectively, certifies that it has not been convicted of bribery or attempting to bribe an officer or employee of the State of Illinois or any unit of local government, nor has the firm made an admission of guilt of such conduct which is a matter of record, nor has an official, agent, or employee of the firm committed bribery or attempted bribery on behalf of the firm and pursuant to the direction or authorization of a responsible official of the firm.
- 4. Interim Suspension or Suspension. The bidder or contractor or subcontractor, respectively, certifies that it is not currently under a suspension as defined in Subpart I of Title 44 Subtitle A Chapter III Part 6 of the Illinois Administrative Code. Furthermore, if suspended prior to completion of this work, the contract or contracts executed for the completion of this work may be cancelled.

## **RETURN WITH BID**

| SIGNATURES                                | Local Public Agency<br>Section Number | Kendall<br>Kendall County<br>Parking Lots |
|---|---------------------------------------|---|
| (ii an individual)                        |                                       |   |
| Signature of Bidder                       |                                       |   |
| Business Address                          |                                       |   |
| (If a partnership)<br>Firm Name           |                                       |   |
| Signed By                                 |                                       |   |
|   |                                       |   |
| Inset Names and Addressed of All Partners |                                       |   |
| (If a corporation)                        |                                       |   |
| Signed By                                 | P                                     | President                                 |
| Insert Names of Officers<br>Treasurer     |                                       |   |
| Treasurer                                 |                                       |   |
| Attest: Secretary                         |                                       |   |



## Local Agency Proposal Bid Bond

|  | Route                                   | Parking Lots     |                        |
|--|---|------------------|------------------------|
|  | County                                  | Kendall          |                        |
| RETURN WITH BID                                    | Local Agency                            | Kendall Coun     | ty                     |
|  | Section                                 |                  |                        |
| PAPER BID BOND -                                   |   |                  |                        |
|  |   |                  | as PRINCIPAL,          |
|  |   |                  | as SURETY,             |
| ound unto the above Local Agency (bereafter referr | ed to as "I $\Delta$ ") in the neural s | sum of 5% of the | total hid price or for |

are held jointly, severally and firmly bound unto the above Local Agency (hereafter referred to as "LA") in the penal sum of 5% of the total bid price, or for the amount specified in the proposal documents in effect on the date of invitation for bids whichever is the lesser sum. We bind ourselves, our heirs, executors, administrators, successors, and assigns, jointly pay to the LA this sum under the conditions of this instrument.

WHEREAS THE CONDITION OF THE FOREGOING OBLIGATION IS SUCH that, the said PRINCIPAL is submitting a written proposal to the LA acting through its awarding authority for the construction of the work designated as the above section.

THEREFORE if the proposal is accepted and a contract awarded to the PRINCIPAL by the LA for the above designated section and the PRINCIPAL shall within fifteen (15) days after award enter into a formal contract, furnish surety guaranteeing the faithful performance of the work, and furnish evidence of the required insurance coverage, all as provided in the "Standard Specifications for Road and Bridge Construction" and applicable Supplemental Specifications, then this obligation shall become void; otherwise it shall remain in full force and effect.

IN THE EVENT the LA determines the PRINCIPAL has failed to enter into a formal contract in compliance with any requirements set forth in the preceding paragraph, then the LA acting through its awarding authority shall immediately be entitled to recover the full penal sum set out above, together with all court costs, all attorney fees, and any other expense of recovery.

\_ . . .

IN TESTIMONY WHEREOF, the said PRINCIPAL and the said SURETY have caused this instrument to be signed by their

respective officers this \_\_\_\_\_ day of \_\_\_\_\_


WE

and

|   | Principal  |
|---|--|
| (Company Name)  | (Company Name)   |
| By:   | By:  |
| (Signature and Title)   | (Signature and Title)  |
| (If PRINCIPLE is a joint venture of two or more contractors, the compared   | any names, and authorized signatures of each contractor must be affixed.)  |
|   | Surety   |
|   | By:  |
| (Name of Surety)  | (Signature of Attorney-in-Fact)  |
| STATE OF ILLINOIS,  |  |
| COUNTY OF   |  |
| N   | ry Public in and for said county,  |
| do hereby certify that  | f individuals signing on behalf of PRINCIPAL & SURETY)   |
| voluntary act for the uses and purposes therein set forth.<br>Given under my hand and notarial seal this  | pectively, that they signed and delivered said instruments as their free and day of  |
| My commission expires   |  |
|   | (Notary Public)  |
| Electronic bid bond is allowed (box must be checked by<br>The Principal may submit an electronic bid bond, in lieu of compl<br>an electronic bid bond ID code and signing below, the Principal is | leting the above section of the Proposal Bid Bond Form. By providing<br>s ensuring the identified electronic bid bond has been executed and<br>conditions of the bid bond as shown above. (If PRINCIPAL is a joint |
| Electronic Bid Bond ID Code   | (Company/Bidder Name)  |
|   |  |

(Signature and Title)

Date



## CHECK SHEET FOR LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

## Adopted April 1, 2016

The following LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS indicated by an "X" are applicable to this contract and are included by reference:

## LOCAL ROADS AND STREETS RECURRING SPECIAL PROVISIONS

| CHECK S | SHEE | <u>PA</u>  | GE NO. |
|---------|------|--|--------|
| LRS 1   |      | Reserved   | 130    |
| LRS 2   |      | Furnished Excavation                                       | 131    |
| LRS 3   |      | Work Zone Traffic Control Surveillance                     |        |
| LRS 4   |      | Flaggers in Work Zones                                     | 133    |
| LRS 5   |      | Contract Claims  | 134    |
| LRS 6   |      | Bidding Requirements and Conditions for Contract Proposals | 135    |
| LRS 7   |      | Bidding Requirements and Conditions for Material Proposals | 141    |
| LRS 8   |      | Reserved   | 147    |
| LRS 9   |      | Bituminous Surface Treatments                              | 148    |
| LRS 10  |      | Reserved   | 149    |
| LRS 11  |      | Employment Practices                                       | 150    |
| LRS 12  |      | Wages of Employees on Public Works                         | 152    |
| LRS 13  |      | Selection of Labor   | 154    |
| LRS 14  |      | Paving Brick and Concrete Paver Pavements and Sidewalks    | 155    |
| LRS 15  |      | Partial Payments   | 158    |
| LRS 16  |      | Protests on Local Lettings                                 | 159    |
| LRS 17  |      | Substance Abuse Prevention Program                         | 160    |
| LRS 18  |      | Multigrade Cold Mix Asphalt                                |        |



Kendall County Public Safety Center Parking Lot Rehabilitation

## SPECIAL PROVISIONS

The following Special Provisions supplement the "Standard Specifications for Road and Bridge Construction" adopted April 1, 2016, the latest edition of the "Manual on Uniform Traffic Control Devices for Streets and Highways" and the "Manual of Test Procedures for Materials" in effect on the date of invitation for bids, and the Supplemental Specifications and Recurring Special Provisions indicated on the Check Sheet included herein which apply to and govern the construction of this improvment, and in case of conflict with any part or parts of said Specifications, the said Special Provisions shall take precedence and shall govern.

**DESCRIPTION OF WORK:** This project includes the removal and replacement of HMA on part of the Public Safety Center parking lot, 1102 Cornell Lane, and part of the Health Department parking lot, 811 W. John Street, Yorkville, Illinois, as identified on the Location Map contained herein.

## HMA SURFACE COURSE, MIX C, N50:

The Hot Mix Asphalt mix design, production, and construction (materials, machinery, and methods) shall conform to the specific requirements of the standard specifications for Road and Bridge Construction adopted by the Illinois Department of Transportation and Special Provisions for Hot Mix Asphalt mixtures and as modified hereinafter.

**Hot-Mix Asphalt Mixtures:** The contractor shall provide a state-approved mix design for HMA Surface Course for all work contemplated under this pay item, as amended by this Special Provision. Proposed mix design shall be submitted to the Kendall County Highway Department for review along with submittal of the bid. Failure to follow the specific requirements contained herein may be grounds for rejection of the bid by the Kendall County Board.

Article 1030.04 (1) of the Standard Specifications for Road & Bridge Construction shall be amended to require that the Adjusted Job Mix Formula (AJMF) for this project shall include not less than 40% and not more than 48% (by weight) of all aggregates in the Surface Course mix design passing the #8 sieve.

| Item             | HMA Surface Course N50 |
|------------------|------------------------|
| PG Grade         | 58-28                  |
| Design Air Voids | 3.5%                   |

The Contractor shall protect the work area from traffic during construction operations. All traffic control required to complete the improvements shall be considered incidental to the HMA Surface Course pay item.

## State of Illinois Department of Transportation Bureau of Local Roads and Streets

## SPECIAL PROVISION FOR INSURANCE

Effective: February 1, 2007 Revised: August 1, 2007

All references to Sections or Articles in this specification shall be construed to mean specific Section or Article of the Standard Specifications for Road and Bridge Construction, adopted by the Department of Transportation.

The Contractor shall name the following entities as additional insured under the Contractor's general liability insurance policy in accordance with Article 107.27:

The entities listed above and their officers, employees, and agents shall be indemnified and held harmless in accordance with Article 107.26.

State of Illinois Department of Transportation Bureau of Local Roads and Streets

SPECIAL PROVISION FOR WAGES OF EMPLOYEES ON PUBLIC WORKS

> Effective: January 1, 1999 Revised: January 1, 2015

- 1. Prevailing Wages. All wages paid by the Contractor and each subcontractor shall be in compliance with The Prevailing Wage Act (820 ILCS 130), as amended, except where a prevailing wage violates a federal law, order, or ruling, the rate conforming to the federal law, order, or ruling shall govern. The Illinois Department of Labor publishes the prevailing wage rates on its website. If the Illinois Department of Labor revises the prevailing wage rates, the revised prevailing wage rates on the Illinois Department of Labor's website shall apply to this contract and the Contractor will not be allowed additional compensation on account of said revisions. The Contractor shall review the wage rates applicable to the work of the contract at regular intervals in order to ensure the timely payment of current wage rates. The Contractor agrees that no additional notice is required. The Contractor shall be responsible to notify each subcontractor of the wage rates set forth in this contract and any revisions thereto.
- 2. Payroll Records. The Contractor and each subcontractor shall make and keep, for a period of not less than five years from the date of the last payment on a contract or subcontract, records of all laborers, mechanics, and other workers employed by them on the project; the records shall include information required by 820 ILCS 130/5 for each worker. Upon seven business days' notice, the Contractor and each subcontractor shall make available for inspection and copying at a location within this State during reasonable hours, the payroll records to the public body in charge of the project, its officers and agents, the Director of Labor and his deputies and agents, and to federal, State, or local law enforcement agencies and prosecutors.
- 3. Submission of Payroll Records. The Contractor and each subcontractor shall, no later than the 15th day of each calendar month, file a certified payroll for the immediately preceding month with the public body in charge of the project, except that the full social security number and home address shall not be included on weekly transmittals. Instead the payrolls shall include an identification number for each employee (e.g., the last four digits of the employee's social security number). The certified payroll shall consist of a complete copy of the payroll records, except starting and ending times of work each day may be omitted.

The certified payroll shall be accompanied by a statement signed by the Contractor or subcontractor or an officer, employee, or agent of the Contractor or subcontractor which avers that: (i) he or she has examined the certified payroll records required to be submitted by the Act and such records are true and accurate; (ii) the hourly rate paid to each worker is not less than the general

prevailing rate of hourly wages required; and (iii) the Contractor or subcontractor is aware that filing a certified payroll that he or she knows to be false is a Class A misdemeanor.

4. Employee Interviews. The Contractor and each subcontractor shall permit his/her employees to be interviewed on the job, during working hours, by compliance investigators of the Department or the Department of Labor.

This schedule contains the prevailing wage rates required to be paid for work performed on or after Monday, June 5, 2017 on public works projects in this County. Pursuant to 820 ILCS 130/4, public bodies in this County that have active public works projects are responsible for notifying all contractors and subcontractors working on those public works projects of the change (if any) to rates that were previously in effect. The failure of a public body to provide such notice does not relieve contractors or subcontractors of their obligations under the Prevailing Wage Act, including the duty to pay the relevant prevailing wage in effect at the time work subject to the Act is performed.

KENDALL COUNTY PREVAILING WAGE

| RATES EFFECTIVE JUNE |        |        |       |       |         |     |        |     |       |         |          |          |
|----------------------|--------|--------|-------|-------|---------|-----|--------|-----|-------|---------|----------|----------|
|                      |        |        |       |       |         |     |        |     |       |         |          |          |
|                      |        |        |       | Base  | Foreman | M-F |        |     |       |         |          |          |
|                      | Region | Type   | Class | Wage  | Wage    | OT  | OSA    | OSH | M/H   | Pension | Vacation | Training |
|                      | AII    | All    |       | 39.40 | 39.95   | 1.5 | 1.5    | 2.0 | 13.42 | 11.28   | 0.00     | 0.50     |
|                      | All    | BLD    |       | 37.46 | 39.96   | 1.5 | 1.5    | 2.0 | 11.62 | 11.06   | 0.00     | 0.72     |
|                      | AII    | BLD    |       | 47.07 | 51.30   | 2.0 | 2.0    | 2.0 | 6.97  | 18.13   | 0.00     | 0.40     |
|                      | AII    | BLD    |       | 44.88 | 49.37   | 1.5 | 1.5    | 2.0 | 10.25 | 15.30   | 0.00     | 0.85     |
|                      | AII    | All    |       | 45.35 | 47.35   | 1.5 | 1.5    | 2.0 | 11.79 | 17.61   | 0.00     | 0.63     |
|                      | AII    | All    |       | 43.95 | 45.95   | 2.0 | 1.5    | 2.0 | 10.00 | 19.66   | 0.00     | 0.50     |
|                      | AII    | BLD    |       | 37.81 | 37.81   | 1.5 | 1.5    | 2.0 | 10.55 | 10.12   | 0.00     | 0.65     |
|                      |        | i<br>i |       |       |         | L   | L<br>N | 0   |       | 0000    |          |          |
|                      | All    | BLD    |       | 39.02 | 41.27   | 1.5 | 1.5    | 2.0 | 10.90 | 10.93   | 0.00     | 1.37     |
|                      |        |        |       |       |         |     |        |     |       |         |          |          |
|                      | AII    | All    |       | 37.89 | 51.48   | 1.5 | 1.5    | 2.0 | 5.00  | 11.75   | 0.00     | 0.38     |
|                      |        |        |       |       |         |     |        |     |       |         |          |          |
|                      | AII    | HWΥ    |       | 40.59 | 55.15   | 1.5 | 1.5    | 2.0 | 5.25  | 12.59   | 0.00     | 0.71     |
|                      |        |        |       |       |         |     |        |     |       |         |          |          |
|                      | AII    | All    |       | 29.30 | 51.48   | 1.5 | 1.5    | 2.0 | 5.00  | 60.6    | 0.00     | 0.29     |
|                      |        |        |       |       |         |     |        |     |       |         |          |          |
|                      | All    | HWΥ    |       | 32.50 | 55.15   | 1.5 | 1.5    | 2.0 | 5.25  | 10.09   | 0.00     | 0.58     |
|                      |        |        |       |       |         |     |        |     |       |         |          |          |
|                      | All    | All    |       | 45.36 | 51.48   | 1.5 | 1.5    | 2.0 | 5.00  | 14.06   | 0.00     | 0.45     |
|                      |        |        |       |       |         |     |        |     |       |         |          |          |
|                      | All    | ΗWY    |       | 48.59 | 55.15   | 1.5 | 1.5    | 2.0 | 5.25  | 15.07   | 0.00     | 0.85     |

| 53.291.51.52.052.881.51.52.058.432.02.02.049.202.02.02.049.202.02.02.049.202.02.02.049.202.02.02.049.202.02.02.052.451.51.52.049.202.02.02.049.202.02.02.052.451.51.52.040.951.51.52.047.351.51.52.033.451.51.52.047.351.51.52.033.451.51.52.033.451.51.52.033.451.51.52.033.451.51.52.033.451.51.52.033.451.51.52.033.451.51.52.033.451.51.52.053.102.02.02.053.102.02.02.053.102.02.02.053.102.02.02.053.102.02.02.053.102.02.02.053.102.02.02.053.102.02.02.053.101.51.52.053.132.02.02.053.132.0 <t< th=""><th>31.40<br/>48.63<br/>48.63<br/>51.94<br/>45.56<br/>49.95<br/>49.56<br/>49.20<br/>33.45<br/>44.13<br/>30.20<br/>35.20<br/>47.80<br/>47.80<br/>43.50<br/>43.50</th><th>HWY<br/>BLD<br/>BLD<br/>AII<br/>AII<br/>AII<br/>AII<br/>AII<br/>AII<br/>AII<br/>AII<br/>AII</th></t<>   | 31.40<br>48.63<br>48.63<br>51.94<br>45.56<br>49.95<br>49.56<br>49.20<br>33.45<br>44.13<br>30.20<br>35.20<br>47.80<br>47.80<br>43.50<br>43.50                   | HWY<br>BLD<br>BLD<br>AII<br>AII<br>AII<br>AII<br>AII<br>AII<br>AII<br>AII<br>AII |
|--|--|--|
| 1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         1.5       1.5       1  | 48.63<br>51.94<br>45.56<br>41.70<br>49.95<br>45.56<br>45.35<br>33.45<br>33.45<br>33.45<br>33.20<br>35.20<br>35.20<br>35.20<br>47.80<br>47.80<br>47.80<br>43.50 |  |
| <ul> <li>2.0</li> <li>2.0</li></ul> | 51.94<br>45.56<br>41.70<br>49.95<br>45.56<br>40.20<br>45.35<br>33.45<br>33.45<br>33.45<br>33.45<br>44.13<br>35.20<br>47.80<br>47.80<br>47.80<br>43.50<br>43.50 |  |
| 2.0       2.0         1.5       1.5         1.5       1.5         2.0       2.0         2.1       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         2.0       2.0         2.0       2  | 45.56<br>41.70<br>49.95<br>45.56<br>40.20<br>45.35<br>33.45<br>33.45<br>33.45<br>33.20<br>35.20<br>47.80<br>49.10<br>47.80<br>43.50<br>43.50                   |  |
| 1.5       2.0         1.5       1.5         2.0       2.0         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         1.5       1.5         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         1.5       1.5         1.5       1.5  | 41.70<br>49.95<br>45.56<br>40.20<br>45.35<br>33.45<br>33.45<br>33.45<br>30.20<br>35.20<br>49.10<br>47.80<br>47.80<br>43.50<br>43.50                            |  |
| 1.5       1.5       1.5         2.0       2.0       2.0         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5  | 49.95<br>45.56<br>40.20<br>45.35<br>45.35<br>33.45<br>30.20<br>35.20<br>47.80<br>49.10<br>43.50<br>43.50   |  |
| <ul> <li>2.0</li> <li>2.0</li> <li>1.5</li> <li>2.0</li> <li>2.0</li></ul> | 45.56<br>40.20<br><b>45.35</b><br>33.45<br>30.20<br>35.20<br>49.10<br>47.80<br>47.80<br>43.50  |  |
| 1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         1.5       1.5       1.5         1.5       1.5       1.5  | 40.20<br>45.35<br>45.35<br>33.45<br>33.45<br>30.20<br>35.20<br>47.80<br>47.80<br>43.50<br>43.50  |  |
| 1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.1.5       1.5       1.5         1.5       1.5       1.5  | <mark>45.35</mark><br>45.35<br>33.45<br>33.20<br>35.20<br>45.35<br>49.10<br>47.80<br>43.50   |  |
| 1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.1.5       1.5       1.5         1.5       1.5       1.5  | 45.35<br>33.45<br>44.13<br>30.20<br>45.35<br>49.10<br>47.80<br>43.50   |  |
| 1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         1.5       1.5       1.5         1.5       1.5       1.5  | 33.45<br>14.13<br>30.20<br>35.20<br>45.35<br>49.10<br>47.80<br>43.50   |  |
| 1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         1.5       1.5       1.5         1.5       1.5       1.5  | 14.13<br>30.20<br>35.20<br>45.35<br>49.10<br>47.80<br>45.25<br>43.50   |  |
| 1.5       1.5       1.5         1.5       1.5       1.5         1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         1.5       1.5       1.5         1.5       1.5       1.5  | 0.20<br>5.20<br>5.35<br>9.10<br>7.80<br>5.25<br>3.50   | m m 4  |
| 1.5       1.5       1.5         1.5       1.5       1.5         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         2.0       2.0       2.0         1.5       1.5       1.5         1.5       1.5       1.5  | 5.20<br>5.35<br>9.10<br>7.80<br>5.25<br>3.50   | ω 4  |
| 1.5       1.5         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         2.0       2.0         1.5       1.5         1.5       1.5  | 5.35<br>9.10<br>7.80<br>5.25<br>3.50   | 4  |
| <ul> <li>2.0</li> <li>1.5</li> <li>1.5</li> <li>1.5</li> </ul>   | 9.10<br>17.80<br>15.25<br>13.50  |  |
| <ul> <li>2.0</li> <li>1.5</li> <li>1.5</li> <li>1.5</li> </ul>  | 17.80<br>15.25<br>13.50  | 7  |
| 2.0 2.0<br>2.0 2.0<br>2.0 2.0<br>2.0 2.0<br>2.0 2.0<br>1.5 1.5<br>1.5  | 45.25<br>43.50   |  |
| 2.0 2.0<br>2.0 2.0<br>2.0 2.0<br>2.0 2.0<br>1.5 1.5<br>1.5 1.5   | 43.50  |  |
| 2.0 2.0<br>2.0 2.0<br>2.0 2.0<br>1.5 1.5<br>1.5  |  |  |
| 2.0 2.0<br>2.0 2.0<br>1.5 1.5<br>1.5 1.5   | 52.85  |  |
| 2.0 2.0<br>1.5 1.5<br>1.5 1.5  | 50.10  |  |
| 1.5 1.5<br>1.5 1.5   | 52.10  |  |
| 1.5 1.5  | 37.00  | m  |
|  | 47.30  | 7  |
| 1.5 1.5  | 46.75  | 7  |
| 1.5 1.5  | 44.70  |  |
| 1.5  | 43.30  |  |

| <b>OPERATING ENGINEER</b>           | AII | ΗWY | S | 42.10 | 51.30 | 1.5 | 1.5 | 2.0 | 18.05 | 13.60 | 1.90  | 1.30 |
|-------------------------------------|-----|-----|---|-------|-------|-----|-----|-----|-------|-------|-------|------|
| <b>OPERATING ENGINEER</b>           | All | HWΥ | 9 | 50.30 | 51.30 | 1.5 | 1.5 | 2.0 | 18.05 | 13.60 | 1.90  | 1.30 |
| OPERATING ENGINEER<br>ORNAMNTL IRON | All | НWY | 7 | 48.30 | 51.30 | 1.5 | 1.5 | 2.0 | 18.05 | 13.60 | 1.90  | 1.30 |
| WORKER                              | AII | AII |   | 45.56 | 49.20 | 2.0 | 2.0 | 2.0 | 11.02 | 21.51 | 0.00  | 0.70 |
| PAINTER                             | All | All |   | 42.93 | 44.93 | 1.5 | 1.5 | 1.5 | 10.30 | 8.20  | 0.00  | 1.35 |
| PAINTER SIGNS                       | All | BLD |   | 33.92 | 38.09 | 1.5 | 1.5 | 1.5 | 2.60  | 2.71  | 0.00  | 0.00 |
| PILEDRIVER                          | All | All |   | 45.35 | 47.35 | 1.5 | 1.5 | 2.0 | 11.79 | 17.61 | 0.00  | 0.63 |
| PIPEFITTER                          | AII | BLD |   | 47.50 | 50.50 | 1.5 | 1.5 | 2.0 | 9.55  | 17.85 | 0.00  | 2.07 |
| PLASTERER                           | AII | BLD |   | 42.25 | 44.79 | 1.5 | 1.5 | 2.0 | 13.65 | 9.50  | 5.00  | 0.65 |
| PLUMBER                             | AII | BLD |   | 48.25 | 50.25 | 1.5 | 1.5 | 2.0 | 14.09 | 12.65 | 0.00  | 1.18 |
| ROOFER                              | AII | BLD |   | 41.70 | 44.70 | 1.5 | 1.5 | 2.0 | 8.28  | 11.59 | 00.00 | 0.53 |
| SHEETMETAL WORKER                   | AII | BLD |   | 45.77 | 47.77 | 1.5 | 1.5 | 2.0 | 10.65 | 14.10 | 0.00  | 0.82 |
| SPRINKLER FITTER                    | All | BLD |   | 47.20 | 49.20 | 1.5 | 1.5 | 2.0 | 12.25 | 11.55 | 0.00  | 0.55 |
| STEEL ERECTOR                       | AII | All |   | 45.06 | 48.66 | 2.0 | 2.0 | 2.0 | 10.52 | 20.76 | 0.00  | 0.70 |
| STONE MASON                         | AII | BLD |   | 44.88 | 49.37 | 1.5 | 1.5 | 2.0 | 10.25 | 15.30 | 0.00  | 0.85 |
| TERRAZZO FINISHER                   | AII | BLD |   | 39.54 | 39.54 | 1.5 | 1.5 | 2.0 | 10.55 | 11.79 | 0.00  | 0.67 |
| TERRAZZO MASON                      | AII | BLD |   | 43.38 | 43.38 | 1.5 | 1.5 | 2.0 | 10.55 | 13.13 | 0.00  | 0.79 |
| TILE MASON                          | AII | BLD |   | 43.84 | 47.84 | 1.5 | 1.5 | 2.0 | 10.55 | 11.40 | 0.00  | 0.99 |
| TRUCK DRIVER                        | AII | All | 7 | 37.91 | 38.46 | 1.5 | 1.5 | 2.0 | 8.10  | 7.97  | 0.00  | 0.15 |
| <b>TRUCK DRIVER</b>                 | AII | All | 2 | 38.06 | 38.46 | 1.5 | 1.5 | 2.0 | 8.10  | 7.97  | 0.00  | 0.15 |
| TRUCK DRIVER                        | AII | All | ŝ | 38.26 | 38.46 | 1.5 | 1.5 | 2.0 | 8.10  | 7.97  | 0.00  | 0.15 |
| TRUCK DRIVER                        | All | AII | 4 | 38.46 | 38.46 | 1.5 | 1.5 | 2.0 | 8.10  | 7.97  | 0.00  | 0.15 |
| TUCKPOINTER                         | All | BLD |   | 44.90 | 45.90 | 1.5 | 1.5 | 2.0 | 8.30  | 14.29 | 0.00  | 0.48 |

Explanations

**KENDALL COUNTY** 

The following list is considered as those days for which holiday rates

of wages for work performed apply: New Years Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Christmas Day and Veterans Day in some classifications/counties. Generally, any of these holidays which fall on a Sunday is celebrated on the following Monday. This then makes work performed on that Monday payable at the appropriate overtime rate for holiday pay. Common practice in a given local may alter certain days of celebration. If in doubt, please check with IDOL.

## **EXPLANATION OF CLASSES**

ASBESTOS - GENERAL - removal of asbestos material/mold and hazardous materials from any place in a building, including mechanical systems where those mechanical systems are to be removed. This includes the removal of asbestos materials/mold and hazardous materials from ductwork or pipes in a building when the building is to be demolished at the time or at some close future date.

ASBESTOS - MECHANICAL - removal of asbestos material from mechanical systems, such as pipes, ducts, and boilers, where the mechanical

systems are to remain.

## **CERAMIC TILE FINISHER**

sand and cement mixtures or adhesives when used in the preparation, products; all composition materials, granite tiles, warning detectable swimming pools, and all other places where tile is to form a finished fixtures, equipment, adhesives, or any other materials to be used in other materials that are for and intended for use as a finished floor installation, repair, or maintenance of tile and/or similar materials. interior or exterior. The mixing of all setting mortars including but the preparation, installation, repair, or maintenance of tile and/or The grouting, cleaning, and polishing of all classes of tile, whether tile-like units; all mixtures in tile like form of cement, metals, and not limited to thin-set mortars, epoxies, wall mud, and any other mosaics, fiberglass, and all substitute materials, for tile made in especially after installation of said tile work. Application of any for interior or exterior purposes, all burned, glazed or unglazed similar materials. Ceramic Tile Finishers shall fill all joints and surface, stair treads, promenade roofs, walks, walls, ceilings, tiles, cement tiles, epoxy composite materials, pavers, glass, voids regardless of method on all tile work, particularly and The handling and unloading of all sand, cement, lime, tile,

and all protective coverings to all types of tile installations including, but not be limited to, all soap compounds, paper products, tapes, and all polyethylene coverings, plywood, masonite, cardboard, and any new type of products that may be used to protect tile installations, Blastrac equipment, and all floor scarifying equipment used in preparing floors to receive tile. The clean up and removal of all waste and materials. All demolition of existing tile floors and walls to be re-tiled.

## COMMUNICATIONS TECHNICIAN

Construction, installation, maintenance and removal of telecommunication facilities (voice, sound, data and video), telephone, security, and data inside wire, interconnect, terminal equipment, central offices, PABX and equipment, micro waves, V-SAT, bypass, CATV, WAN (wide area network), LAN (local area networks), and ISDN (integrated system digital network), pulling of wire in raceways, but not the installation of raceways.

MARBLE FINISHER

granite and other stones (meaning as to stone any foreign or domestic to cement for the installation of material and such other work as may holding water on diamond or Carborundum blade or saw for setters treads, base, or any other materials that may be used as substitutes mixing up thin set for the installation of material, mixing up of sand cutting, use of tub saw or any other saw needed for preparation of damaged, pointing up, caulking, grouting and cleaning of marble, stone, sand, etc.), stocking of floors with material, performing all setters, mixing up of molding plaster for installation of material, exteriors and customarily known as stone in the trade), carrara, sanionyx, vitrolite and similar opaque glass and the laying of all rigging for heavy work, the handling of all material that may be marble tile, terrazzo tile, slate tile and precast tile, steps, risers material in the erection or installation of interior marble, slate, scaffolding, polishing if needed, patching, waxing of material if material, drilling of holes for wires that anchor material set by travertine, art marble, serpentine, alberene stone, blue stone, Loading and unloading trucks, distribution of all materials (all materials as are specified and used in building interiors and be required in helping a Marble Setter in the handling of all needed for the installation of such materials, building of

for any of the aforementioned materials and which are used on interior and exterior which are installed in a similar manner.

MATERIAL TESTER I: Hand coring and drilling for testing of materials; field inspection of uncured concrete and asphalt.

MATERIAL TESTER II: Field inspection of welds, structural steel, fireproofing, masonry, soil, facade, reinforcing steel, formwork, cured concrete, and concrete and asphalt batch plants; adjusting proportions of bituminous mixtures.

# **OPERATING ENGINEER - BUILDING**

Class 1. Asphalt Plant; Asphalt Spreader; Autograde; Backhoes with Caisson Attachment; Batch Plant; Benoto (requires Two Engineers); Boiler and Throttle Valve; Caisson Rigs; Central Redi-Mix Plant; Combination Back Hoe Front End-loader Machine; Compressor and Throttle Valve; Concrete Breaker (Truck Mounted); Concrete Conveyor; Concrete Conveyor (Truck Mounted); Concrete Paver Over 27E cu. ft; Concrete Paver 27E cu. ft. and Under: Concrete Placer; Concrete Placing Boom;

Cretes Dual Ram; Pump Cretes: Squeeze Cretes-Screw Type Pumps; Gypsum Concrete Pump (Truck Mounted); Concrete Tower; Cranes, All; Cranes, Backhoes; Hydraulic Boom Trucks; Hydro Vac (and similar equipment); Scoops - Tractor Drawn; Slip-Form Paver; Straddle Buggies; Operation Locomotives, All; Motor Patrol; Lubrication Technician; Manipulators; Pile Drivers and Skid Rig; Post Hole Digger; Pre-Stress Machine; Pump Elevators, outside type rack and pinion and similar machines; Hoists, One, Two and Three Drum; Hoists, Two Tugger One Floor; Hydraulic of Tie Back Machine; Tournapull; Tractor with Boom and Side Boom; Machines; Heavy Duty Self-Propelled Transporter or Prime Mover; Hammerhead; Cranes, (GCI and similar Type); Creter Crane; Spider Bulker and Pump; Raised and Blind Hole Drill; Roto Mill Grinder; Formless Curb and Gutter Machine; Grader, Elevating; Grouting Highlift Shovels or Front Endloader 2-1/4 yd. and over; Hoists, Crane; Crusher, Stone, etc.; Derricks, All; Derricks, Traveling; Trenching Machines.

Class 2. Boilers; Broom, All Power Propelled; Bulldozers; Concrete Mixer (Two Bag and Over); Conveyor, Portable; Forklift Trucks; Highlift Shovels or Front Endloaders under 2-1/4 yd.; Hoists, Automatic; Hoists, Inside Elevators; Hoists, Sewer Dragging Machine;

Hoists, Tugger Single Drum; Laser Screed; Rock Drill (Self-Propelled); Rock Drill (Truck Mounted); Rollers, All; Steam Generators; Tractors, All; Tractor Drawn Vibratory Roller; Winch Trucks with "A" Frame. Class 3. Air Compressor; Combination Small Equipment Operator; Generators; Heaters, Mechanical; Hoists, Inside Elevators (remodeling or renovation work); Hydraulic Power Units (Pile Driving, Extracting, and Drilling); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Low Boys; Pumps, Well Points; Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 4. Bobcats and/or other Skid Steer Loaders; Oilers; and Brick Forklift.

Class 5. Assistant Craft Foreman.

Class 6. Gradall.

Class 7. Mechanics; Welder.

# **OPERATING ENGINEERS - HIGHWAY CONSTRUCTION**

Plant; Combination Backhoe Front Endloader Machine, (1 cu. yd. Backhoe Rail Post Driver Truck Mounted; Hoists, One, Two and Three Drum; Heavy Heater Scarfire; Asphalt Spreader; Autograder/GOMACO or other similar Mounted); Concrete Conveyor; Concrete Paver over 27E cu. ft.; Concrete Class 1. Asphalt Plant; Asphalt Heater and Planer Combination; Asphalt Pre-Stress Machine; Pump Cretes Dual Ram; Rock Drill - Crawler or Skid type machines: ABG Paver; Backhoes with Caisson Attachment; Ballast Motor Patrol, Auto Patrol, Form Grader, Pull Grader, Subgrader; Guard Backhoes with shear attachments up to 40' of boom reach; Lubrication Technician; Manipulators; Mucking Machine; Pile Drivers and Skid Rig; Elevators, Outside type Rack & Pinion and Similar Machines; Formless Duty Self-Propelled Transporter or Prime Mover; Hydraulic Backhoes; Placer; Concrete Tube Float; Cranes, all attachments; Cranes, Tower Cranes of all types: Creter Crane: Spider Crane; Crusher, Stone, etc.; Curb and Gutter Machine; Grader, Elevating; Grader, Motor Grader, Regulator; Belt Loader; Caisson Rigs; Car Dumper; Central Redi-Mix Bucket or over or with attachments); Concrete Breaker (Truck Rig; Rock Drill - Truck Mounted; Rock/Track Tamper; Roto Mill Derricks, All; Derrick Boats; Derricks, Traveling; Dredges;

Grinder; Slip-Form Paver; Snow Melters; Soil Test Drill Rig (Truck Mounted); Straddle Buggies; Hydraulic Telescoping Form (Tunnel); Operation of Tieback Machine; Tractor Drawn Belt Loader; Tractor Drawn Belt Loader (with attached pusher - two engineers); Tractor with Boom; Tractaire with Attachments; Traffic Barrier Transfer Machine; Trenching; Truck Mounted Concrete Pump with Boom; Raised or Blind Hole Drills (Tunnel Shaft); Underground Boring and/or Mining Machines 5 ft. in diameter and over tunnel, etc; Underground Boring and/or Mining Machines under 5 ft. in diameter; Wheel Excavator; Widener (APSCO). Class 2. Batch Plant; Bituminous Mixer; Boiler and Throttle Valve; Bulldozers; Car Loader Trailing Conveyors; Combination Backhoe Front Endloader Machine (Less than 1 cu. yd. Backhoe Bucket or over or with attachments); Compressor and Throttle Valve; Compressor, Common Receiver (3); Concrete Breaker or Hydro Hammer; Concrete Grinding Machine; Concrete Mixer or Paver 7S Series to and including 27 cu. ft.; Concrete Spreader; Concrete Curing Machine, Burlap Machine, Belting Machine and Sealing Machine; Concrete Wheel Saw; Conveyor Muck Cars (Haglund or Similar Type); Drills, All; Finishing Machine -Concrete; Highlift Shovels or Front Endloader; Hoist - Sewer Dragging Machine; Hydraulic Boom Trucks (All Attachments); Hydro-Blaster; Hydro

Excavating (excluding hose work); Laser Screed; All Locomotives, Dinky; Off-Road Hauling Units (including articulating) Non Self-Loading Ejection Dump; Pump Cretes: Squeeze Cretes - Screw Type Pumps, Gypsum Bulker and Pump; Roller, Asphalt; Rotary Snow Plows; Rototiller, Seaman, etc., self-propelled; Self-Propelled Compactor; Spreader - Chip - Stone, etc.; Scraper - Single/Twin Engine/Push and Pull; Scraper - Prime Mover in Tandem (Regardless of Size); Tractors pulling attachments, Sheeps Foot, Disc, Compactor, etc.; Tug Boats. Class 3. Boilers; Brooms, All Power Propelled; Cement Supply Tender; Compressor, Common Receiver (2); Concrete Mixer (Two Bag and Over); Conveyor, Portable; Farm-Type Tractors Used for Mowing, Seeding, etc.; Forklift Trucks; Grouting Machine; Hoists, Automatic; Hoists, All Elevators; Hoists, Tugger Single Drum; Jeep Diggers; Low Boys; Pipe Jacking Machines; Post-Hole Digger; Power Saw, Concrete Power Driven; Pug Mills; Rollers, other than Asphalt; Seed and Straw Blower; Steam Generators; Stump Machine; Winch Trucks with "A" Frame; Work Boats; Tamper-Form-Motor Driven.

Class 4. Air Compressor; Combination - Small Equipment Operator; Directional Boring Machine; Generators; Heaters, Mechanical; Hydraulic

Power Unit (Pile Driving, Extracting, or Drilling); Light Plants, All (1 through 5); Pumps, over 3" (1 to 3 not to exceed a total of 300 ft.); Pumps, Well Points; Vacuum Trucks (excluding hose work); Welding Machines (2 through 5); Winches, 4 Small Electric Drill Winches.

Class 5. SkidSteer Loader (all); Brick Forklifts; Oilers.

Class 6. Field Mechanics and Field Welders

Class 7. Dowell Machine with Air Compressor; Gradall and machines of like nature.

**OPERATING ENGINEERS - FLOATING** 

Diver. Diver Wet Tender, Diver Tender, ROV Pilot, ROV Tender

TRUCK DRIVER - BUILDING, HEAVY AND HIGHWAY CONSTRUCTION

Class 1. Two or three Axle Trucks. A-frame Truck when used for transportation purposes; Air Compressors and Welding Machines,

including those pulled by cars, pick-up trucks and tractors; Ambulances Batch Gate Lockers; Batch Hopperman; Car and Truck Washers; Carry-alls; Fork Lifts and Hoisters; Helpers, Mechanics Helpers and Greasers; Oil Distributors 2-man operation; Pavement Breakers; Pole Trailer, up to 40 feet; Power Mower Tractors; Self-propelled Chip Spreader; Skipman; Slurry Trucks, 2-man operation; Slurry Truck Conveyor Operation, 2 or 3 man; Teamsters; Unskilled Dumpman; and Truck Drivers hauling warning lights, barricades, and portable toilets on the job site.

Class 2. Four axle trucks; Dump Crets and Adgetors under 7 yards; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnapulls or Turnatrailers when pulling other than self-loading equipment or similar equipment under 16 cubic yards; Mixer Trucks under 7 yeards; Ready-mix Plant Hopper Operator, and Winch Trucks, 2 Axles.

Class 3. Five axle trucks; Dump Crets and Adgetors 7 yards and over; Dumpsters, Track Trucks, Euclids, Hug Bottom Dump Turnatrailers or turnapulls when pulling other than self-loading equipment or similar equipment over 16 cubic yards; Explosives and/or Fission Material Trucks; Mixer Trucks 7 yards or over; Mobile Cranes while in transit;

Oil Distributors, 1-man operation; Pole Trailer, over 40 feet; Pole and Expandable Trailers hauling material over 50 feet long; Slurry trucks, 1-man operation; Winch trucks, 3 axles or more; Mechanic--Truck Welder and Truck Painter. Class 4. Six axle trucks; Dual-purpose vehicles, such as mounted crane trucks with hoist and accessories; Foreman; Master Mechanic; Self-loading equipment like P.B. and trucks with scoops on the front.

## **TERRAZZO FINISHER**

The handling of sand, cement, marble chips, and all other materials that may be used by the Mosaic Terrazzo Mechanic, and the mixing, grinding, grouting, cleaning and sealing of all Marble, Mosaic, and Terrazzo work, floors, base, stairs, and wainscoting by hand or machine, and in addition, assisting and aiding Marble, Masonic, and Terrazzo Mechanics.

Other Classifications of Work:

For definitions of classifications not otherwise set out, the Department generally has on file such definitions which are available. If a task to be performed is not subject to one of the classifications of pay set out, the Department will upon being contacted state which neighboring county has such a classification and provide such rate, such rate being deemed to exist by reference in this document. If no neighboring county rate applies to the task, the Department shall undertake a special determination, such special determination being then deemed to have existed under this determination. If a project requires these, or any classification not listed, please contact IDOL at 217-782-1710 for wage rates or clarifications.


## LANDSCAPING

Landscaping work falls under the existing classifications for laborer, operating engineer and truck driver. The work performed by landscape plantsman and landscape laborer is covered by the existing classification of laborer. The work performed by landscape operators (regardless of equipment used or its size) is covered by the classifications of operating engineer. The work performed by

landscape truck drivers (regardless of size of truck driven) is covered by the classifications of truck driver.

MATERIAL TESTER & MATERIAL TESTER/INSPECTOR I AND II

Notwithstanding the difference in the classification title, the classification entitled "Material Tester I" involves the same job duties as the classification entitled "Material Tester/Inspector I". Likewise, the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II" involves the same job duties as the classification entitled "Material Tester II".




| unless otherwise shown. | TRAFFIC CONTROL |                             | DEVICES                  |                        | (Sheet 1 of 3)                         | STANDARD 701901-04         |                   |
|-------------------------|-----------------|-----------------------------|--------------------------|------------------------|--|----------------------------|-------------------|
|                         | REVISIONS       | Revised two sign numbers on | sheet 2. Added note reg. | PHOTO ENFORCED plaque. | 1-1-14   Modified flagger sign height. | Added highway construction | speed zone signs. |
|                         | DATE            | 1-1-15                      |                          |                        | 1 - 1 - 1 - 4                          |                            |                   |

All dimensions are in inches (millimeters)

GENERAL NOTES All heights shown shall be measured above the pavement surface.

\* Warning lights (if required)





4-6 (100-150) 4-6 (100-150)

(006) 92

18 (450)

min.

4(100)

8-12 (200-300)

4(100)

ک¢ (600)

ظ, (J•S س)

(100) 4 (100) (100)

(700) 28

(100) 4

3 (75) min.

\*

|... ...

· · ·

.

٠.


•

• • • • •


FLEXIBLE DELINEATOR


VERTICAL PANEL POST MOUNTED

DRUM



















**CHANNELIZING BARRICADE** 



































# SIGNS ON TEMPORARY SUPPORTS


••• When work operations exceed four days, this dimension shall be 5' (1.5 m) min. If located behind other devices, the height shall be sufficient to be seen completely above the devices.



12 (300) 15 (300)

24 - 10' (600 - 3 m)

HIGH LEVEL WARNING DEVICE





CONSTRUCTION

END


G20-I105(0)-6024

ROAD CONSTRUCTION NEXT X MILES sign shall be placed 500' (150 m) in advance of pro-ject limits.

END CONSTRUCTION sign shall be erected at the end of the job unless another job is within 2 miles (3200 m).

Dual sign displays shall be utilized on multilare highways.

## WORK LIMIT SIGNING



|     | G20-I103(0)-6036 |             | : |
|-----|------------------|-------------|---|
| END | WORK ZONE        | SPEED LIMIT |   |

This sign shall be used when the above sign assembly is used.

## **HIGHWAY CONSTRUCTION**

## SPEED ZONE SIGNS

R10-1108p shall only be used along roadways under the juristiction of the State.

TRAFFIC CONTROL

DEVICES

STANDARD 701901–04

Ñ 0 f

Sheet 2

| rion                                    | ISSUED                   | 1-1-97                              |
|---|--------------------------|-------------------------------------|
| 🛞 Illinois Department of Transportation | APPROVED January 1, 2015 | ENGINEER OF DEFINITIONS<br>APPROVED |

FLAGGER TRAFFIC CONTROL SIGN

