



SULLIVAN MIDDLE CORRIDOR DOOR RENOVATIONS

ROCK HILL SCHOOL DISTRICT THREE
ROCK HILL, SOUTH CAROLINA

MOSELEYARCHITECTS

MOSELEYARCHITECTS.COM



DRAWING INDEX	
00 - COVER	COVER
01 - LIFE SAFETY	LS1.0 CODE SUMMARY - F3 FORM
02 - ARCHITECTURAL	
A0.1	GENERAL ARCHITECTURAL INFORMATION
A1.1	DEMO PLAN - FIRST FLOOR
A1.2	DEMO PLAN - SECOND FLOOR
A2.1	FLOOR PLANS - FIRST FLOOR
A2.2	FLOOR PLANS - SECOND FLOOR
A3.1.1	DOOR AND FRAME SCHEDULE

MOSELEYARCHITECTS

1320 MAIN STREET, SUITE 300, COLUMBIA, SC 29201
PHONE (803) 724-1282
MOSELEYARCHITECTS.COM



SULLIVAN MIDDLE CORRIDOR DOOR RENOVATIONS

ROCK HILL SCHOOL DISTRICT THREE
ROCK HILL, SOUTH CAROLINA

REVISIONS	
DATE	DESCRIPTION

COVER

THE CONTRACT DOCUMENTS ARE COMPLEMENTARY, AND WHAT IS REQUIRED BY ONE SHALL BE AS BINDING AS IF REQUIRED BY ALL.
IN CASE OF A CONFLICT, DISAGREEMENT, OR AMBIGUITY, PROVIDE THE BETTER QUALITY. IN CASE OF A CONFLICT, DISAGREEMENT, OR AMBIGUITY, PROVIDE THE GREATER QUANTITY OF WORK.

FORM F3 BUILDING CODE ANALYSIS FORM

PROJECT	SULLIVAN MIDDLE SCHOOL CORRIDOR DOOR RENOVATION
DISTRICT	ROCK HILL DISTRICT 3
CODE & EDITION	AREA A, B, C, D, E, F, G, H, I INTERNATIONAL EXISTING BUILDING CODE 2015 LEVEL 1 ALTERATIONS
GUIDE EDITION	2015

DESIGNATED AREAS OF BUILDING		AREA A, B, C, D, E, F, G, H, I
CONSTRUCTION CLASSIFICATION TYPE (IBC 602)		
OCCUPANCY GROUP (IBC 302)		
OCCUPANCY GROUP (IBC 503) (Most Restrictive)		
INCIDENTAL USE AREA OPERATION (IBC 508.2.5)		EXISTING BUILDING UNCHANGED
ACCESSORY OCCUPANCY (IBC 508.2)		
MIXED OCCUPANCY (IBC 508)		
NON SEPERATED (IBC 508.3)		
SEPERATED (IBC 508.4)(IBC 508.5)		
OTHER FIRE PROTECTION SYSTEMS, DEVICES OR FEATURES (IBC 414.1.3)		NON-SPRINKLERED FIRE EXTINGUISHERS

DESIGNATED AREAS OF BUILDING		AREA A, B, C, D, E, F, G, H, I
AREA LIMIT BY PER STORY (IBC TABLE 503)		
MAXIMUM AREA MODIFICATION PER STORY		
MAXIMUM AREA PER STORY		
TOTAL ALLOWED AREA OF BUILDING	STORY 1 STORY 2 STORY 3 TOTAL ALLOWED	EXISTING BUILDING UNCHANGED
AREA AS DESIGNED PER STORY	STORY 1 STORY 2 STORY 3 (MECHANICAL PENTHOUSE)	EXISTING BUILDING UNCHANGED EXISTING BUILDING UNCHANGED EXISTING BUILDING UNCHANGED
TOTAL DESIGNED AREA OF BUILDING		EXISTING BUILDING UNCHANGED
OPEN PERIMETER WAS NOT USED FOR CALCULATING THE ALLOWED AREA LISTED ABOVE		

DESIGNATED AREAS OF BUILDING		AREA A, B, C, D, E, F
HEIGHT	DESIGNED	ALLOWED
ALLOWABLE BUILDING HEIGHT AND STORIES (IBC TABLE 504.3 & 504.4)	IN FEET IN STORIES	EXISTING BUILDING UNCHANGED

DESIGNATED AREAS OF BUILDING	MAIN LEVEL	UPPER LEVEL	TOTAL
AREA A (EXISTING BUILDING)	248		248
AREA B (EXISTING BUILDING)	203	234	437
AREA C (EXISTING BUILDING)	220	224	444
AREA D (EXISTING BUILDING)	225	231	456
AREA E (EXISTING BUILDING)	221	229	450
AREA F (EXISTING BUILDING)	219	231	450
AREA G (EXISTING BUILDING)	1,774		1,774
AREA H (EXISTING BUILDING)	231		231
AREA I (EXISTING BUILDING)	1,343		1,343
TOTALS	4,884	1,149	5,833

DESIGNATED AREAS OF BUILDING	AREA A, B, C, D, E, F, G, H, I
Fireblocking Required (IBC Section 717)	
Draftstopping Required (IBC Section 717)	
Smoke Control System Required (IBC Section 909)	EXISTING BUILDING UNCHANGED
Smoke Barriers Required (IBC Sections 407 and 408)	EXISTING RATINGS SHALL BE MAINTAINED
Smoke Partitions Required (IBC Section 407)	
Fire Partition Required (IBC Section 420)	
Fire Barrier Required (IBC Section 707)	
ALARM & DETECTION	
Fire Alarm System Required (IFC Section 907)	YES
Emergency Alarm System Required (IFC 908)	NO
SUPPRESSION	
Standpipes Required (IFC 905)	EXISTING BUILDING IS NOT EQUIPPED WITH STANDPIPES OR SPRINKLERS
Sprinklered Required (IFC 903)	
Sprinklered Provided	
Portable extinguishers required (IFC 906)	YES
Other suppression systems required (IFC 904)	EXISTING BUILDING UNCHANGED
Smoke & heat vents required (IFC 910)	

DESIGNATED AREAS OF BUILDING	AREA A, B, C, D, E, F, G, H, I
AREA OF REFUGE	
Separation required (IBC 1007.6.2)	
Two-way communication provided (IBC 1007.6.3)	EXISTING BUILDING UNCHANGED
Instruction provided (IBC 1007.6.4)	
EXTERIOR AREA FOR ASSISTED RESCUE	
Separation required (IBC 1009.7.8)	EXISTING BUILDING UNCHANGED
Identification provided (IBC 1007.8.3)	

DESIGNATED AREAS OF BUILDING	AREA A, B, C, D, E, F, G, H, I
STRUCTURAL FRAME (IBC Table 601)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Bearing Walls, Exterior (IBC Table 601)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Bearing Walls, Interior (IBC Table 601)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Nonbearing Walls & Partitions, Exterior (IBC Table 601 & 602)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Nonbearing Walls & Partitions, Interior & Exterior (IBC Table 601 & 602)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Floor Construction including supporting beams & joists (IBC Table 601)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Roof Construction including supporting beams & joists (IBC Table 601)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Fire Walls (IBC Section 706)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Fire Barriers (IBC Section 707)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Shaft Enclosures (IBC Section 708)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED
Fire Partitions (IBC Section 709)	EXISTING BUILDING UNCHANGED EXISTING RATINGS SHALL BE MAINTAINED

DESIGNATED AREAS OF BUILDING	MAIN LEVEL	UPPER LEVEL	TOTAL
Fire walls and fire barriers having a required fire-resistance rating greater than 1 hour			
Fire barriers having a required fire-resistance rating of 1 hour			
Other fire barriers			
Exterior Walls			

DESIGNATED AREAS OF BUILDING	AREA A, B, C, D, E, F, G, H, I
FLOOD HAZARD INFORMATION and FLOOD LOADS	PROJECT IS NOT IN A FLOOD ZONE

OCCUPANCY CATEGORY (IBC Table 1604.5)	AREA A, B, C, D, E, F, G, H, I
LIVE LOAD FOR EACH OCCUPANCY TYPE (IBC Figure 1606.2 or ASCE 7)	EXISTING BUILDING UNCHANGED
MISCELLANEOUS LOADS BY SPECIAL USE AREA (ARCHITECTURAL, MECHANICAL, DATA CENTER, ETC., ASCE 7)	

SOILS & SITE	
SOILS INVESTIGATION REQUIRED? (IBC 1803.2)	YES
SOILS CLASSIFICATION Seismic Site Class (IBC 1613.5.2) Classes Soil of Materials (UCS System) (IBC 1803.5.1)	D
Allowable Footing Bearing Pressure	2000 PSF
MINIMUM DESIGN SOIL BEARING LOAD (IBC Table 1806.2)	2000 PSF
COMPACTION	
Subgrade (ASTM D698, ASTM D1557) or (ASHTO only for paving & roads)	%
Base (ASTM D698, ASTM D1557) or (ASHTO only for paving & roads)	%
Other (ASTM D698, ASTM D1557) or (ASHTO only for paving & roads)	%
MINIMUM DESIGN SOIL LATERAL LOAD (IBC 1810.1)	40-55 PSF
FOOTINGS	
Undisturbed footings	YES
Compacted Fill Material (IBC 1804.5)	YES
ELEVATIONS	
Elevation of Water Table	636 MSL
Elevation of lowest footing	643 & 6 MSL
Elevation of lowest floor or basement	643 & 6 MSL
WIND LOADS	
Analysis Procedure (ASCE 7 or IBC 1809.6)	DIRECTIONAL PROCEDURE
Basic Wind Speed, MPS (3 sec gust) (BC Fig. 1609)	V3S = 120 MPH
Exposure Category	B
Wind Risk Category	RISK CATEGORY III
Internal Pressure Coefficient (ASCE 7)	GCp1 = +3.18
External Pressure Coefficient (ASCE 7)	GCp = VARIED
Seismic Importance Factor (ASCE 7)	I = 1.25
Soil Class (IBC 1813.5.2)	D
Mapped Spectral Response Accelerations	Ss = 0.275 S1 = 0.111
SEISMIC LOADS	
Design Spectral Response Acceleration Parameters	SDS = 0.290 SD1 = 0.177
Seismic Use Group (ASCE 7 and Seismic Risk Category IBC)	RISK CATEGORY III
Seismic Design Category (IBC Tables 1613.5.6(1) & 1613.5.6(2))	SDC C
Basic Seismic Force Resisting System	BUILDING FRAME SYSTEM STEEL ECCENTRICALLY BRACED FRAMES INTERMEDIATE SHEAR WALLS
Design Base Shear	700 KIPS (ULTIMATE)
Seismic Response Coefficient(s) ASCE 7	Cs = 121
Response Modification Factor(s) ASCE 7	R = 3.0
Analysis Procedure	EQUIVALENT LATERAL FORCE PROCEDURE

STATEMENT OF SPECIAL INSPECTIONS	
	EXISTING BUILDING UNCHANGED

FIRE SERVICE INFORMATION	
	EXISTING BUILDING UNCHANGED



MECHANICAL INFORMATION	
	EXISTING BUILDING UNCHANGED

ELECTRICAL INFORMATION	
	EXISTING BUILDING UNCHANGED

PLUMBING INFORMATION	
	EXISTING BUILDING UNCHANGED

OCCUPANCY	CODE REQUIRED BUILDING FIXTURE COUNTS - NEW BUILDING												
	FACTOR	REQUIRED	PROVIDED	URNALS PROVIDED	FACTOR	REQUIRED	PROVIDED	FACTOR	REQUIRED	PROVIDED	FACTOR	REQUIRED	PROVIDED
NO CHANGE IN THE EXISTING OCCUPANT OR TOTAL FIXTURE COUNT													
TOTALS													


* SHOWERS ARE NOT REQUIRED FOR OCCUPANCY TYPES LISTED PER IBC TABLE 403.1. THEY ARE PROVIDED IN THIS PROJECT. REFER TO PLUMBING DRAWINGS.
 ** ONE SINK PER CLASSROOM IS INCLUDED IN THE LAVATORIES COUNT
 *** OCCUPANCY FOR MUSIC AND ART ROOMS HAVE BEEN REMOVED DUE TO NONSIMULTANEOUS OCCUPANCY



WORK AREA - IBC 2015 : 503 ALTERATION - LEVEL 1
 - REPLACING DOOR AND FRAME WITH RATED DOOR ENCLOSURES.

WORK AREA PLANS - FIRST AND SECOND FLOOR

MOSELEY ARCHITECTS
 1320 MAIN STREET, SUITE 300, COLUMBIA, SC 29201
 PHONE (803) 724-1262
 MOSELEYARCHITECTS.COM



SULLIVAN MIDDLE CORRIDOR DOOR RENOVATIONS
 ROCK HILL SCHOOL DISTRICT THREE
 ROCK HILL, SOUTH CAROLINA

PROJECT NO.	DATE
5921178	October 18, 2019
REVISIONS	DESCRIPTION

CODE SUMMARY - F3 FORM

LS1.0

10/17/2019 2:24:10 PM


ARCHITECTURAL ABBREVIATIONS

Table of architectural abbreviations with columns for symbol, description, and material/finish. Includes items like GYP (Gypsum), SWM (Security Woven Mesh), and various construction materials.

KEYNOTES

- KEYNOTE (1 TO 2 DIGITS)
KEYNOTE (3 DIGITS ONLY)
SIZE: THICKNESS; OR OTHER DESCRIPTIVE INFORMATION

ARCHITECTURAL GRAPHIC SYMBOL LEGEND



ARCHITECTURAL GENERAL NOTES

- A. THE CONTRACT DOCUMENTS ARE COMPLEMENTARY AND WHAT IS REQUIRED BY ONE SHALL BE AS BINDING AS IF REQUIRED BY ALL...
B. ELEMENTS THAT ARE IDENTIFIED BY OTHER DISCIPLINES...
C. ELEMENTS IDENTIFIED IN 'LEGENDS' AND/OR 'GENERAL NOTES'...
D. REFER TO 'ASSEMBLIES' FOR MATERIALS AND COMPONENTS...
E. VERIFY ALL DIMENSIONS...
F. PROVIDE CONCRETE HOUSEKEEPING PADS FOR ALL EQUIPMENT...

ARCHITECTURAL MATERIALS LEGEND





Table with columns: PROJECT NO. (592178), DATE (October 18, 2019), REVISIONS, DESCRIPTION.

Table with columns: DATE, DESCRIPTION.



SULLIVAN MIDDLE CORRIDOR DOOR RENOVATIONS


ROCK HILL SCHOOL DISTRICT THREE
ROCK HILL, SOUTH CAROLINA

PROJECT NO: 592176	DATE: October 18, 2019
REVISIONS	
DATE	DESCRIPTION

DEMO PLAN - FIRST FLOOR

A1.1

- DEMO PLAN GENERAL NOTES**
- A. THE EXISTING CONDITIONS INFORMATION SHOWN AND/OR INDICATED ON THE DRAWINGS WAS OBTAINED FROM EXISTING DRAWINGS, (WHEN AVAILABLE), FIELD REVIEW, FIELD MEASUREMENTS, AND/OR OTHER AVAILABLE DOCUMENTATION AND/OR OBSERVATION BY OTHERS. NOT ALL EXISTING CONDITIONS AND/OR ACTUAL CONSTRUCTION MAY BE INDICATED AND/OR KNOWN.
- B. CONTRACTOR TO COORDINATE EXTENTS OF ALL DEMOLITION WORK WITH ALL NEW WORK AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE STARTING DEMOLITION WORK.
- C. CONTRACTOR TO MAINTAIN BUILDING IN A SAFE AND SECURE MANNER AND TO ELIMINATE THE APPEARANCE OF AN ATTRACTIVE NUISANCE. MAINTAIN PHYSICAL BARRIER TO PREVENT BUILDING/SITE ACCESS BY PUBLIC AT A MINIMUM.
- D. EXERCISE CARE IN REMOVING DEMOLITION ITEMS. REPAIR OR REPLACE DAMAGE CAUSED TO EXISTING CONSTRUCTION AND EQUIPMENT TO REMAIN.
- F. SAW CUT ALL SLAB AND WALL OPENINGS.
-
- DEMO PLAN KEYNOTES**
- APPLIES TO DRAWINGS A1.1 - A1.2
REPRESENTED BY: [Symbol]
1. REMOVE DOOR, FRAME AND HARDWARE
 2. REMOVE DOOR AND HARDWARE, FRAME TO REMAIN
 3. REMOVE HARDWARE, FRAME AND DOOR TO REMAIN
 4. REMOVE MAGNETIC HOLD OPEN AND BRACKETS




1 DEMOLITION PLAN - FIRST FLOOR
A1.1 1/16" = 1'-0"

10/17/2019 2:24:00 PM

10/17/2019 2:24:01 PM

1 Demo Plan - Second Floor
A1.2 1/16" = 1'-0"



DEMO PLAN GENERAL NOTES

A. THE EXISTING CONDITIONS INFORMATION SHOWN AND/OR INDICATED ON THE DRAWINGS WAS OBTAINED FROM EXISTING DRAWINGS, (WHEN AVAILABLE), FIELD REVIEW, FIELD MEASUREMENTS, AND/OR OTHER AVAILABLE DOCUMENTATION AND/OR OBSERVATION BY OTHERS. NOT ALL EXISTING CONDITIONS AND/OR ACTUAL CONSTRUCTION MAY BE INDICATED AND/OR KNOWN.

B. CONTRACTOR TO COORDINATE EXTENTS OF ALL DEMOLITION WORK WITH ALL NEW WORK AND NOTIFY THE ARCHITECT OF ANY DISCREPANCIES BEFORE STARTING DEMOLITION WORK.

C. CONTRACTOR TO MAINTAIN BUILDING IN A SAFE AND SECURE MANNER AND TO ELIMINATE THE APPEARANCE OF AN ATTRACTIVE NUISANCE. MAINTAIN PHYSICAL BARRIER TO PREVENT BUILDING/SITE ACCESS BY PUBLIC AT A MINIMUM.

D. EXERCISE CARE IN REMOVING DEMOLITION ITEMS. REPAIR OR REPLACE DAMAGE CAUSED TO EXISTING CONSTRUCTION AND EQUIPMENT TO REMAIN.

F. SAW CUT ALL SLAB AND WALL OPENINGS.


DEMO PLAN KEYNOTES

APPLIES TO DRAWINGS A1.1 - A1.2
REPRESENTED BY [1 4]

1. REMOVE DOOR, FRAME, AND HARDWARE
2. REMOVE DOOR AND HARDWARE, FRAME TO REMAIN
3. REMOVE HARDWARE, FRAME AND DOOR TO REMAIN
4. REMOVE MAGNETIC HOLD OPEN AND BRACKETS

MOSELEY ARCHITECTS

1320 MAIN STREET, SUITE 300, COLUMBIA, SC 29201
PHONE (803) 724-1262
MOSELEYARCHITECTS.COM



SULLIVAN MIDDLE CORRIDOR DOOR RENOVATIONS


**ROCK HILL SCHOOL DISTRICT THREE
ROCK HILL, SOUTH CAROLINA**

PROJECT NO:	DATE:
592176	October 18, 2019
REVISIONS	
DATE	DESCRIPTION

**DEMO PLAN -
SECOND FLOOR**

PROJECT NO: 592176	DATE: October 18, 2019
REVISIONS	
DATE	DESCRIPTION

- GENERAL NOTES**
- FIELD VERIFY ALL DOOR DIMENSIONS (HEIGHT AND WIDTH) AND EXISTING CONDITIONS PRIOR TO PERFORMING ANY WORK.
 - PROVIDE CONT. SILICONE CAULK AT ALL DOOR FRAMES WHERE WALL AND FRAME MEET BEFORE PAINTING.
- FLOOR PLAN KEYNOTES**
 APPLIES TO DRAWINGS A2.1 - A2.2
 REPRESENTED BY [n]
- PROVIDE DOOR, FRAME AND HARDWARE
 - PROVIDE DOOR AND HARDWARE, FRAME EXISTING
 - PROVIDE HARDWARE, DOOR AND FRAME EXISTING
 - PROVIDE MAGNETIC HOLD OPEN, NEW HOLD OPEN TO BE CONNECTED BACK TO THE EXISTING ELECTRICAL AND FIRE ALARM CONNECTIONS.
 - ACCESS CONTROL
 - ALTERNATE 1 - PROVIDE HARDWARE, DOOR AND FRAME EXISTING




1 Floor Plan - First Floor
 A2.1 1/16" = 1'-0"

10/17/2019 2:24:05 PM

10/17/2019 2:24:07 PM


1 Floor Plan - Second Floor
A2.2 1/16" = 1'-0"

- GENERAL NOTES**
- A. FIELD VERIFY ALL DOOR DIMENSIONS (HEIGHT AND WIDTH) AND EXISTING CONDITIONS PRIOR TO PERFORMING ANY WORK.
 - B. PROVIDE CONT. SILICONE CAULK AT ALL DOOR FRAMES WHERE WALL AND FRAME MEET BEFORE PAINTING.
- FLOOR PLAN KEYNOTES**
- APPLIES TO DRAWINGS A2.1 - A2.2
REPRESENTED BY [n]
1. PROVIDE DOOR, FRAME AND HARDWARE
 2. PROVIDE DOOR AND HARDWARE, FRAME EXISTING
 3. PROVIDE HARDWARE, DOOR AND FRAME EXISTING
 4. PROVIDE MAGNETIC HOLD OPEN, NEW HOLD OPEN TO BE CONNECTED BACK TO THE EXISTING ELECTRICAL AND FIRE ALARM CONNECTIONS.
 5. ACCESS CONTROL
 6. ALTERNATE 1 - PROVIDE HARDWARE, DOOR AND FRAME EXISTING



MOSELEY ARCHITECTS

1320 MAIN STREET, SUITE 300, COLUMBIA, SC 29201
PHONE (803) 724-1262
MOSELEYARCHITECTS.COM




SULLIVAN MIDDLE CORRIDOR DOOR RENOVATIONS

ROCK HILL SCHOOL DISTRICT THREE
ROCK HILL, SOUTH CAROLINA

PROJECT NO: 592176	DATE October 18, 2019
REVISIONS	
DATE	DESCRIPTION

FLOOR PLANS - SECOND FLOOR

A2.2



Hold Open Locations

DOOR SCHEDULE - FIRST FLOOR


NUMBER	TYPE	DOOR			FRAME				JAMB DETAIL	HDWR	FIRE RATING	NOTES
		SIZE (NOMINAL)	MATL	GLAZING TYPE	TYPE	NUMBER	SECTIONS	HEAD DETAIL				
A148.1	F	PR 4'-0\"/>										

DOOR AND FRAME GENERAL NOTES

- UNLESS INDICATED OTHERWISE, ALL DETAIL NUMBERS IN THE DOOR AND FRAME SCHEDULE FOR HEAD, JAMB AND SILL CONDITIONS REFER TO DRAWINGS A3.1.1 ARE NOT SHOWN FOR CLARITY.
- DOOR AND FRAME DETAILS INDICATE GENERAL CHARACTERISTICS OF DOOR AND FRAME SIZES AND COMPONENTS AND MAY NOT INDICATE EXACT FIELD CONDITIONS OR REQUIREMENTS. COORDINATE DETAILS WITH OTHER DRAWINGS AND SPECS TO DETERMINE ALL COMPONENTS (E.G. SEALANTS, ANCHORS, HARDWARE, LINTELS, CLIPS) REQUIRED FOR COMPLETE AND FUNCTIONAL INSTALLATION.
- DOOR SWINGS ON FLOOR PLANS TAKE PRECEDENCE OVER SWINGS INDICATED ELSEWHERE (E.G. ELEVATIONS).
- FIELD VERIFY ALL DOOR DIMENSIONS (HEIGHT AND WIDTH) AND EXISTING CONDITIONS PRIOR TO PERFORMING ANY WORK.

DOOR AND FRAME DETAIL KEYNOTES

- APPLIES TO DRAWINGS A3.1.1 REPRESENTED BY [A]
- ANCHORAGES, REINFORCING, SPECIFIC PARTITION CONSTRUCTION AND/OR LINTELS ARE NOT SHOWN FOR CLARITY.
 - REFER TO FRAME SECTION IN DOOR SCHEDULE FOR TYPE.
 - SEALANT, ALL SIDES - TOOL TO 90°.
 - BACKBEND RETURN @ GB LOCATIONS ONLY.
 - BULLNOSE @ CMU JAMBS & SILLS.
 - 0\"/>



MANEUVERING CLEARANCE AT DOORS


DOOR SCHEDULE - SECOND FLOOR

NUMBER	TYPE	DOOR			FRAME				JAMB DETAIL	HDWR	FIRE RATING	NOTES
		SIZE (NOMINAL)	MATL	GLAZING TYPE	TYPE	NUMBER	SECTIONS	HEAD DETAIL				
B202	F	PR 3'-0\"/>										

DOOR SCHEDULE - ALTERNATE #1 - First Floor


NUMBER	TYPE	DOOR			FRAME				JAMB DETAIL	HDWR	FIRE RATING	NOTES
		SIZE (NOMINAL)	MATL	GLAZING TYPE	TYPE	NUMBER	SECTIONS	HEAD DETAIL				
A124	F	3'-0\"/>										

DOOR TYPES



- ALL FRAME/JAMB DEPTHS, OTHER THAN WRAP CONDITIONS, SHALL BE 8 3/4\"/>

STEEL FRAME SECTIONS



INTERIOR WRAP HEAD/JAMB/SILL
A3.1.1 6\"/>

DOOR SCHEDULE - ALTERNATE #1 - Second Floor

NUMBER	TYPE	DOOR			FRAME				JAMB DETAIL	HDWR	FIRE RATING	NOTES
		SIZE (NOMINAL)	MATL	GLAZING TYPE	TYPE	NUMBER	SECTIONS	HEAD DETAIL				
B204	N	2'-10\"/>										

- NOTE:
- NO WORK REQUIRED ON DOOR, FRAME OR HARDWARE
 - ACCESS CONTROL TO MATCH DISTRICTS STANDARD