
Page 1 of 5





IMPORTANT: This form is only a summary list of structural tests and some of the special inspections required for the project. Generally, the structural tests and special inspections noted on this form are those that will be performed by the Geotechnical Engineer of Record, Laboratory of Record, or Special Inspector. The actual complete test and inspection program must be performed as detailed on the DSA approved documents. The appendix at the bottom of this form identifies work NOT subject to DSA requirements for special inspection or structural testing. The project inspector is responsible for providing inspection of all facets of construction, including but not limited to, special inspections not listed on this form such as structural wood framing, high-load wood diaphragms, cold-formed steel framing, anchorage of non-structural components, etc., per Title 24, Part 2, Chapter 17A.

Center High School Modernization

NOTE: This form is also available for projects submitted for review under the 2007, 2010, and 2013 CBC.

District Center Joint Unified School District

INSTRUCTIONS: Click a plus sign (+) before any category or subcategory to reveal additional tests and special inspections. A shaded box indicates a test or special inspection that may be required, depending on the scope of the construction and other issues. A shaded box can be clicked indicating your selection of that test. **Note:** A minus (-) on a category or subcategory heading indicates that it can be collapsed. However, any selections you may have made will be cleared. Click on the "COMPILE" button to show only the tests and inspections finally selected. **For more information on use of this form, see DSA-103.INSTR.**

	Note: References are to the 20	16 edition of the Ca	alifornia	Building Code (CBC) unless otherwise noted.			
	EQUIPED TEST OR SPECIAL INSPECTION	TYPE	24	CODE REFERENCE AND NOTES			
+	SOILS	•					
-	- CONCRETE Table 1705A.3, ACI 318-14 Sections 26.12 & 26.13						
-	7. CAST IN PLACE CONCRETE						
	Material Verification and Testing:						
X	a. Verify use of required design mix.	Periodic	SI*	Table 1705A.3 Item 5, 1910A.1 (1909.2.3 ⁺). * To be performed by qualified batch-plant inspector a concrete sampling technician			
X	b. Identifiy, sample, and test reinforcing steel.	Test	LOR	1910A.2 (1909.2.4 ⁺); ACI 318-14 Section 26.6.1.2. DSA IR 17-10.16			
X	c. During concrete placement, fabricate specimens for strength tests,perform slump and air content tests, and determine the temperature of the concrete.	Test	LOR	Table 1705A.3 item 6; ACI 318-14 Sections 26.5 & 26.12			
X	d. Test concrete (f _c).	Test	LOR	1905A.1.16 (1909.3.7 ⁺); ACI 318-14 Section 26.12.			
	Inspection:			·			
+	MASONRY	TMS 402-13/	ACI 530-1	3/ASCE 5-13 Table 3.1.3 & TMS 602-13/ACI 530.1-13/ASCE 6-13 Table 5			
-	STEEL, ALUMINUM	Table 1705A.	2.1, AISC	: 303-10, AISC 360-10, AISC 341-10, AISC 358-10, AISI S100-07/S2-10			
-	17. STRUCTURAL STEEL, COLD-FORMED S	TEEL. AND AL		UM USED FOR STRUCTURAL PURPOSES			
	Material Verification:	, ,					
X	 a. Verify identification of all materials and: Mill certificates indicate material properties that comply with requirements, Material sizes, types and grades comply with requirements. 	Periodic	*	2203A.1 (2203.1 ⁺), Table 1705A.2.1 Item 3a-3c ; AISI S100-07/S2-10 Section A2.1 & A2.2, AISI S200-12 Section A3, AISI S220-11 Section A4. * By special inspector or qualified technician wher performed off-site.			
X	b. Test unidentified materials	Test	LOR	2203A.1 (2203.1 ⁺).			
	Inspection:						

School

Name

Page 2 of 5

DSA List of Required Structural Tests &			INCREMENT #	DSA File No.: Application No.:	34-H9 02-117	487		
	/	TMENT OF GENERAL SERVICES Special Inspections				3/29/2019	Revised: Revised:	
	X	 Verify and document steel fabrication per DSA approved construction documents. 	Periodic	SI	Not applicable to cold-formed steel ligh	t-frame construction, except	for trusses (1705 A.2.4).
	+	WOOD						
	+	OTHER						

......

Page 3 of 5



DSA-103 Issued 9/1/2017 List of Required Structural Tests & Special Inspections - 2016 CBC

INCREMENT #	DSA File No.:	34-H9			
	Application No.:		02-117	487	
Date Submitted:	3/29/2019	Re	vised:		
		Re	vised:		

SI – Indicates that the special inspection is to be performed by a special inspector

List of	required verified report(s):							
1	All Structural Testing: Laboratory Verified Report - Form DSA-291							
2	Concrete Batch Plant Inspection: Laboratory Verified Report - Form DSA-291							
3	Shop Welding Inspection: Laboratory Verified Report - Form DS	SA-291, or, for independently contracting SI, Special Inspection Verified Report - Form DSA-292						
	KEY to Columns	KEY to Columns						
1 Туре -		2 Performed By -						
	Continuous – Indicates that a continuous special inspection is required	GE – Indicates that the special inspection is to be performed by a registered geotechnical engineer or his or her authorized representative						
	Periodic – Indicates that a periodic special inspection is required	LOR – Indicates that the test or inspection is to be performed by a testing laboratory accepted in the DSA Laboratory Evaluation and Acceptance (LEA) Program. See section 4-335, 2013 CCR Title 24, Part 1.						

Brian Maytum AIA

Test – Indicates that a test is required


Brian Maytum, AIA		IDEN	ITIFICA	TION S	ГАМР
Name of Architect or Engineer in general responsible charge		DIV OF THE STATE ARCHITECT			
Greg Richards, SE		APP.	# 02-	117487	
Name of Structural Engineer (When structural design has been delegated) Signature of Architect or Structural Engineer date	AC_	N/A DATE_	_ F/LS_	<u>N/A</u>	_ SS
IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT APP. 02-117487 INC: REVIEWED FOR SS ☑ FLS ☑ ACS ☑ DATE: 11/08/2019					

Appendix: Work Exempt from DSA Requirements for Special Inspection or Structural Testing

Γ

Page 4 of 5





Exempt items given in IR A-22 or the 2016 CBC (including DSA amendments) and those items identified below with an "X" by the design professional are NOT subject to DSA requirements for the structural tests or special inspections noted. Items marked as exempt shall be identified by either: 1) listing specific details/sheets noted in the spaces provided below OR 2) on the approved construction documents. The project inspector shall verify all construction complies with the approved construction documents.

Ete	In Design Frat.		Exert	need by rol.
	Soils:]		Welding:
X	1. Deep foundations acting as a cantilever footing designed based on minimum allowable pressures per 2016 CBC Table 1806A.2 and having no geotechnical report for the following types of structures: free standing sign, scrolling message sign, scoreboard, covered walkway or shade structure with dead load less than 5 psf and other light-weight structures of which the apex is less than 8' above the highest adjacent grade.		X	1. Solid-clad and open-mesh gates with maximum leaf span or rolling section for rolling gates of 10' and apex height less than 8'-0" above lowest adjacent grade. When located above circulation or occupied space below, these gates are not located within 1.5x gate/fence height (max 8'-0") to the edge of floor or roof.
x	 Shallow foundations meeting the exception item #1 criteria specified in 2016 CBC Section 1803A.2. 		X	 Handrails, guardrails, and modular or relocatable ramps associated with walking surfaces less than 30" above adjacent grade (excluding post base connections per the 'Exception' language in Section 1705A.2.1); fillet welds cannot be ground flush.
(Optio	nal) List details for applicable exempt items:		X	3. Non-structural interior cold-formed steel framing spanning less than 15'-0", such as in interior partitions, interior soffits, etc. supporting only self weight and light-weight finishes or adhered tile, masonry, stone, or terra cotta veneer no more than 5/8" thickness and apex less than 20'-0" in height and not over an exit way. Maximum tributary load to a member shall not exceed the equivalent of that occurring from a 10'x10' opening in a 15' tall wall for a header or king stud.
	Concrete/Masonry:		X	4. Manufactured support frames and curbs using hot rolled or cold-formed steel (i.e., light gauge) for mechanical, electrical, or plumbing equipment weighing less than 2000# (equipment only) (connections of such frames to superstructure elements using welding will require special inspection as noted in selected item(s) for section 19, 19.1 and/or 19.2 of listing above).
X	1. Post-installed anchors for the following: 1) exempt non-structural components (e.g., mechanical, electrical, plumbing equipment - see item 7 for "Welding") given in CBC Section 1616A.1.18 (which replaces ASCE 7-10, Section 13.1.4) or 2) interior nonstructural wall partitions meeting criteria listed in exempt item 3 for "Welding."		X	5. Manufactured components (e.g., Tolco, B-Line, Afcon, etc.) for mechanical, electrical, or plumbing hanger support and bracing (connections of such components to superstructure elements using welding will require special inspection as noted in selected item(s) for section 19, 19.1 and/or 19.2 of listing above).
X	 Concrete batch plant inspection is not required for items given in CBC Section 1705A.3.3.2 subject to the requirements and limitations in that section. 		X	6. TV Brackets, projector mounts with a valid listing (see DSA IR A-5) and recreational equipment (e.g., playground structures, basketball backstops, etc.) (connections of such elements to superstructure elements using welding will require special inspection as noted in selected item(s) for section 19, 19.1 and/or 19.2 of listing above).
X	3. Masonry retaining walls less than 4'-0" above the top of foundation not supporting a surcharge and free standing nonbearing non-shear masonry walls up to 6'-0" above adjacent grade do not require grout, mortar or masonry core testing or DSA special inspection.			7. Any support for exempt non-structural components given in CBC Section 1616A.1.18 (which replaces ASCE 7-10, Section 13.1.4) meeting the following: 1) when supported on a floor/roof, <400# and resulting composite center of mass (including component's center of mass) <= 4' above supporting floor/roof, 2) when hung from a wall or roof/floor, <20# for discrete units or <5 plf for distributed systems.
x	4. Epoxy shear dowels in site flatwork.		(Optiona	I) List details for applicable exempt items:
	nal) List details for applicable exempt items:			

Page 5 of 5



DSA-103 Issued 9/1/2017 List of Required Structural Tests & Special Inspections - 2016 CBC

INCREMENT #	DSA File No.:	34-H9			
	Application No.:	02-117487			
Date Submitted:	3/29/2019	Revised:			
		Revised:			