

**SHIP HOUSING REPAIR
ESCAMBIA COUNTY**

OWNER: Lillie P. Anderson
ADDRESS: 3202 W. La Rua Street
Pensacola, Florida 32505
PHONE: 850-876-0954

JOB #: NED S-R-2021-11
DATE PREPARED: 8/31/21
OPENING DATE: 9/3/21
CLOSING DATE: 9/17/21
CLOSING TIME: 12:00 noon

I/(we) certify that I/(we) have carefully examined the Housing Repair Specifications and Contractor Requirements related to the above referenced job, as furnished by Escambia County, and I/(we) have also examined the site on which the proposed work is to be performed. On the basis of these examinations, I (we) propose to furnish all materials, tools, machinery and labor necessary to complete the work in a professional, workmanship manner and to complete the work at the prices listed.

\$ _____
TOTAL JOB COST

CONTRACTOR'S SIGNATURE

TITLE

BID OPENING DATE: _____

ACCEPTED REJECTED

FIRM

FIRM PHONE NUMBER

BID COMMITTEE REPRESENTATIVE

REQUIRED PERMITS AND INSPECTIONS: OSTDS Repair

All measurements are for reference only and should be confirmed by the bidder

Mandatory on Site Pre-Bid Conference: Friday, September 10, 2021 at 8:30 a.m.

INSTRUCTIONS TO BIDDERS

Complete and submit COVER SHEET AND ALL NUMBERED PAGES OF SPECIFICATIONS with signature of Contractor, bid price, and itemized pricing. Bid submissions will be accepted online via Vendor Registry or Hand-delivery. Hand-delivery of sealed bids may be accepted by appointment only and must be in a sealed envelope and delivered to Neighborhood Enterprise Division Office, 221 Palafox Place (Ernie Lee Magaha Government Building), Suite 200, Pensacola, FL 32502. NO email or fax submissions will be accepted. All bids must be received by the published deadline.

The bids will be opened by the Bid Committee and bid will be awarded to the lowest responsive and responsible bidder for the total cost of the Project. Bids \$25,000 or over must be approved by the Board of County Commissioners prior to award of contract. Should the total cost of the Project exceed available funds, itemized pricing may be used for negotiation of the individual components of the Project or specific components may be deleted to maintain budgetary restrictions.

Labor, overhead, permits, insurance, and profit must be included into each itemized price and not listed as a separate itemized price or listed under "miscellaneous." Non-compliance will result in rejection of bid.

All repair work performed must be inspected (rough and final) and conform to County Ordinances, State Laws, and Florida Building Code.

The Contractor is responsible for proper reattachment/hook-up of any/all of the following that apply: appliances, existing coaxial cable, telephone and interface, electric, water, and sewage.

HOMEOWNER'S RESPONSIBILITIES AND OBLIGATIONS

The Homeowner is responsible for maintaining existing utilities for the Contractor's use during the rehabilitation period.

The Homeowner is responsible for the removal of all belongings/furnishings from the designated work areas prior to the start date. The Contractor is not responsible for removal of Homeowner's trash and/or discarded belongings or furnishings.

PAYMENT SCHEDULE

Payment will be lump sum at project completion for bids \$15,000.00 and under. For bids over \$15,000.00, contractor will be eligible for a 40% draw once all required permit applications are in place and 50% of the work is completed as determined by the itemized costs for the job.

The Contractor will be eligible for Final Payment after the following conditions have been fulfilled:

- Completion of Write-Up
- Inspection/Sign-off by Building Inspections and/or Health Department
- Acceptance by the Homeowner (Homeowner's Release & Warranty)
- Warranty Paper provided to the Homeowner
- Premises free from all construction debris
- Submission of RRP Checklist Form (if applicable) & Contractor's Final Affidavit
- Original Invoice from Contractor
- Surety's Consent to Final Payment (if applicable)

COMPLETION DATE

There is a THIRTY (30) day time limit on each rehabilitation job. For every day worked in excess of the THIRTY day contract period, liquidated damages of FIFTY DOLLAR (\$50.00) per day will be assessed.

ESCAMBIA COUNTY NEIGHBORHOOD ENTERPRISE DIVISION HOUSING REPAIR PROGRAMS CONTRACTOR REQUIREMENTS

If your firm is awarded the bid for housing repair (SHIP or HUD programs), the following items must be current and on file in order to issue a Purchase Order.

- *Current W9 (less than one year old).
- *County Vendor Information sheet (less than one year old).
- *Worker's Compensation as required by State Law **OR** exemption form.
- *Commercial General Liability (\$1,000,000 coverage) listing Escambia County as Certificate Holder and additional insured.
- *Automobile Liability (\$1,000,000 coverage) listing Escambia County as Certificate Holder and additional insured.

GL and Auto Liability Certificates must state the following under the Additional Interest:

Escambia County
C/O Neighborhood Enterprise Division
221 Palafox Place
Suite 200
Pensacola, FL 32502-5844

All correspondence should be directed to Neighborhood Enterprise Division, 221 Palafox Place, Suite 200, Pensacola, FL 32502 for review.

***For jobs valued at \$25,000 or higher, 100% Performance and Payment Bonds will be required.** Performance and Payment Bond format will be provided. Contractor will be responsible for the recording of all bonds with Pam Childers, Clerk of The Circuit Court of Escambia County Florida.

*Refer to BCC Office of Purchasing Risk Management Guidelines Procedure No: PP-180 (Performance and Payment Bonds) and PP-185 (Risk Management Guidelines) for further details.
[<http://www.myescambia.com/business/purchasing-policies-and-procedures>]*

Additionally, Neighborhood Enterprise Division will maintain the following info in the Contractor's file:

- *Contractor may not be federally debarred from participating in programs as per www.sam.gov
- *State registered or State Certified Contractor License
- *Escambia County Competency Board License
- *Escambia County Business/Occupational License
- *EPA RRP Renovator and Firm Certifications

Firms bidding on Lead Based Paint Abatement jobs must also submit proof of Lead Abatement firm certification.

All information must be current at time of award. IF INFORMATION CANNOT BE PRODUCED IN A TIMELY MANNER, THE COUNTY RESERVES THE RIGHT TO AWARD THE BID TO THE NEXT MOST RESPONSIVE BIDDER.

SHIP Housing Repair Program Specifications
Lillie P. Anderson
3202 W. La Rua Street
Pensacola, FL 32505
PAGE 1

PROJECT SCOPE OVERVIEW:

Rehabilitation of an owner-occupied single-family residence to make homes safe and sanitary within the provisions of the SHIP Housing Repair program. Under the SHIP Local Housing Assistance Plan, maximum award for Housing Repair is \$30,000. Repairs needed in excess of this limit may be approved from non-SHIP funding as funding permits. Rehabilitation of the home will include the following tasks as outlined below. If additional tasks beyond those included in the bid are discovered, then additional funds may be allocated for additional tasks pending written approval from the County.

GENERAL:

- The subject Housing Unit was built prior to 1978 and therefore is a “targeted property” under the EPA’s RRP Rule, as some painted surfaces may be disturbed. Therefore, the implementation of “safe work practices” is required along with submittal by the RRP Contractor of “Renovation Recordkeeping Checklist” form
- There is no Federal Funding on this project.

EXISTING SEPTIC SYSTEM REPAIR:

PLEASE SEE ATTACHED PERMIT/SPECIFICATIONS AS OUTLINED BY THE DEPARTMENT OF HEALTH.

Decommission the existing OSTDS system, per the State of Florida Environmental Health Department regulation/requirements.

Replace septic system as per attached Environmental Health specifications.

Following the repair of the septic system, grade area and leave in a uniform/smooth condition, then provide grass seed and straw for stabilization.

All damage to yard (created by trucks and other equipment used to accomplish work herein), are to be filled to grade with topsoil and seed and straw installed.

If it is necessary to remove any part of the fence or landscaping , it will be restored to existing condition prior to repairs.

Contractor will return one time after substantial completion of work during the warranty period if areas settle to re-grade and seed.

Tie sink drain into new system, extend soil pipe to above roof line and attach to dwelling as required.

Septic system total \$ _____

**TOTAL JOB COST \$ _____
(TO FRONT COVER)**

3202 W La Rua St



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM

PERMIT #: 17-S2-2348653
APPLICATION #: AP1712533
DATE PAID: _____
FEE PAID: _____
RECEIPT #: _____
DOCUMENT #: PR1622306

CONSTRUCTION PERMIT FOR: OSTDS Repair
APPLICANT: Lillie Anderson
PROPERTY ADDRESS: 3202 W La Rua St Pensacola, FL 32505
LOT: 005 BLOCK: 009 SUBDIVISION: Mulworth 1st Addn
PROPERTY ID #: 33-2S-30-3302-005-009 [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]
[OR TAX ID NUMBER]

SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION 381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTEE SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS, WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID. ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL, STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.

SYSTEM DESIGN AND SPECIFICATIONS

T [900] GALLONS / GPD _____ Septic _____ CAPACITY
A [0] GALLONS / GPD _____ CAPACITY
N [0] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]
K [] GALLONS DOSING TANK CAPACITY [] GALLONS @ [] DOSES PER 24 HRS #Pumps []
D [375] SQUARE FEET _____ SYSTEM
R [0] SQUARE FEET _____ SYSTEM
A TYPE SYSTEM: [X] STANDARD [] FILLED [] MOUND [] _____
I CONFIGURATION: [X] TRENCH [] BED [] _____
N
F LOCATION OF BENCHMARK: Orange painted nail in little tree by house
I ELEVATION OF PROPOSED SYSTEM SITE [24.00] [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT
E BOTTOM OF DRAINFIELD TO BE [67.00] [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT
L
D FILL REQUIRED: [0.00] INCHES EXCAVATION REQUIRED: [] INCHES

Approved for the above described repair/replacement system and abandonment of the existing uncertified system as per code. Install a new certified 900 gallon septic tank and a minimum of 375 sq. ft. of new drain field. Some leveling of the drainfield area may be needed. Drainage structures recommended. Properly dispose of any spoil material. Sleeve or utilize schedule 40 pipe for potable water lines within 10 feet of the drain field. Potable water lines may not be within 2 feet of the drain field. A re-inspection will be charged for additional inspections. If benchmark is removed a \$50 re-inspection fee will be charged to reset the benchmark. (Comments Continued on Page 2.)

SPECIFICATIONS BY: Jason P Rakofsky TITLE: Environmental Specialist II
APPROVED BY: [Signature] TITLE: Environmental Specialist II Escambia CHD
DATE ISSUED: 08/12/2021 EXPIRATION DATE: 11/10/2021

DH 4016, 08/09 (Obsoletes all previous editions which may not be used)
Incorporated: 64E-6.003, FAC

Page 1 of 3
[Signature]
8/12/21

Above must be completed prior to Final Inspection & Approval. Maintain all setbacks in accordance with FAC 64-6.
The system is sized for 3 bedrooms with a maximum occupancy of 6 persons (2 per bedroom), for a total estimated flow of 300 gpd.

Required drainfield area based on rule 64E-6.015(6)(c)2.

Install a new drainfield to achieve Drainfield size requirement.



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM
SITE EVALUATION AND SYSTEM SPECIFICATION

APPLICATION # AP1712533
PERMIT # 17-S2-2348653
DOCUMENT # SE1578961

APPLICANT: Lillie Anderson

CONTRACTOR / AGENT: Neighborhood Enterprise Division

LOT: 005 BLOCK: 009

SUBDIVISION: Mulworth 1st Addn ID#: 33-2S-30-3302-005-009

TO BE COMPLETED BY ENGINEER, HEALTH DEPARTMENT EMPLOYEE, OR OTHER QUALIFIED PERSON. ENGINEERS MUST PROVIDE REGISTRATION NUMBER AND SIGN AND SEAL EACH PAGE OF SUBMITTAL. COMPLETE ALL ITEMS.

PROPERTY SIZE CONFORMS TO SITE PLAN: YES NO NET USABLE AREA AVAILABLE: 0.23 ACRES
TOTAL ESTIMATED SEWAGE FLOW: 300 GALLONS PER DAY [RESIDENCES-TABLE1 / OTHER-TABLE 2]
AUTHORIZED SEWAGE FLOW: 575.01 GALLONS PER DAY [1500 GPD/ACRE OR 2500 GPD/ACRE]
UNOBSTRUCTED AREA AVAILABLE: 2000.00 SQFT UNOBSTRUCTED AREA REQUIRED: 563.00 SQFT

BENCHMARK/REFERENCE POINT LOCATION: Orange painted nail in little tree by house
ELEVATION OF PROPOSED SYSTEM SITE 24.00 [INCHES / FT] [ABOVE / BELOW] BENCHMARK/REFERENCE POINT

THE MINIMUM SETBACK WHICH CAN BE MAINTAINED FROM THE PROPOSED SYSTEM TO THE FOLLOWING FEATURES
SURFACE WATER: N/A FT DITCHES/SWALES: N/A FT NORMALLY WET: [] YES [] NO
WELLS: PUBLIC: N/A FT LIMITED USE: N/A FT PRIVATE: N/A FT NON-POTABLE: N/A FT
BUILDING FOUNDATIONS: 5 FT PROPERTY LINES: 5 FT POTABLE WATER LINES: 35 FT

SITE SUBJECT TO FREQUENT FLOODING? [] YES [] NO 10 YEAR FLOODING? [] YES [] NO
10 YEAR FLOOD ELEVATION FOR SITE: _____ FT [MSL / NGVD] SITE ELEVATION: _____ FT [MSL / NGVD]

SOIL PROFILE INFORMATION SITE 1 *map 1*

Munsell #/Color	Texture	Depth
10YR 4/2	Loamy Sand	0 To 6
10YR 5/4	Loamy Sand	6 To 14
10YR 5/6	Loamy Sand	14 To 65
10YR 7/4	Loamy Sand	65 To 72

SOIL PROFILE INFORMATION SITE 2

Munsell #/Color	Texture	Depth
10YR 4/2	Loamy Sand	0 To 4
10YR 5/4	Loamy Sand	4 To 10
10YR 5/6	Loamy Sand	10 To 68
10YR 7/4	Loamy Sand	68 To 72

OBSERVED WATER TABLE: 72.00 INCHES [ABOVE / BELOW] EXISTING GRADE TYPE: [] PERCHED / APPARENT]
ESTIMATED WET SEASON WATER TABLE ELEVATION: 72 INCHES [ABOVE / BELOW] EXISTING GRADE
HIGH WATER TABLE VEGETATION: [] YES [] NO MOTTLING: [] YES [] NO DEPTH: 72.00 INCHES
SOIL TEXTURE/LOADING RATE FOR SYSTEM SIZING: Loamy Sand/0.80 DEPTH OF EXCAVATION: _____ INCHES
DRAINFIELD CONFIGURATION: [] TRENCH [] BED [] OTHER (SPECIFY) _____

REMARKS/ADDITIONAL CRITERIA

SITE EVALUATED BY: [Signature] DATE: 08/12/2021


Rakofsky, Jason (Title: Environmental Specialist II) (Florida Department of Health in Es

- New Certified 900gal Tank

- Minimum 375 ft² new
drainfield

- 1' = 20'

- 3202 La Rva



8/12/21

