

SECTION 09 91 13 PAINTING

PART 1 - GENERAL

1.01 DESCRIPTION: Division 1 applies to this section. Provide and perform painting, complete.

A. Work In This Section: Principal items include:

- 1. Preparation of surfaces.
2. Painting of interior surfaces, except as otherwise specified.
3. Painting of exterior surfaces, except as otherwise specified.
B. Related Work Not in This Section:
1. Shop prime coats and factory finishes.
2. Painting specified as work of other sections.
3. Caulking and sealants.
C. Surfaces Not To Be Painted:
1. Non-ferrous metal work (other than zinc-coated surfaces) and plated metal, unless particular items are specified to be painted.
2. Stone surfaces.
3. Exterior concrete walls and surfaces unless particular items are specified to be painted.
4. Surfaces concealed in walls and above solid ceilings.
5. Non-metallic walking surfaces unless specifically shown or specified to be painted.
6. Factory finished surfaces.
7. Ceramic tile and plastic surfaces.
8. Resilient base.
9. Galvanized fencing.
10. Galvanized gratings.
11. Surfaces indicated not to be painted.
12. Surfaces specified to be finish painted under other sections.

1.02 COMPLIANCE WITH REGULATIONS: All materials shall comply with the current rules and regulations of the local air quality management district, with the rules regarding volatile organic compounds, and with FDA rules and regulations for dangerous materials in paint.

1.03 SUBMITTALS:

- A. List of Paint Materials: Prior to submittal of samples, submit a complete list of proposed paint materials, identifying each material by manufacturer's name, product name and number, including primers, thinners, and coloring agents, together with manufacturers' catalog data fully describing each material as to contents, recommended usage, and preparation and application methods. Identify surfaces to receive various paint materials. Do not deviate from approved list.
B. Color Samples: Prior to preparing samples, obtain color and gloss selections and instructions. Using materials from approved list, prepare and submit 8-1/2" by 11" samples of each complete opaque paint finish.
C. Natural or Stain Finish Samples: Prepare samples on 12" squares of the same species and appearance of wood as used in the work.
D. Job Samples: Apply minimum 100 square foot samples on site, on actual surfaces to be finished with each material, color, and gloss, in locations as directed. Prime and intermediate coats shall extend one foot beyond finish coat on each sample in at least 2 directions. Obtain approval of each sample prior to proceeding with the work. Leave the samples in place, with removable tags, until completion of the work. All work shall match approved samples.
E. Certificates: Submit certificate showing that all products meet the requirements of paragraph "Compliance with Regulations" above.

1.04 JOB CONDITIONS:

- A. Protection: Protect all painting while in progress and cover and protect adjoining surfaces and property of others from damage. Exercise care to prevent paint from contacting surfaces not to be painted. During painting of exterior work, cover windows, doors, concrete, and other surfaces not to be painted.
B. Examination of Surfaces: Examine surfaces to be painted or finished under this Section and verify satisfactory condition. Unsatisfactory conditions shall be corrected before application of the first coat of paint.
C. Weather Conditions: Apply paint to clean, dry, prepared surfaces. Do not apply exterior paint during rainy, damp, foggy, or excessively hot and/or windy weather. Arrange for temporary heat and ventilation for interior painting.
D. Precaution: Place rags and waste in self-closing metal containers, removed from site at the end of each day. Do not let rags and waste accumulate.

1.07 EXTRA STOCK:

- A. Provide a one gallon container of each paint color and surface texture to Owner at acceptance.
B. Label each container with color, texture, and original application locations, in addition to the manufacturer's label.

PART 2 - PRODUCTS

2.01 ACCEPTABLE MANUFACTURERS:

- Dunn-Edwards Corp. (Basis of Design)
4885 E. 52nd Place
Los Angeles CA, 90058
(323) 771-3330
The Sherwin-Williams Company, Inc.
101 W. Prospect Ave.
Cleveland, OH 44115
(216) 566-2000
FAX (216) 566-2947
Benjamin Moore & Co.
51 Chestnut Ridge Road
Montvale NJ 07645
(888) 236-6667
Vista Paint Corporation
2020 Orangethorpe Avenue, Suite 210
Fullerton CA 92831
(323) 397-9000
FAX (323) 853-0273

PART 3 - EXECUTION


- 3.01 WORKMANSHIP: Apply painting materials in accordance with manufacturer's instructions by brush or roller; spray painting is not allowed without specific approval in each case unless noted otherwise. For this project, spray painting and backrolling is acceptable at exterior walls and exterior ceilings. Apply each coat at the proper consistency, free of brush or roller marks, sags, runs, or other evidence of poor workmanship. Do not lap paint on glass, hardware, and other surfaces not to be painted; apply masking as required. Sand between enamel coats. Apply painting materials in accordance with manufacturer's 3.02 PREPARATION OF SURFACES: Properly prepare surfaces to receive finishes.
A. Concrete: Fill cracks, holes, and other blemishes with Portland cement patching plaster or a stiff paste mixed of finish paint and fine sand, finished to match adjoining surfaces. Remove glaze by sanding, wire brushing, or light brush-off sandblasting. Neutralize all alkali conditions according to the paint manufacturer's directions. Dry surfaces to receive breathing type latex paints at least two weeks, free of visible moisture. Dry the surfaces to receive oil, alkyd, or epoxy based paint until the moisture content does not exceed 8% when tested with an electronic moisture-measuring instrument.
B. Masonry: Repair minor holes and cracks with a stiff paste of finish paint and fine sand or vinyl type block filler. Repair major or unsightly defects for correction. Neutralize all alkali and efflorescence according to paint manufacturer's directions, and allow to dry.
C. Exterior Plaster: Fill hairline cracks with Portland cement patching material; report larger cracks for correction. Test and ensure plaster is sufficiently dry to receive the paint finish.
D. Gypsum Wallboard: Touch-up minor defects with spackle and sand smooth and flush. Report other defects as specified. Verify that skim coat specified in Section 09250 is properly applied. If not, apply one heavy coat of skim coat material specified in Section 09250, over entire surface by brush or roller.
E. Shop Coated Metal: Degrease and clean of foreign matter. Clean and spot prime field connections, welds, soldered joints, burned, or abraded portions with zinc material used in shop coats. After complete hardening, sand entire surfaces for coat to follow.
F. Uncoated Ferrous Metal: Degrease and clean of dirt, rust, mill scale, and all other foreign matter using power tool rotary brushes to achieve a clean surface consistent with SSPC-SP3. Remove pits and welding slag, and clean surfaces to bright metal before priming. Apply metal primer not more than three hours after preparation.
G. Galvanized Metal: Eliminate contaminants and stabilize zinc film by solvent wiping or sweep blasting, as appropriate, followed by not less than one coat of wash primer of type specified in Paint Schedule hereafter, to provide suitable surface for finish painting. Allow to dry. Prepare a representative surface, not smaller than 24" square, or 36" by length of section, as applicable, and obtain approval prior to proceeding.
1. Solvent wiping: Remove oil and grease with rags or brushes saturated in trisodium phosphate or similar alkaline detergent. For heavier soil, use MEK or equivalent proprietary cleaner. Do not use vinegar or acetic acid.
2. Sweep blasting: Use aluminum/magnesiumsilicate, limestone or other non-metallic blast media to expose pure zinc.
3. Wash primer: Spray apply one coat of specified wash primer after other preparation is complete, to thickness of 0.5 mils. Allow to dry 60 minutes, and apply top coating in not more than 4 hours. If this time is exceeded for any reason, reapply wash primer prior to applying finish paint.

D

C

B

A



TOILET FACILITY GEOMETRIC SYMBOLS 3/8" = 1'-0"

- H.enameled Woodwork: Remove handling marks and effects of exposure to moisture with a thorough sanding over all surfaces of the exposed portions, using at least 150 grit of finer sandpaper and thoroughly clean all surfaces before applying sealer. After priming, putty nail holes, cracks, or other defects with putty matching color of finish paint. Cover knots and sappy areas with shallac or approved knot sealer. Sand each base coat smooth when dry.
I. Transparent Finished Woodwork: Remove handling marks and effects of exposure to moisture with a thorough sanding parallel to the grain of the wood, over all surfaces of the exposed portions, including interiors of cases and drawers, using at least 150 grit of finer sandpaper and thoroughly clean all surfaces before applying sealer. Repair all defects with filler tinted to match stain or wood color, as required, after first coat of sanding sealer and remove all smears.
J. Fixtures, Equipment, and Hardware Items: Coordinate with the work of other sections, and coordinate removal of fixtures, equipment, and hardware as required to perform painting. Items to be removed include, without limitation: signs and graphics; switch and receptacle plates; escutcheons and plates; all surface-mounted equipment; free-standing equipment blocking access; grilles and louvers at ducts opening into finished spaces; and other items as required and directed. Surfaces Not Mentioned: Prepare surfaces according to recommendations of the paint manufacturer and as approved.
K. Surfaces Not Mentioned: Prepare surfaces according to recommendations of the paint manufacturer and as approved.
L. Moisture Content: Measure moisture at surfaces using an electronic moisture meter.

- Do not apply finishes unless moisture is below the following maximums:
1. Exterior Plaster and Concrete: 15 percent
2. Exterior Wood: 19 percent
3. Interior Gypsum Wallboard: 12 percent Interior Wood: 4.15 percent measured in accordance with ASTM D2016

3.03 COATS: The number of paint coats specified to be applied are minimum. Apply additional coats if required to obtain complete hiding and approved results. Ensure acceptable paint finishes of uniform color, free from cloudy or mottled areas and evident thinness or arises. "Spot" or undercoat surfaces as necessary to produce such results. Tint each coat a slightly different shade of finish color to permit identification. Conform to the approved Samples. Obtain approval of each coat before applying next coat; otherwise, apply an additional coat over entire surface in place of no additional coat.
3.04 COLORS: The numbers given in the following schedule indicate the types of paints required for each surface, identified by their number in white. The actual paint to be applied on each surface shall be the same material in the color or colors as selected, and as approved on submitted samples. Allow for the use of several colors in each room or space, and for doors, frames, dados, trim and other items to be finished in different colors.
3.05 DEGREE OF GLOSS: Degrees of gloss shown on drawings and herein specified are approximate only. The exact degree of gloss required for each surface will be determined. Materials shall meet the following requirements for degree of gloss, when tested according to ASTM D523, using Gardner Laboratory 60 degree gloss meter after 14 days.

Table with 2 columns: NOMENCLATURE and PERCENTAGE OF GLOSS. Rows include FLAT, SUEDE OR EGGSHELL, SATIN OR SEMI-GLOSS, and GLOSS OR HIGH GLOSS.

- 3.06 MISCELLANEOUS PAINTING:
A. Fire Extinguisher and Fire Hose Cabinets and Fire Alarm Bells: Apply 2 coats of paint finish, inside and out, matching finish and color of adjoining areas, unless otherwise noted or directed.
B. Weatherstripping and Sound Seals. Paint exposed metal surfaces to match the door frame, whether or not unfinished, furnished with factory prime coat, or factory treated for paint adhesion.
C. Doors: Seal top and bottom edges after cleaning with coat of primer. Where the faces of the doors differ in color or finish, finish the edges to match the face visible when the door is open. Coat cutouts for hinges, edges of lockset holes and strikes same as for first coat.
D. Access doors and panels: Generally, paint same color as surrounding walls and ceiling.
E. Louvers and glazed frames in wood and metal doors: Unless otherwise directed, paint 3 coats, colors to match doors.
G. Door Trim and Prime Coated Hinges: Paint trim to match door and paint hinges to match frame only where hinges are currently painted. Do not paint unfinished hinges.
H. Speaker Grilles: Paint to match surrounding surfaces unless specified otherwise.
I. Miscellaneous: For any items not specifically indicated or specified that require a paint finish, apply 3 coats of paint as directed.
3.07 CLEANING AND TOUCH-UP WORK. Make a detailed inspection of paint finishes after all painting is completed, remove splatterings of paint from the adjoining surfaces, and make good all damage that may be caused by cleaning operations. Carefully touch-up all abraded, stained, or otherwise disfigured painting, as approved, and leave entire painting in first-class condition.


3.08 MISCELLANEOUS PAINTING:

PAINT SCHEDULES TABLES 1-3. TABLE 1: EXTERIOR PAINTING SCHEDULE. TABLE 2: INTERIOR ENAMEL MATERIALS. TABLE 3: INTERIOR PAINTING SCHEDULE. Each table lists surface, coats, and manufacturer specifications.


AGENCY APPROVAL: HARTMANN ARCHITECTURE STUDIO. HARTMANNARCHITECTURESTUDIO.COM 430 S. CARRILLO RD. OJAI, CALIFORNIA 93023 (805) 530-5559. CONSULTANTS: SEALS: PROJECT: NORDHOFF HS CAMPUS- WIDE EXTERIOR PAINTING. OWNER: OJAI UNIFIED SCHOOL DISTRICT 414 EAST OJAI AVENUE OJAI, CA 93023 (805) 640-4300 CONTACT: ADAM DUTTER EMAIL: adutter@ojaisd.org. PROJECT ADDRESS: NORDHOFF HIGH SCHOOL 1401 MARICOPA HIGHWAY OJAI, CA 93023. ISSUE: MARK 1 DATE 09/01/2020 DESCRIPTION ADDENDUM #01. PROJECT INFORMATION: PROJECT NUMBER: 2020.031 PROJECT PHASE: 04CONDOC DRAWN BY: PB REVIEWED BY: MEH. SHEET TITLE: SPECIFICATIONS. SHEET NUMBER: A-002 DATE: 08/18/2020

SPECIFICATIONS

DATE: 08/18/2020




1 BUILDING A
1/16" = 1'-0"



E

C

A



F

D

B

GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold
- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS. PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES

- NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET
- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
 - PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
 - PREP / / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
 - PREP / / PAINT: EXISTING SIGNAGE IN PLACE
 - PREP / / PAINT: EXISTING LOUVERS, TYPICAL
 - PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
 - REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON LIGHT OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
 - REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
 - PREP / / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
 - REMOVE / DISCARD: EXISTING METAL AWNING
 - REMOVE / DISCARD WOODEN POST FILL IN HOLE
 - PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
 - PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
 - PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
 - PREP / / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
 - PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
 - PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
 - PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
 - REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
 - REMOVE / DISCARD: EXISTING SIGN
 - REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
 - PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
 - PREP / / PAINT: EXISTING CONCRETE / CMU WALL
 - PREP / / PAINT: EXISTING METAL FENCE & GATE
 - PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
 - PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
 - PREP / / PAINT: EXISTING ROLL-UP DOOR
 - PREP / / PAINT: EXISTING STORAGE CONTAINER
 - PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
 - PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
 - PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
 - PAINT COLOR 2
 - PAINT COLOR 3
 - REMOVE / PREP / PAINT/ REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
 - PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
 - PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND IN. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
 - PREP / PRIME / PAINT: METAL PARAPET WALL CAP
 - PREP / / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
 - PAINT COLOR 1
 - CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
 - BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
 - PREP / PRIME / PAINT: EXISTING POLE
 - PREP / PRIME / PAINT: EXISTING HADRIL
 - BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
 - PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
 - REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
430 S. CARRILLO RD.
OJAI, CALIFORNIA 93023
(805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS- WIDE EXTERIOR PAINTING

OWNER:
OJAI UNIFIED SCHOOL DISTRICT
414 EAST OJAI AVENUE
OJAI, CA 93023
(805) 640-4300
CONTACT: ADAM DUTTER
EMAIL: adutter@ojaisd.org

PROJECT ADDRESS:
NORDHOFF HIGH SCHOOL
1401 MARICOPA HIGHWAY
OJAI, CA 93023

ISSUE:		
MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01



PROJECT INFORMATION:
PROJECT NUMBER: 2020.031
PROJECT PHASE: 04CONDOC
DRAWN BY: PB
REVIEWED BY: MEH

SHEET TITLE:
BUILDING A

SHEET NUMBER:
A-102



DATE: 08/18/2020

UNIVERSITY OF DOCUMENTS: THIS DOCUMENT IS THE PROPERTY OF HARTMANN ARCHITECTURE STUDIO AND SHALL NOT BE REPRODUCED IN ANY FORM OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE STUDIO.



BUILDING B

1 BUILDING B
1/16" = 1'-0"



GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS. PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES

NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET

- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND, CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD: WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
- REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3: REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x4 DECAY-RESISTANT SLEEPERS.**
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT/ REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND IN. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 1
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS: PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRIL
- BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
 430 S. CARRILLO RD.
 OJAI, CALIFORNIA 93023
 (805) 530-5559

CONSULTANTS:

SEALS:



PROJECT:

**NORDHOFF HS CAMPUS-
WIDE EXTERIOR
PAINTING**

OWNER:

OJAI UNIFIED SCHOOL DISTRICT
 414 EAST OJAI AVENUE
 OJAI, CA 93023
 (805) 640-4300
 CONTACT: ADAM DUTTER
 EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:

NORDHOFF HIGH SCHOOL
 1401 MARICOPA HIGHWAY
 OJAI, CA 93023

ISSUE:

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
 PROJECT NUMBER: 2020.031
 PROJECT PHASE: 04CONDOC
 DRAWN BY: PB
 REVIEWED BY: MEH

SHEET TITLE:



BUILDING B

SHEET NUMBER:

A-103

DATE: 08/18/2020

DIVISION OF DOCUMENTS: THE DOCUMENT AND THE SEALS AND DESIGNS INDICATED HEREIN ARE AN INSTRUMENT OF PROFESSIONAL SERVICE IN THE PROPERTY OF HARTMANN ARCHITECTURE STUDIO AND SHALL NOT BE REPRODUCED IN ANY FORM OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE STUDIO 2020.



CAREFULLY REMOVE DAMAGED SECTIONS OF FASCIA BOARDS, SISTER NEW REDWOOD 2x BLKG AND FASCIA BOARDS TO ALL JOISTS AND BLOCKING WITHIN BAY WITH STICH NAILING. NAILING PER CBC TABLE 2304.10.1. DO NOT CUT ROOF JOISTS.



GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
 COLOR 2 - BLUE - Match SW 6804- Dignity Blue
 COLOR 3 - YELLOW - Match SW 6904- Gusto Gold
- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES

- NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET
- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
 - PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
 - PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
 - PREP / PAINT: EXISTING SIGNAGE IN PLACE
 - PREP / PAINT: EXISTING LOUVERS, TYPICAL
 - PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
 - REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
 - REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
 - PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
 - REMOVE / DISCARD: EXISTING METAL AWNING
 - REMOVE / DISCARD: WOODEN POST FILL IN HOLE
 - PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
 - PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
 - PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
 - PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
 - PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
 - PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
 - PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
 - REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
 - REMOVE / DISCARD: EXISTING SIGN
 - REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
 - PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
 - PREP / PAINT: EXISTING CONCRETE / CMU WALL
 - PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
 - PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
 - PREP / PAINT: EXISTING ROLL-UP DOOR
 - PREP / PAINT: EXISTING STORAGE CONTAINER
 - PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3: - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
 - PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
 - PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
 - PAINT COLOR 2
 - PAINT COLOR 3
 - REMOVE / PREP / PAINT/ REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
 - PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
 - PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND "N". **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
 - PREP / PRIME / PAINT: METAL PARAPET WALL CAP
 - PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
 - PAINT COLOR 1
 - CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
 - BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
 - PREP / PRIME / PAINT: EXISTING POLE
 - PREP / PRIME / PAINT: EXISTING HADRILL
 - BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
 - PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
 - REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
 430 S. CARRILLO RD.
 OJAI, CALIFORNIA 93023
 (805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS- WIDE EXTERIOR PAINTING

OWNER:
 OJAI UNIFIED SCHOOL DISTRICT
 414 EAST OJAI AVENUE
 OJAI, CA 93023
 (805) 640-4300
 CONTACT: ADAM DUTTER
 EMAIL: adutter@ojaisd.org

PROJECT ADDRESS:
 NORDHOFF HIGH SCHOOL
 1401 MARICOPA HIGHWAY
 OJAI, CA 93023

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
 PROJECT NUMBER: 2020.031
 PROJECT PHASE: 04COND0C
 DRAWN BY: PB
 REVIEWED BY: MEH

SHEET TITLE:
BUILDING C

SHEET NUMBER:
A-104

DATE: 08/18/2020

GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
 COLOR 2 - BLUE - Match SW 6804- Dignity Blue
 COLOR 3 - YELLOW - Match SW 6904- Gusto Gold
- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES

- NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET
- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
 - PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
 - PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND, CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS
 - PREP / PAINT: EXISTING SIGNAGE IN PLACE
 - PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
 - REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
 - REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
 - PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
 - REMOVE / DISCARD: EXISTING METAL AWNING
 - REMOVE / DISCARD: WOODEN POST FILL IN HOLE
 - PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
 - PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
 - PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
 - PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
 - PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAIR MURALS WHERE PAINTED TO MATCH EXISTING.
 - PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
 - PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
 - REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
 - REMOVE / DISCARD: EXISTING SIGN
 - REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
 - PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
 - PREP / PAINT: EXISTING CONCRETE / CMU WALL
 - PREP / PAINT: EXISTING METAL FENCE & GATE
 - PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
 - PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
 - PREP / PAINT: EXISTING ROLL-UP DOOR
 - PREP / PAINT: EXISTING STORAGE CONTAINER
 - PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #8 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
 - PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
 - PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
 - PAINT COLOR 2
 - PAINT COLOR 3
 - REMOVE / PREP / PAINT / REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
 - PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
 - PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND IN. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
 - PREP / PRIME / PAINT: METAL PARAPET WALL CAP
 - PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
 - PAINT COLOR 1
 - CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
 - BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
 - PREP / PRIME / PAINT: EXISTING POLE
 - PREP / PRIME / PAINT: EXISTING HADRIL
 - BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
 - PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES
 - REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
 430 S. CARRILLO RD.
 OJAI, CALIFORNIA 93023
 (805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS-WIDE EXTERIOR PAINTING

OWNER:
 OJAI UNIFIED SCHOOL DISTRICT
 414 EAST OJAI AVENUE
 OJAI, CA 93023
 (805) 640-4300
 CONTACT: ADAM DUTTER
 EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:
 NORDHOFF HIGH SCHOOL
 1401 MARICOPA HIGHWAY
 OJAI, CA 93023


MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
 PROJECT NUMBER: 2020.031
 PROJECT PHASE: 04CONDOC
 DRAWN BY: PB
 REVIEWED BY: MEH

SHEET TITLE:
BUILDING D

SHEET NUMBER:
A-105

DATE: 08/18/2020





D
 D
 C
 B
 A

C
 B
 A

A

DIVISION OF DOCUMENTS: THIS DOCUMENT IS THE PROPERTY OF HARTMANN ARCHITECTURE AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE 2020.



GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
 COLOR 2 - BLUE - Match SW 6804- Dignity Blue
 COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS. PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET

- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PRIME / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON LIGHT OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
- REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT/ REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PAINT / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND 'N'. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 1
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRAIL
- BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
 430 S. CARRILLO RD.
 OJAI, CALIFORNIA 93023
 (805) 530-5559

CONSULTANTS:

SEALS:



PROJECT:
NORDHOFF HS CAMPUS-WIDE EXTERIOR PAINTING

OWNER:
 OJAI UNIFIED SCHOOL DISTRICT
 414 EAST OJAI AVENUE
 OJAI, CA 93023
 (805) 640-4300
 CONTACT: ADAM DUTTER
 EMAIL: adutter@ojaisd.org

PROJECT ADDRESS:
 NORDHOFF HIGH SCHOOL
 1401 MARICOPA HIGHWAY
 OJAI, CA 93023

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01


PROJECT INFORMATION:
 PROJECT NUMBER: 2020.031
 PROJECT PHASE: 04CONDOC
 DRAWN BY: PB
 REVIEWED BY: MEH

SHEET TITLE:
BUILDING F

SHEET NUMBER:
A-106

DATE: 08/18/2020

UNIVERSITY OF DOCUMENTS: THIS DOCUMENT AND THE DESIGNS INCORPORATED HEREIN AS AN INSTRUMENT OF PROFESSIONAL SERVICE IS THE PROPERTY OF HARTMANN ARCHITECTURE AND HARTMANN ARCHITECTURE DESIGNS AND SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE 2020.



GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
 COLOR 2 - BLUE - Match SW 6804- Dignity Blue
 COLOR 3 - YELLOW - Match SW 6904- Gusto Gold
- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES

- NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET
- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
 - PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
 - PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
 - PREP / PAINT: EXISTING SIGNAGE IN PLACE
 - PREP / PAINT: EXISTING LOUVERS, TYPICAL
 - PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
 - REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
 - REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
 - PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
 - REMOVE / DISCARD: EXISTING METAL AWNING
 - REMOVE / DISCARD: WOODEN POST FILL IN HOLE
 - PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
 - PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
 - PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
 - PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
 - REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
 - REMOVE / DISCARD: EXISTING SIGN
 - REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
 - PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
 - PREP / PAINT: EXISTING CONCRETE / CMU WALL
 - PREP / PAINT: EXISTING METAL FENCE & GATE
 - PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
 - PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
 - PREP / PAINT: EXISTING ROLL-UP DOOR
 - PREP / PAINT: EXISTING STORAGE CONTAINER
 - PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
 - PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
 - PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
 - PAINT COLOR 2
 - PAINT COLOR 3
 - REMOVE / PREP / PAINT/ REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
 - PAINT / PAINT / PREP / PRIME / PAINT: EXISTING PLASTER
 - PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND 'N'. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
 - PREP / PRIME / PAINT: METAL PARAPET WALL CAP
 - PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
 - PAINT COLOR 1
 - CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
 - BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
 - PREP / PRIME / PAINT: EXISTING POLE
 - PREP / PRIME / PAINT: EXISTING HADRAIL
 - BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
 - PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
 - REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
 430 S. CARRILLO RD.
 OJAI, CALIFORNIA 93023
 (805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS- WIDE EXTERIOR PAINTING

OWNER:
 OJAI UNIFIED SCHOOL DISTRICT
 414 EAST OJAI AVENUE
 OJAI, CA 93023
 (805) 640-4300
 CONTACT: ADAM DUTTER
 EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:
 NORDHOFF HIGH SCHOOL
 1401 MARICOPA HIGHWAY
 OJAI, CA 93023




MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
 PROJECT NUMBER: 2020.031
 PROJECT PHASE: 04CONDOC
 DRAWN BY: PB
 REVIEWED BY: MEH








SHEET TITLE:
BUILDING G

SHEET NUMBER:
A-107

DATE: 08/18/2020



DIVISION OF DOCUMENTS: THIS DOCUMENT AND THE SEALS AND SIGNS INCORPORATED HEREIN ARE AN INSTRUMENT OF PROFESSIONAL SERVICE IN THE PROPERTY OF HARTMANN ARCHITECTURE AND HARTMANN ARCHITECTURE STUDIO. NO PART OF THIS DOCUMENT OR ANY PART OF THE SEALS AND SIGNS INCORPORATED HEREIN SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE STUDIO 2020.



GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

COLOR 1 - WHITE - Match SW 7013- Ivory Lace
 COLOR 2 - BLUE - Match SW 6804- Dignity Blue
 COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.

EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ASV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET

- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD: WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
- REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3: REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x4 DECAY-RESISTANT SLEEPERS.**
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT / REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND 'N'. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 2
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRAIL
- BID ALTERNATE #2: PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS-WIDE EXTERIOR PAINTING

OWNER:
OJAI UNIFIED SCHOOL DISTRICT
414 EAST OJAI AVENUE
OJAI, CA 93023
(805) 640-4300
CONTACT: ADAM DUTTER
EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:
NORDHOFF HIGH SCHOOL
1401 MARICOPA HIGHWAY
OJAI, CA 93023

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
PROJECT NUMBER: 2020.031
PROJECT PHASE: 04CONDOC
DRAWN BY: PB
REVIEWED BY: MEH

SHEET TITLE:
BUILDING H & L

SHEET NUMBER:
A-108
DATE: 08/18/2020

1

2

3

4


5




7 TYP

33 TYP

32 TYP



2 BUILDING J
1/16" = 1'-0"



1 BUILDING I
1/16" = 1'-0"



ELEC CABINET 3




REPLACE DAMAGED PANEL MATCH EXISTING



14

9

3



4



9



4




9

2



3



32 TYP

33 TYP

GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES

NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET

- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
- REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT/ REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND "N". **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 1
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRILL
- BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
 430 S. CARRILLO RD.
 OJAI, CALIFORNIA 93023
 (805) 530-5559

CONSULTANTS:

SEALS:



PROJECT:

**NORDHOFF HS CAMPUS-
WIDE EXTERIOR
PAINTING**

OWNER:

OJAI UNIFIED SCHOOL DISTRICT
 414 EAST OJAI AVENUE
 OJAI, CA 93023
 (805) 640-4300
 CONTACT: ADAM DUTTER
 EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:

NORDHOFF HIGH SCHOOL
 1401 MARICOPA HIGHWAY
 OJAI, CA 93023

ISSUE:

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
 PROJECT NUMBER: 2020.031
 PROJECT PHASE: 04CONDOC
 DRAWN BY: PB
 REVIEWED BY: MEH

SHEET TITLE:


BUILDINGS I & J

SHEET NUMBER:




A-109

DATE: 08/18/2020

REVIEWER OF DOCUMENTS: THE DESIGN AND DESIGN DEVELOPMENT OF THIS PROJECT IS THE PROPERTY OF HARTMANN ARCHITECTURE. NO PART OF THIS DOCUMENT SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE 2020.



1 BUILDING N & O
1/16" = 1'-0"



GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
 COLOR 2 - BLUE - Match SW 6804- Dignity Blue
 COLOR 3 - YELLOW - Match SW 6904- Gusto Gold
- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES


- NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET
- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
 - PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
 - PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
 - PREP / PAINT: EXISTING SIGNAGE IN PLACE
 - PREP / PAINT: EXISTING LOUVERS, TYPICAL
 - PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
 - REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
 - REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
 - PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
 - REMOVE / DISCARD: EXISTING METAL AWNING
 - REMOVE / DISCARD: WOODEN POST FILL IN HOLE
 - PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
 - PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
 - PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
 - PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
 - PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
 - PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
 - PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
 - REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
 - REMOVE / DISCARD: EXISTING SIGN
 - REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
 - PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
 - PREP / PAINT: EXISTING CONCRETE / CMU WALL
 - PREP / PAINT: EXISTING METAL FENCE & GATE
 - PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
 - PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
 - PREP / PAINT: EXISTING ROLL-UP DOOR
 - PREP / PAINT: EXISTING STORAGE CONTAINER
 - PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3: REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
 - PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
 - PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
 - PAINT COLOR 2
 - PAINT COLOR 3
 - REMOVE / PREP / PAINT / REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
 - PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
 - PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND 'N'. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
 - PREP / PRIME / PAINT: METAL PARAPET WALL CAP
 - PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
 - PAINT COLOR 1
 - CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
 - BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
 - PREP / PRIME / PAINT: EXISTING POLE
 - PREP / PRIME / PAINT: EXISTING HADRAIL
 - BID ALTERNATE #2: PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
 - PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
 - REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
 430 S. CARRILLO RD.
 OJAI, CALIFORNIA 93023
 (805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS- WIDE EXTERIOR PAINTING

OWNER:
 OJAI UNIFIED SCHOOL DISTRICT
 414 EAST OJAI AVENUE
 OJAI, CA 93023
 (805) 640-4300
 CONTACT: ADAM DUTTER
 EMAIL: adutter@ojaiusd.org



PROJECT ADDRESS:
 NORDHOFF HIGH SCHOOL
 1401 MARICOPA HIGHWAY
 OJAI, CA 93023

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
 PROJECT NUMBER: 2020.031
 PROJECT PHASE: 04CONDOC
 DRAWN BY: PB
 REVIEWED BY: MEH

SHEET TITLE:
BUILDINGS N & O

SHEET NUMBER:
A-110
 DATE: 08/18/2020



GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold
- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SHEET KEYNOTES NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET

- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE
- REMOVE / DISCARD: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEERS. **BID ALTERNATE #3** - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT / REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND 'N'. **BID ALTERNATE #1** - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 1
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRAIL
- BID ALTERNATE #2** - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
430 S. CARRILLO RD.
OJAI, CALIFORNIA 93023
(805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS-WIDE EXTERIOR PAINTING

OWNER:
OJAI UNIFIED SCHOOL DISTRICT
414 EAST OJAI AVENUE
OJAI, CA 93023
(805) 640-4300
CONTACT: ADAM DUTTER
EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:
NORDOFF HIGH SCHOOL
1401 MARICOPA HIGHWAY
OJAI, CA 93023

ISSUE:

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
PROJECT NUMBER: 2020.031
PROJECT PHASE: 04CONDOC
DRAWN BY: PB
REVIEWED BY: MEH

SHEET TITLE:
BUILDINGS N & O

SHEET NUMBER:
A-111
DATE: 08/18/2020

DIVISION OF DOCUMENTS: THIS DOCUMENT AND THE SEALS AND SIGNS INCORPORATED HEREIN ARE INSTRUMENTS OF PROFESSIONAL SERVICE IN THE PROPERTY OF HARTMANN ARCHITECTURE STUDIO AND SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY MANNER OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE STUDIO 2020.




A

TYP BLDG COLOR



B



1 BUILDING K
3/32" = 1'-0"

GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS AND FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES

NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET


- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
- REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM.
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x4 DECAY-RESISTANT SLEEPERS.**
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT / REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND 'N'. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 1
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRAIL
- BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
430 S. CARRILLO RD.
OJAI, CALIFORNIA 93023
(805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS- WIDE EXTERIOR PAINTING

OWNER:
OJAI UNIFIED SCHOOL DISTRICT
414 EAST OJAI AVENUE
OJAI, CA 93023
(805) 640-4300
CONTACT: ADAM DUTTER
EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:
NORDOFF HIGH SCHOOL
1401 MARICOPA HIGHWAY
OJAI, CA 93023

ISSUE:		
MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01


PROJECT INFORMATION:
PROJECT NUMBER: 2020.031
PROJECT PHASE: 04CONDOC
DRAWN BY: PB
REVIEWED BY: MEH

SHEET TITLE:
BUILDING K


SHEET NUMBER:
A-112

DATE: 08/18/2020

DIVISION OF DOCUMENTS: THE DOCUMENT AND THE SEALS AND DESIGNS INCORPORATED HEREIN AS AN INSTRUMENT OF PROFESSIONAL SERVICE IS THE PROPERTY OF MATTHEW HARTMANN ARCHITECTURE STUDIO. NO PART OF THIS DOCUMENT SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT MATTHEW HARTMANN ARCHITECTURE STUDIO.



1 BUILDING P
1/16" = 1'-0"



A



B



C



D



E

GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
 COLOR 2 - BLUE - Match SW 6804- Dignity Blue
 COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES


- NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET
- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
 - PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
 - PREP / / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
 - PREP / / PAINT: EXISTING SIGNAGE IN PLACE
 - PREP / / PAINT: EXISTING LOUVERS, TYPICAL
 - PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
 - REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
 - REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
 - PREP / / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
 - REMOVE / DISCARD: EXISTING METAL AWNING
 - REMOVE / DISCARD: WOODEN POST FILL IN HOLE
 - PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
 - PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
 - PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
 - PREP / / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
 - PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
 - PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
 - PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
 - REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
 - REMOVE / DISCARD: EXISTING SIGN
 - REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
 - PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
 - PREP / / PAINT: EXISTING CONCRETE / CMU WALL
 - PREP / / PAINT: EXISTING METAL FENCE & GATE
 - PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
 - PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM.
 - PREP / / PAINT: EXISTING ROLL-UP DOOR
 - PREP / / PAINT: EXISTING STORAGE CONTAINER
 - PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3: REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND DECAY-RESISTANT SLEEPERS.**
 - PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
 - PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
 - PAINT COLOR 2
 - PAINT COLOR 3
 - REMOVE / PREP / PAINT / REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
 - PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
 - PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND 'N'. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
 - PREP / PRIME / PAINT: METAL PARAPET WALL CAP
 - PREP / PRIME / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
 - PAINT COLOR 1
 - CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
 - BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
 - PREP / PRIME / PAINT: EXISTING POLE
 - PREP / PRIME / PAINT: EXISTING HADRAIL
 - BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
 - PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
 - REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
 430 S. CARRILLO RD.
 OJAI, CALIFORNIA 93023
 (805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS- WIDE EXTERIOR PAINTING

OWNER:
 OJAI UNIFIED SCHOOL DISTRICT
 414 EAST OJAI AVENUE
 OJAI, CA 93023
 (805) 640-4300
 CONTACT: ADAM DUTTER
 EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:
 NORDHOFF HIGH SCHOOL
 1401 MARICOPA HIGHWAY
 OJAI, CA 93023

ISSUE:

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01


PROJECT INFORMATION:
 PROJECT NUMBER: 2020.031
 PROJECT PHASE: 04CONDOC
 DRAWN BY: PB
 REVIEWED BY: MEH

SHEET TITLE:
BUILDING P



SHEET NUMBER:
A-113

DATE: 08/18/2020



DIVISION OF DOCUMENTS: THIS DOCUMENT AND THE SEALS AND SIGNS INCORPORATED HEREIN ARE INSTRUMENTS OF PROFESSIONAL SERVICE TO THE PROPERTY OF HARTMANN ARCHITECTURE AND HARTMANN ARCHITECTURE STUDIO. NO PART OF THIS DOCUMENT OR ANY OTHER PROJECT DOCUMENTS WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE STUDIO 2020.



1 ADMIN BUILDING
1/16" = 1'-0"



- TRELLIS COLUMNS BEYOND 32
- TRELLIS BEAMS BEYOND 39
- PRUNE VINES AS NEEDED TO ACCESS WOOD TRELLIS BEYOND



GENERAL NOTES

1. BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
2. ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
3. ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
4. CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
5. WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
6. TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold
1. PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS A.B.V. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES


1. REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
2. PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
3. PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
4. PREP / PAINT: EXISTING SIGNAGE IN PLACE
5. PREP / PAINT: EXISTING LOUVERS, TYPICAL
6. PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
7. REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
8. REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
9. PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
10. REMOVE / DISCARD: EXISTING METAL AWNING
11. REMOVE / DISCARD WOODEN POST FILL IN HOLE
12. PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
13. PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
14. PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
15. PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
16. PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAIR MURALS WHERE PAINTED TO MATCH EXISTING.
17. PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
18. PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
19. REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
20. REMOVE / DISCARD: EXISTING SIGN
21. REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
22. PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
23. PREP / PAINT: EXISTING CONCRETE / CMU WALL
24. PREP / PAINT: EXISTING METAL FENCE & GATE
25. PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
26. PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM.
27. PREP / PAINT: EXISTING ROLL-UP DOOR
28. PREP / PAINT: EXISTING STORAGE CONTAINER
29. PREP / PRIME / PAINT: EXISTING WOOD SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.** PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
30. PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
31. PAINT COLOR 2
32. PAINT COLOR 3
33. REMOVE / PREP / PAINT / REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
34. PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
35. PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND 'N'. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
37. PREP / PRIME / PAINT: METAL PARAPET WALL CAP
38. PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
39. PAINT COLOR 1
40. CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
41. BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
42. PREP / PRIME / PAINT: EXISTING POLE
43. PREP / PRIME / PAINT: EXISTING HADRAIL
44. **BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
45. PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
46. REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
430 S. CARRILLO RD.
OJAI, CALIFORNIA 93023
(805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS-WIDE EXTERIOR PAINTING

OWNER:
OJAI UNIFIED SCHOOL DISTRICT
414 EAST OJAI AVENUE
OJAI, CA 93023
(805) 640-4300
CONTACT: ADAM DUTTER
EMAIL: adutter@ojaisd.org

PROJECT ADDRESS:
NORDHOFF HIGH SCHOOL
1401 MARICOPA HIGHWAY
OJAI, CA 93023

ISSUE:		
MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01








PROJECT INFORMATION:
PROJECT NUMBER: 2020.031
PROJECT PHASE: 04CONDOC
DRAWN BY: PB
REVIEWED BY: MEH

SHEET TITLE:
ADMIN BUILDING

SHEET NUMBER:
A-114

DATE: 08/18/2020

RENDERING OF DOCUMENTS: THIS DOCUMENT IS AN INSTRUMENT OF PROFESSIONAL SERVICE IN THE PROVINCE OF CALIFORNIA. THE DESIGN AND CONSTRUCTION OF THE PROJECT IS THE PROPERTY OF HARTMANN ARCHITECTURE. NO PART OF THIS DOCUMENT SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE 2020.



1 MUSIC BUILDING
1/16" = 1'-0"

GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS, PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES

NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET

- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
- REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3: - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT / REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND "N". **BID ALTERNATE #1: - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 1
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRIL
- BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
430 S. CARRILLO RD.
OJAI, CALIFORNIA 93023
(805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS- WIDE EXTERIOR PAINTING

OWNER:
OJAI UNIFIED SCHOOL DISTRICT
414 EAST OJAI AVENUE
OJAI, CA 93023
(805) 640-4300
CONTACT: ADAM DUTTER
EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:
NORDHOFF HIGH SCHOOL
1401 MARICOPA HIGHWAY
OJAI, CA 93023

ISSUE:		
MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01















PROJECT INFORMATION:
PROJECT NUMBER: 2020.031
PROJECT PHASE: 04CONDOC
DRAWN BY: PB
REVIEWED BY: MEH

SHEET TITLE:
MUSIC BUILDING

SHEET NUMBER:
A-115

DATE: 08/18/2020

UNIVERSITY OF CALIFORNIA ARCHITECTURAL RECORDS: THIS DOCUMENT IS THE PROPERTY OF HARTMANN ARCHITECTURE STUDIO AND SHALL NOT BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, IN WHOLE OR IN PART, FOR ANY OTHER PROJECT WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE STUDIO 2020.



1 SCIENCE BUILDING
1/16" = 1'-0"

GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SYMBOL LEGEND

- EXISTING DOOR: FIELD VERIFY SIZES AND CONDITIONS. PAINT DOOR WARNING STRIPING ON LANDING AT ALL OUTSWINGING EXTERIOR DOORS U.N.O. PAINT EXTERIOR DOOR FACE, FRAME EXTERIOR AND INTERIOR JAMB TO FACE OF DOOR STOP.
- EXISTING RESTROOM DOOR: FINISH AND STRIPING AS NOTED FOR TYPICAL EXTERIOR DOORS ABV. FIELD VERIFY SIZES AND CONDITIONS. APPLY RESTROOM IDENTIFICATION DOOR SIGNAGE ON EXTERIOR AND INTERIOR WHERE DOORS ARE PROPPED OPEN. SEE 1/A-002.

SHEET KEYNOTES

NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET


- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD: WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
- REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT/ REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND 'N'. **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 1
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRAIL
- BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
430 S. CARRILLO RD.
OJAI, CALIFORNIA 93023
(805) 530-5559

CONSULTANTS:



PROJECT:
NORDHOFF HS CAMPUS- WIDE EXTERIOR PAINTING

OWNER:
OJAI UNIFIED SCHOOL DISTRICT
414 EAST OJAI AVENUE
OJAI, CA 93023
(805) 640-4300
CONTACT: ADAM DUTTER
EMAIL: adutter@ojaisd.org

PROJECT ADDRESS:
NORDHOFF HIGH SCHOOL
1401 MARICOPA HIGHWAY
OJAI, CA 93023

ISSUE:		
MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
PROJECT NUMBER: 2020.031
PROJECT PHASE: 04CONDOC
DRAWN BY: PB
REVIEWED BY: MEH

SHEET TITLE:
SCIENCE BUILDING

SHEET NUMBER:
A-116
DATE: 08/18/2020

PREP / PRIME / PAINT: EXISTING CONCRETE & STONE LETTER ON HILLSIDE. TYP OF (2).



23 COLOR 2

PAINT (3) RESTROOM DOORS BOTH INTERIOR, EXTERIOR, AND FRAMES. INSTALL RESTROOM DOOR SIGNAGE ON EACH SIDE OF MENS AND WOMENS RESTROOM DOOR AT THIS BUILDING



42 FLAG POLE BEYOND

32 TYP

39 TYP


E



F



G



H

REMOVE/REINSTALL KICK PLATE

A



B



C



D

GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SHEET KEYNOTES

NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET

- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD: WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
- REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT/ REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND "N". **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 1
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRAIL
- BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
430 S. CARRILLO RD.
OJAI, CALIFORNIA 93023
(805) 530-5559

CONSULTANTS:

SEALS:



PROJECT:

NORDHOFF HS CAMPUS-WIDE EXTERIOR PAINTING

OWNER:
OJAI UNIFIED SCHOOL DISTRICT
414 EAST OJAI AVENUE
OJAI, CA 93023
(805) 640-4300
CONTACT: ADAM DUTTER
EMAIL: adutter@ojaisud.org

PROJECT ADDRESS:

NORDHOFF HIGH SCHOOL
1401 MARICOPA HIGHWAY
OJAI, CA 93023

ISSUE:

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
PROJECT NUMBER: 2020.031
PROJECT PHASE: 04CONDOC
DRAWN BY: PB
REVIEWED BY: MEH

THE ORIGINAL SIZE OF THIS SHEET IS 36"X24". IF THE CURRENT SIZE IS OTHER THAN 36"X24", THEN ADJUST THE SCALE OF THE DRAWINGS ACCORDINGLY.

SHEET TITLE:

ATHLETIC FIELDS



SHEET NUMBER:

A-117

DATE: 08/18/2020

DIVISION OF DOCUMENTS: THIS DOCUMENT AND THE SEALS AND SIGNS INCORPORATED HEREIN ARE AN INSTRUMENT OF PROFESSIONAL SERVICE. THE PROPERTY OF HARTMANN ARCHITECTURE STUDIO. NO PART OF THIS DOCUMENT OR THE SEALS AND SIGNS INCORPORATED HEREIN SHALL BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE STUDIO.

REVIEW OF DOCUMENTS: THE DOCUMENT AND THE DESIGN AND DESIGN INFORMATION IS AN INSTRUMENT OF PROFESSIONAL SERVICE BY HARTMANN ARCHITECTURE STUDIO. THE DESIGN AND DESIGN INFORMATION IS THE PROPERTY OF HARTMANN ARCHITECTURE STUDIO. NO PART OF THIS DOCUMENT IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT. COPYRIGHT HARTMANN ARCHITECTURE STUDIO 2020.



GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SHEET KEYNOTES

- NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET
- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
 - PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
 - PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
 - PREP / PAINT: EXISTING SIGNAGE IN PLACE
 - PREP / PAINT: EXISTING LOUVERS, TYPICAL
 - PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
 - REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
 - REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
 - PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
 - REMOVE / DISCARD: EXISTING METAL AWNING
 - REMOVE / DISCARD WOODEN POST FILL IN HOLE
 - PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
 - PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
 - PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
 - PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
 - PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
 - PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
 - PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
 - REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
 - REMOVE / DISCARD: EXISTING SIGN
 - REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
 - PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
 - PREP / PAINT: EXISTING CONCRETE / CMU WALL
 - PREP / PAINT: EXISTING METAL FENCE & GATE
 - PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
 - PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
 - PREP / PAINT: EXISTING ROLL-UP DOOR
 - PREP / PAINT: EXISTING STORAGE CONTAINER
 - PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
 - PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
 - PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
 - PAINT COLOR 2
 - PAINT COLOR 3
 - REMOVE / PREP / PAINT / REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
 - PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
 - PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND "N". **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
 - PREP / PRIME / PAINT: METAL PARAPET WALL CAP
 - PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
 - PAINT COLOR 1
 - CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
 - BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
 - PREP / PRIME / PAINT: EXISTING POLE
 - PREP / PRIME / PAINT: EXISTING HADRAIL
 - BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
 - PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
 - REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
 430 S. CARRILLO RD.
 OJAI, CALIFORNIA 93023
 (805) 530-5559

CONSULTANTS:

SEALS:



PROJECT:

NORDHOFF HS CAMPUS-WIDE EXTERIOR PAINTING

OWNER:
 OJAI UNIFIED SCHOOL DISTRICT
 414 EAST OJAI AVENUE
 OJAI, CA 93023
 (805) 640-4300
 CONTACT: ADAM DUTTER
 EMAIL: adutter@ojaisd.org

PROJECT ADDRESS:

NORDHOFF HIGH SCHOOL
 1401 MARICOPA HIGHWAY
 OJAI, CA 93023

ISSUE:

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
 PROJECT NUMBER: 2020.031
 PROJECT PHASE: 04CONDOC
 DRAWN BY: PB
 REVIEWED BY: MEH

THE ORIGINAL SIZE OF THIS SHEET IS 36"X48". IF THE CURRENT SIZE IS OTHER THAN 36"X48", THEN ADJUST THE SCALE OF THE DRAWINGS ACCORDINGLY.

SHEET TITLE:

ATHLETIC FIELDS

SHEET NUMBER:

A-118

DATE: 08/18/2020



M

6



I

29

(2) 4 x 10 x 10 FT BENCH & SLEEPERS COLOR 2 EACH BENCH (8) TOTAL THIS VIEW



E

REMOVE & DISCARD PICNIC BENCH



A

46

GENERAL NOTES

- BUILDING PLANS ARE SCHEMATIC TO ONLY SHOW APPROXIMATE OVERALL BUILDING DIMENSIONS, DOOR QUANTITIES AND APPROXIMATE DOOR LOCATIONS AND ARE PROVIDED AS A CONVENIENCE FOR BIDDING. FIELD VERIFY CONDITIONS PRIOR TO BID. REFER TO SHEET KEYNOTES, PHOTOS, AND LEGENDS FOR ADDITIONAL INFORMATION.
- ALL EXISTING PAINTED EXTERIOR SURFACES OF BUILDINGS INCLUDED IN THE SCOPE OF WORK ARE TO BE REPAINTED TO MATCH THE EXISTING PAINTED COLOR AS DETAILED IN THESE DRAWINGS AND SPECIFICATIONS UNLESS NOTED OTHERWISE.
- ALL EXISTING UNPAINTED EXTERIOR SURFACES ARE TO REMAIN UNPAINTED UNLESS NOTED OTHERWISE. PROTECT IN PLACE ALL UNPAINTED SURFACES.
- CAREFULLY PRUNE SHRUBS AND PLANTS AND REMOVE WEEDS AND PLANTINGS AT BASE OF WALL TO BARE EARTH TO ALLOW FOR COMPLETE WALL COVERAGE.
- WINDOW FRAMES, MULLIONS, AND SEALANTS TO BE PAINTED COLOR 2.
- TYPICAL WORK AT EXISTING SIGNS TO REMAIN UNLESS NOTED OTHERWISE: REMOVE SIGN, PAINT BEHIND SIGN, CLEAN SIGN, REINSTALL SIGN.

COLOR LEGEND & NOTES

- COLOR 1 - WHITE - Match SW 7013- Ivory Lace
- COLOR 2 - BLUE - Match SW 6804- Dignity Blue
- COLOR 3 - YELLOW - Match SW 6904- Gusto Gold

- PHOTOS WITH KEYNOTES ARE CREATED ELECTRONICALLY AND ARE INTENDED TO BE VIEWED IN COLOR TO SEE LOCATIONS OF COLORS ON THE BUILDINGS. CONTRACTOR SHALL FIELD VERIFY ACTUAL LOCATIONS AND DIMENSIONS OF COLORS PRIOR TO BID.

SHEET KEYNOTES

NOTE: NOT ALL KEYNOTES USED ON EVERY SHEET

- REMOVE / PAINT WALL / REINSTALL: EXISTING SIGN
- PROTECT IN PLACE: EXISTING SECURITY CAMERA TYPICAL AT ALL LOCATIONS
- PREP / PAINT: UTILITY CONDUITS AND CABINETS TO MATCH WALL BEYOND. CONTINUE STRIPING OVER CONDUITS AND CABINETS WHERE OCCURS.
- PREP / PAINT: EXISTING SIGNAGE IN PLACE
- PREP / PAINT: EXISTING LOUVERS, TYPICAL
- PREP / PRIME / PAINT: GALVANIZED METAL WINDOW FRAME & WOOD TRIM. TYPICAL AT ALL WINDOWS THIS BUILDING. FIELD VERIFY LOCATIONS AND DIMENSIONS PRIOR TO BID.
- REMOVE / PAINT WALL / REINSTALL: LIGHT FIXTURE ESCUTCHEON PLATE OR LIGHT FIXTURE ITSELF TO WALL SURFACE BEHIND. TYPICAL AT ALL LIGHT FIXTURES U.N.O.
- REMOVE / WASH / PREP / PRIME AS NEEDED / PAINT / REINSTALL: ALL EXISTING LOCKERS IN THIS WING. PAINT ALL EXTERIOR SIDES, DOORS AND DOOR RETURNS ONLY. PROTECT UNPAINTED LOCKER HARDWARE.
- PREP / PAINT: EXISTING GUTTERS AND DOWNSPOUTS. MATCH EXISTING WALL COLOR BEYOND.
- REMOVE / DISCARD: EXISTING METAL AWNING
- REMOVE / DISCARD WOODEN POST FILL IN HOLE
- PROTECT IN PLACE: EXISTING HVAC UNITS AND DUCTWORK
- PREP / PRIME / PAINT: DOOR SWING SAFETY STRIPING. TYPICAL AT ALL DOORS THIS BUILDING U.N.O.
- PROTECT IN PLACE: EXISTING LIGHT FIXTURE / SPEAKER / FIRE ALARM DEVICE
- PREP / PAINT: EXISTING HVAC DUCTWORK WHERE ALREADY PAINTED. TYPICAL AT THIS BUILDING.
- PROTECT IN PLACE: EXISTING MURAL. PAINT WALLS AROUND MURAL TO MATCH EXISTING BUILDING COLOR SCHEME. TOUCH-UP/REPAINT MURALS WHERE PAINTED TO MATCH EXISTING.
- PROTECT IN PLACE: EXISTING DRINKING FOUNTAIN
- PREP / PRIME / PAINT: EXISTING PAINTED DRINKING FOUNTAIN CANE DETECTION RAILS
- REMOVE / PAINT WALL / REINSTALL: EXISTING DISPLAY CASES
- REMOVE / DISCARD: EXISTING SIGN
- REMOVE / PAINT WALL / REINSTALL: EXISTING BENCHES
- PROTECT IN PLACE: EXISTING UNFINISHED CONCRETE OR CMU
- PREP / PAINT: EXISTING CONCRETE / CMU WALL
- PREP / PAINT: EXISTING METAL FENCE & GATE
- PROTECT IN PLACE: EXISTING MECHANICAL EQUIPMENT
- PROTECT IN PLACE: EXISTING GALVANIZED WINDOW FRAMES. TYPICAL AT ALL WINDOWS THIS BUILDING. PREP / PRIME / PAINT ALL PAINTED WINDOW TRIM
- PREP / PAINT: EXISTING ROLL-UP DOOR
- PREP / PAINT: EXISTING STORAGE CONTAINER
- PREP / PRIME / PAINT: EXISTING WOOD BENCH / SEATS AND SLEEPERS. **BID ALTERNATE #3 - REMOVE / REPLACE / PREP / PRIME / PAINT: EXISTING WOODEN BENCHES, SEATS AND 4x DECAY-RESISTANT SLEEPERS.**
- PREP / PRIME / PAINT: EXISTING CMU WALLS. PAINT INSIDE AND OUTSIDE OF ENCLOSURE AND DOORS.
- PREP / PRIME / PAINT: ENTIRETY OF METAL CANOPY
- PAINT COLOR 2
- PAINT COLOR 3
- REMOVE / PREP / PAINT/ REINSTALL: EXISTING DOOR OR WINDOW METAL SECURITY GRATING
- PATCH / REPAIR / PREP / PRIME / PAINT: EXISTING PLASTER
- PREP / PRIME / PAINT: EXISTING GRAPHICS ON NORTH SIDE OF GYM WALL. ADD COLOR 3 BORDER AROUND "N". **BID ALTERNATE #1 - PROVIDE AND INSTALL EXTERIOR ADHESIVE WALL GRAPHICS TO MATCH EXISTING.**
- PREP / PRIME / PAINT: METAL PARAPET WALL CAP
- PREP / PAINT: PLASTERED ROOF TOP EQUIPMENT SCREEN WALLS INSIDE AND OUT
- PAINT COLOR 1
- CONTINUE EXISTING STRIPING AROUND ENTIRE PERIMETER OF BUILDING INCLUDING RECESSED DOOR AND WINDOW RETURNS
- BASEBALL AND SOFTBALL DUGOUTS - PROTECT IN PLACE: EXISTING MELAMINE SHELVES. DO NOT PAINT. PREP / PRIME / PAINT: EXISTING WOOD SHELVES.
- PREP / PRIME / PAINT: EXISTING POLE
- PREP / PRIME / PAINT: EXISTING HADRIL
- BID ALTERNATE #2 - PAINT (4) FOOTBALL FIELD LIGHTING STANDARDS**
- PREP / PRIME / PAINT: EXISTING WOOD BACKSTOP BOTH SIDES.
- REMOVE / REPLACE EXISTING WOOD BACKSTOP WITH DECAY-RESISTANT SIMILARLY SIZED WOOD AND CORROSION-RESISTANT HARDWARE. PREP / PRIME / PAINT: BOTH SIDES PRIOR TO INSTALLATION.

AGENCY APPROVAL:



HARTMANNARCHITECTURESTUDIO.COM
430 S. CARRILLO RD.
OJAI, CALIFORNIA 93023
(805) 530-5559

CONSULTANTS:

SEALS:



PROJECT:

NORDHOFF HS CAMPUS-WIDE EXTERIOR PAINTING

OWNER:

OJAI UNIFIED SCHOOL DISTRICT
414 EAST OJAI AVENUE
OJAI, CA 93023
(805) 640-4300
CONTACT: ADAM DUTTER
EMAIL: adutter@ojaiusd.org

PROJECT ADDRESS:

NORDOFF HIGH SCHOOL
1401 MARICOPA HIGHWAY
OJAI, CA 93023

ISSUE:

MARK	DATE	DESCRIPTION
1	09/01/2020	ADDENDUM #01

PROJECT INFORMATION:
PROJECT NUMBER: 2020.031
PROJECT PHASE: 04CONDOC
DRAWN BY: PB
REVIEWED BY: MEH

SHEET TITLE:

SITE FEATURES & MISCELLANEOUS

SHEET NUMBER:

A-119

DATE: 08/18/2020

RENDERING OF DOCUMENTS: THIS DOCUMENT AND THE DESIGNS AND DESIGN REPRESENTATIONS HEREIN ARE AN INSTRUMENT OF PROFESSIONAL SERVICE AS PROVIDED BY HARTMANN ARCHITECTURE STUDIO. ANY REPRODUCTION OR TRANSMISSION OF THIS DOCUMENT OR THE DESIGNS AND DESIGN REPRESENTATIONS HEREIN WITHOUT THE WRITTEN AUTHORIZATION OF THE ARCHITECT IS PROHIBITED. COPYRIGHT HARTMANN ARCHITECTURE STUDIO 2020.