






28 E 35TH ST
SAVANNAH, GA 31401
T 912.447.5665
F 912.447.8391
WWW.GREENLINEARCH.COM

NEW CAT PORTICO ADDITION TO
EFFINGHAM COUNTY ANIMAL SHELTER
307 HIGHWAY 119 S
SPRINGFIELD, GA 31329

DEMOLITION, NOTES,
CODE INFO



5 EAST ELEVATION - DEMOLITION
SCALE: 1/4"=1'-0"

4 WEST ELEVATION - DEMOLITION
SCALE: 1/4"=1'-0"


3 NORTH ELEVATION -DEMOLITION
SCALE: 1/4"=1'-0"

CODE REVIEW DATA																																									
PROPERTY ADDRESS	307 HWY 119S, SPRINGFIELD, GEORGIA																																								
PROPERTY PIN #	0062000000068000																																								
ZONING DISTRICT	B-1																																								
PARKING REQUIREMENTS	N/A																																								
GROSS PROJECT AREA	+/- 100 S.F.																																								
APPLICABLE CODES	2019 NFPA 101 LIFE SAFETY CODE 2019 INTERNATIONAL BUILDING CODE 2019 INTERNATIONAL MECHANICAL CODE 2019 INTERNATIONAL PLUMBING CODE 2019 INTERNATIONAL GAS CODE 2019 INTERNATIONAL FIRE CODE 2019 INT. ENERGY CONSERVATION CODE 2017 NATIONAL ELECTRICAL CODE 2012 GA ACCESSIBILITY CODE																																								
OCCUPANCY CLASSIFICATION (NFPA 101)	BUSINESS (B)																																								
FIRE DISTRICT PROVISIONS	N/A																																								
TYPE OF CONSTRUCTION (IBC 2012 - CH. 6)	VB																																								
	<table border="1"> <thead> <tr> <th>INT. BUILDING CODE (TABLE 503)</th> <th>ALLOWABLE</th> <th>PROVIDED</th> </tr> </thead> <tbody> <tr> <td>MAX. ALLOWABLE HEIGHT</td> <td>40 FT.</td> <td>EXISTING</td> </tr> <tr> <td>MAX. NUMBER OF STORIES</td> <td>2 FLOORS</td> <td>1 FLOORS</td> </tr> <tr> <td>MAX. ALLOWABLE AREA/ FLOOR</td> <td>9000 S.F.</td> <td>EXISTING / ADDED 100 S.F.</td> </tr> </tbody> </table>	INT. BUILDING CODE (TABLE 503)	ALLOWABLE	PROVIDED	MAX. ALLOWABLE HEIGHT	40 FT.	EXISTING	MAX. NUMBER OF STORIES	2 FLOORS	1 FLOORS	MAX. ALLOWABLE AREA/ FLOOR	9000 S.F.	EXISTING / ADDED 100 S.F.																												
INT. BUILDING CODE (TABLE 503)	ALLOWABLE	PROVIDED																																							
MAX. ALLOWABLE HEIGHT	40 FT.	EXISTING																																							
MAX. NUMBER OF STORIES	2 FLOORS	1 FLOORS																																							
MAX. ALLOWABLE AREA/ FLOOR	9000 S.F.	EXISTING / ADDED 100 S.F.																																							
OCCUPANCY REQUIREMENTS																																									
OCCUPANCY LOAD (NFPA 101 - T.3.1.2)	<table border="1"> <thead> <tr> <th>SQ FOOTAGE</th> <th>NET PER FLOOR x FLOORS TOTAL</th> </tr> </thead> <tbody> <tr> <td>150 S.F. PER PERSON</td> <td>100/150 S.F.</td> </tr> </tbody> </table>	SQ FOOTAGE	NET PER FLOOR x FLOORS TOTAL	150 S.F. PER PERSON	100/150 S.F.																																				
SQ FOOTAGE	NET PER FLOOR x FLOORS TOTAL																																								
150 S.F. PER PERSON	100/150 S.F.																																								
CONSTRUCTION REQUIREMENTS (CH. 6 - IBC)																																									
SPRINKLERED	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> N/A																																								
BUILDING DESIGN WIND LOAD	110 M.P.H.																																								
FIRE SEPARATION (NFPA 101)																																									
FIRE RATING (IBC 2012 - TABLE 601)																																									
	<table border="1"> <thead> <tr> <th>UNIT SEPARATION WALLS</th> <th>RESISTANCE HOURS</th> <th>UL #</th> <th>SEPARATION HOURS</th> <th>UL #</th> </tr> </thead> <tbody> <tr> <td>BEARING WALLS (EXTERIOR)</td> <td>N/A</td> <td>---</td> <td>N/A</td> <td>---</td> </tr> <tr> <td>BEARING WALLS (INTERIOR)</td> <td>N/A</td> <td>---</td> <td>N/A</td> <td>---</td> </tr> <tr> <td>CORRIDOR WALLS</td> <td>N/A</td> <td>---</td> <td>N/A</td> <td>---</td> </tr> <tr> <td>STRUCTURAL BEAMS</td> <td>N/A</td> <td>---</td> <td>N/A</td> <td>---</td> </tr> <tr> <td>STRUCTURAL COLUMNS</td> <td>N/A</td> <td>---</td> <td>N/A</td> <td>---</td> </tr> <tr> <td>FLOOR/CEILING ASSEMBLY</td> <td>N/A</td> <td>---</td> <td>N/A</td> <td>---</td> </tr> <tr> <td>ROOF ASSEMBLY</td> <td>N/A</td> <td>---</td> <td>N/A</td> <td>---</td> </tr> </tbody> </table>	UNIT SEPARATION WALLS	RESISTANCE HOURS	UL #	SEPARATION HOURS	UL #	BEARING WALLS (EXTERIOR)	N/A	---	N/A	---	BEARING WALLS (INTERIOR)	N/A	---	N/A	---	CORRIDOR WALLS	N/A	---	N/A	---	STRUCTURAL BEAMS	N/A	---	N/A	---	STRUCTURAL COLUMNS	N/A	---	N/A	---	FLOOR/CEILING ASSEMBLY	N/A	---	N/A	---	ROOF ASSEMBLY	N/A	---	N/A	---
UNIT SEPARATION WALLS	RESISTANCE HOURS	UL #	SEPARATION HOURS	UL #																																					
BEARING WALLS (EXTERIOR)	N/A	---	N/A	---																																					
BEARING WALLS (INTERIOR)	N/A	---	N/A	---																																					
CORRIDOR WALLS	N/A	---	N/A	---																																					
STRUCTURAL BEAMS	N/A	---	N/A	---																																					
STRUCTURAL COLUMNS	N/A	---	N/A	---																																					
FLOOR/CEILING ASSEMBLY	N/A	---	N/A	---																																					
ROOF ASSEMBLY	N/A	---	N/A	---																																					

PROJECT CONTACTS	
OWNER EFFINGHAM COUNTY BOARD OF COMMISSIONERS 601 N. LAUREL STREET SPRINGFIELD, GA 31324 Tel: 912-754-2123 x 4101 Contact: ERIC LARSON elarson@effinghamcounty.org	ARCHITECT GREENLINE ARCHITECTURE, PC 28 E 35TH STREET SAVANNAH, GA, 31401 TEL: 912.447.5665 FAX: 912.447.5664 CONTACT: KEITH HOWINGTON khowington@greenlinearch.com


GENERAL NOTES

- GREENLINE ARCHITECTURE IS NOT RESPONSIBLE FOR INTERPRETING THE INTENT OF THESE CONSTRUCTION DOCUMENTS, INCLUDING MAKING MODIFICATIONS AS MAY BE NECESSARY DURING THE CONSTRUCTION PHASE. THE ABOVE NAMED COMPANY AND ARCHITECT OF RECORD ARE NOT LIABLE FOR THE WORK WHERE CHANGES TO THESE DOCUMENTS HAVE BEEN MADE.
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS IN THE FIELD AND SHALL NOTIFY THE ARCHITECT OF ANY DISCREPANCIES. ALL WORK REQUIRING MEASURING SHALL BE DONE ACCORDING TO FIGURES ON DRAWINGS AND NOT SCALED FROM DRAWINGS. THE ARCHITECT SHALL FURNISH ANY MISSING DIMENSIONS UPON REQUEST.
- ALL WORK SHALL CONFORM TO PREVAILING CODES, ORDINANCES AND REQUIREMENTS. CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL PERMITS AND INSPECTIONS REQUIRED FOR CONSTRUCTION AND SHALL PAY ALL APPLICABLE FEES.



3 FLOOR PLAN - DEMOLITION
SCALE: 1/4"=1'-0"

MEANS OF EGRESS									
EXITS REQUIRED	PER BUILDING: EXISTING PER FLOOR: EXISTING, #								
PER ROOM (7 THAN 50 OCCUPANTS)	1								
HORIZONTAL EXITS	N/A								
EXIT WIDTHS	32"								
TRAVEL DISTANCE (DOOR TO EXIT, PER NFPA)	<table border="1"> <thead> <tr> <th>MAXIMUM ALLOWED</th> <th>200 FT, NON SPRINKLERED</th> </tr> </thead> <tbody> <tr> <td>MAXIMUM PROVIDED</td> <td>30 FT</td> </tr> </tbody> </table>	MAXIMUM ALLOWED	200 FT, NON SPRINKLERED	MAXIMUM PROVIDED	30 FT				
MAXIMUM ALLOWED	200 FT, NON SPRINKLERED								
MAXIMUM PROVIDED	30 FT								
DEAD END CORRIDOR	<table border="1"> <thead> <tr> <th>MAXIMUM DIST. ALLOWED</th> <th>50 FT NON-SPRINKLERED</th> </tr> </thead> <tbody> <tr> <td>MAXIMUM DIST. PROVIDED</td> <td>N/A</td> </tr> </tbody> </table>	MAXIMUM DIST. ALLOWED	50 FT NON-SPRINKLERED	MAXIMUM DIST. PROVIDED	N/A				
MAXIMUM DIST. ALLOWED	50 FT NON-SPRINKLERED								
MAXIMUM DIST. PROVIDED	N/A								
UNITS OF EGRESS	REQUIRED: .2' PER PERSON (HORIZ) -.3' PER PERSON (VERT) PROVIDED: 36"								
FIRE PROTECTION SYSTEM (ALARM PROVIDED)	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> EXISTING								
SMOKE SEPARATION / DRAFTSTOPPING									
ATTIC AREA	REQUIRED: 3,000 S.F. PROVIDED: N/A								
ATTIC VENTILATION REQUIRED (IBC 2012)	<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A								
	<input type="checkbox"/> PASSIVE <input type="checkbox"/> MECHANICAL <input checked="" type="checkbox"/> N/A								
HIGH IMPACT GLAZING (REQ. PER CH.16 IBC)	<input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A								
SEISMIC CLASSIFICATION OF SITE	---								
EXPOSURE	---								
INTERIOR FINISHES	<table border="1"> <thead> <tr> <th>EXITS</th> <th>EXITS ACCESS</th> <th>OTHER SPACES</th> <th>FLOORING</th> </tr> </thead> <tbody> <tr> <td>N/A</td> <td>N/A</td> <td>N/A</td> <td>N/A</td> </tr> </tbody> </table>	EXITS	EXITS ACCESS	OTHER SPACES	FLOORING	N/A	N/A	N/A	N/A
EXITS	EXITS ACCESS	OTHER SPACES	FLOORING						
N/A	N/A	N/A	N/A						



SCHEDULE OF DRAWINGS	
NO.	DESCRIPTION
A1.0	DEMOLITION PLANS, DEMOLITION ELEVATIONS, CODE INFO, NOTES
A1.1	PLANS, ELEVATIONS, DETAILS
A1.2	PORTICO SECTIONS

NOTES:

- PROVIDE EXTERIOR SILLERS FOR ALL EXTERIOR DOORS.
- GENERAL CONTRACTOR SHALL VERIFY ALL ELEVATIONS, DIMENSIONS AND LOCATIONS OF EXISTING FEATURES BEFORE STARTING WORK. NOTIFY ARCHITECT/ENGINEER OF ANY DISCREPANCIES.
- ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH STANDARD INTERNATIONAL BUILDING CODE, NFPA, OSHA, ACI, AISC, AND AITC CODES AND REQUIREMENTS AND ALL APPLICABLE STANDARDS.
- PROVIDE CONDUIT FOR ALL SECURITY AND SURVEILLANCE CAMERAS WITH DATA NETWORK CABLING. SEE SPECS, T-SHEETS.
- ALL WOOD TO BE KDAT- KILN DRIED AND TREATED.
- DOOR AND WINDOW HEADER SCHEDULE:
(3) 2x8's 1/4" (1/2) PLYWOOD FILLERS FOR UP TO 8'-0" OPENINGS
- PAINT ALL WOOD AND CMU INFILL SURFACES.
- VINYL SIDING AT FACE OF BUILDING TO MATCH EXISTING.
- PROVIDE DOOR CLOSER AT NEW DOOR, THAT WILL ALLOW FOR HOLD-OPEN OPTION.
- ALL WOOD TO BE #2 SYP, KDAT OR BETTER.

REVISIONS

1. This drawing is the property of GREENLINE ARCHITECTURE, INC. and it shall be reproduced or copied in whole or in part. It is not to be used on any other project and is to be returned on request.

2. Scales as stated herein are valid on the original drawing only and are hereby changed in proportion to the difference in scale between the print and the original drawing.

3. Do not scale dimensions from prints. Use dimensions given or consult the architect for further clarification.



RELEASED FOR CONSTRUCTION

JOB NO: 21.025
ISSUE DATE: 07.19.2021
DRAWN: KEH

A1.0



28 E 35TH ST
SAVANNAH, GA 31401
T 912.447.5665
F 912.447.9391
WWW.GREENLINEARCH.COM

NEW CAT PORTICO ADDITION TO
EFFINGHAM COUNTY ANIMAL SHELTER
307 HIGHWAY 119 S
SPRINGFIELD, GA 31329

PLANS, ELEVATIONS,
DETAILS

REVISIONS


1. This drawing is the property of GREENLINE ARCHITECTURE, INC. and is not to be reproduced or copied in whole or in part. It is not to be used on any other project and is to be returned on request.
2. Scales as stated herein are valid on the original drawing only and are hereby changed in proportion to the difference in scale between the print and the original drawing.
3. Do not scale dimensions from prints. Plans and details are not always drawn to scale. Use dimensions given or consult the architect for further clarification.




RELEASED FOR
CONSTRUCTION

JOB NO: 21.025
ISSUE DATE: 07.19.2021
DRAWN: KEH


A1.1




5
A1.1 EAST ELEVATION
SCALE: 1/4"=1'-0"




4
A1.1 WEST ELEVATION
SCALE: 1/4"=1'-0"




3
A1.1 NORTH ELEVATION
SCALE: 1/4"=1'-0"




7
A1.1 DETAILS
SCALE: 3/8"=1'-0"



6
A1.1 DETAILS
SCALE: 3/8"=1'-0"



2
A1.1 ROOF PLAN- PARTIAL
SCALE: 1/4"=1'-0"



1
A1.1 FLOOR PLAN- PARTIAL
SCALE: 1/4"=1'-0"



REVISIONS

1. This drawing is the property of GREENLINE ARCHITECTURE, INC. and is not to be reproduced or copied in whole or in part. It is not to be used on any other project and is to be returned on request.
2. Scales as stated herein are valid on the original drawing only and are hereby changed in proportion to the difference in scale between the print and the original drawing.
3. Do not scale dimensions from prints. Plans and details are not always drawn to scale. Use dimensions given or consult the architect for further clarification.




RELEASED FOR
CONSTRUCTION


JOB NO: 21.025
ISSUE DATE: 07.19.2021
DRAWN: KEH



3
A1.2 **DOOR DETAILS**
SCALE: 3/8"=1'-0"



2
A1.2 **BUILDING SECTION**
SCALE: 1/8"=1'-0"



1
A1.2 **BUILDING SECTION**
SCALE: 1/8"=1'-0"