



- KEYNOTES**
- 1 PROTECT IN PLACE EX FIRE HYDRANT
 - 2 PROTECT IN PLACE EX FIRE WATER METER
 - 3 PROTECT IN PLACE EX BACKFLOW PREVENTION DEVICE
 - 4 NEW 3" DOMESTIC WATER (LRC) BACKFLOW PREVENTION DEVICE PER DETAIL 2, SHEET C6.00
 - 5 EX 6" WATER (CUP) BACKFLOW PREVENTION DEVICE
 - 6 EX 6" FIRE WATER (CAMPUS), BACKFLOW PREVENTER, FIRE DEPARTMENT CONNECTION (FDC), AND POST INDICATOR VALVE (PIV)
 - 7 NEW ELECTRICAL MANHOLE. RE-ROUTE EX. ELECTRICAL CONDUITS AS NEEDED (VIF). SEE SHEET E1.01
 - 8 NEW UTILITY POINT OF CONNECTION (POC). SEE M.E.P. PLANS FOR BUILDING CONNECTION DETAILS AND INVERT ELEVATIONS. SEE DETAIL 11, SHEET S4.30 FOR SHEAR WALL OPENING DETAIL
 - 9 NEW TELECOM POINT OF CONNECTION. SEE TELECOM PLANS FOR BUILDING CONNECTION DETAILS AND INVERT.
 - 10 EX STORM DRAIN MANHOLE. PROTECT IN PLACE
 - 11 PROTECT IN PLACE EX CAMPUS FIRE WATER LINE
 - 12 PROTECT IN PLACE EX WATER METER (CUP)
 - 13 NEW SANITARY SEWER LATERAL
 - 14 RELOCATED AS PART OF CUP PROJECT
 - 15 CORE HOLE FOR NEW CHILLED AND HOT WATER SUPPLY/RETURN LINES PER DETAIL 4 ON SHEET C6.00
 - 16 NEW THRUST BLOCK PER DETAIL 5 ON SHEET C6.00
 - 17 TRENCH SECTION PER DETAIL 1, SHEET C6.00
 - 18 NEW BOLLARDS (SLD, DETAIL 1, SHEET L6.09)
 - 19 NEW FIRE ALARM POINT OF CONNECTION (POC). SEE FIRE PROTECTION PLANS FOR BUILDING CONNECTION DETAILS AND INVERT ELEVATIONS
 - 20 POP-UP DRAINAGE EMITTER PER DETAIL 1, SHEET C7.01
 - 21 BIORETENTION AREA DRAIN PER DETAIL 8, SHEET C7.01
 - 22 STANDARD CLEANOUT PER DETAIL 7, SHEET C6.00
 - 23 TWO-WAY CLEANOUT PER DETAIL 8, SHEET C6.00



NOTE
1. SEE DETAIL 1, SHEET C6.00, FOR ADDITIONAL TRENCH REQUIREMENTS.

EX. 110V ELECTRICAL ENCASED IN CONCRETE (APPROXIMATE SIZE SHOWN, #6 COVER)

