



1 FLOOR PLAN - LEVEL 1
SCALE: 1/8" = 1'-0"

| NUMBERED NOTES | |
|----------------|---|
| 01 | OUTLETS STACKED. |
| 02 | CONDUITS FOR FLOOR BOXES WITHIN THIS ROOM SHALL ROUTE UP THROUGH PARTITION CLOSEST TO ROOMS 141, 142 & 143. |
| 03 | CONDUITS FOR FLOOR BOXES WITHIN THIS ROOM SHALL ROUTE UP THROUGH PARTITION CLOSEST TO ROOMS 133A & 135. |
| 04 | CONDUITS FOR FLOOR BOXES WITHIN THIS ROOM SHALL ROUTE UP THROUGH PARTITION CLOSEST TO ROOM 131. |
| 05 | CONDUITS FOR FLOOR BOXES WITHIN THIS ROOM SHALL ROUTE UP THROUGH THIS PARTITION ABOVE DROP CEILING TILE. |
| 06 | CONDUITS FOR FLOOR BOXES OR WALL OUTLETS WITHIN THIS AREA SHALL ROUTE THROUGH THIS PARTITION ABOVE DROP CEILING TILE. |
| 07 | CONDUITS FOR ALL OUTLETS ABOVE HARDID WITHIN THIS OUTLINE WILL NEED TO BE CONTINUOUS TO NEAREST CABLE TRAY WHILE MAINTAINING NO MORE THAN 180 DEGREES WORTH OF BENDS. |

- SHEET NOTES**
- REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATIONS OF OUTLETS, DEVICES AND EQUIPMENT. ALSO REFER TO ELECTRICAL PLANS TO COORDINATE FINAL LOCATIONS OF OUTLETS, DEVICES AND EQUIPMENT.
 - REFER TO SHEET 10.02 FOR PATHWAY REQUIREMENTS.
 - PATHWAYS SHOWN ARE DEDICATED FOR TELECOMMUNICATIONS CABLING ONLY, UON.
 - PROVIDE APPROVED FIRESTOP SYSTEMS AT PENETRATIONS THROUGH FIRE BARRIERS, SMOKE BARRIERS, AND SMOKE PARTITIONS TO MAINTAIN RATING. REFER TO SHEET 10.02 FOR APPROVED FIRESTOP SYSTEMS.
 - VIDEO DISPLAY DIAGONAL SIZES ARE INDICATED BY NUMERIC SYMBOL TAG.