OPEN BIDS FOR THE CITY OF ETOWAH

The City of Etowah Public Works Department is seeking bids from qualified vendors for the purchase of New Holland 2005-2010 model tractor with long-arm in good working condition. Usage preferred to be below 10,000 hours.

Absolute deadline for bid submittal is:

8:00 AM on Thursday, June 15, 2023. Bid specifications should be picked up at Etowah City Hall Monday-Friday 8:00 am-4:30 pm or via cityofetowahtn.com/departments/bid opportunities.

Completed sealed bids should be sent or dropped off at City of Etowah, 701 TN Avenue, Etowah, TN 37331.

To submit via email: etowahcm@cityofetowahtn.com

Purchase is dependent upon Commission approval."

Monitoring of Contractors/Consultants

Name of Contractor:	Date Completed:	
Address:	_	
City:	State:	Zip:
Phone:	Fax:	
The below Title VI Assurance	is to Be Submitted on C	ompany Letterhead:
Contractor/Consultant Naticolor, national origin, or sex, as as amended, and the Civil Rig from participation in, be dediscrimination under any prograthe Tennessee Department of Transcriptions.	provided by Title VI of the hts Restoration Act of 19 mied the benefits of, our or activity receiving F	987 (P.I. 100.259) be excluded or be otherwise subjected to
DECLARATION OF RESPO best of my knowledge and believe		-
Name of Authorized Officia	 :	Date

To: Whom It May Concern	
From:	
Date:	

Ref: Iran Divestment Act

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to 12-12-106.

TractorData

Tractors > New Holland > TS100

New Holland TS100

Tractors Lawn Tractors Compare Articles/News Tractor Shows Contact

Overview Engine Transmission Dimensions Photos



1999 - 2003 TS Series

6640 ↑

Series: <u>TS90</u> ← <u>TS100</u> → <u>TS110</u>

Production

Manufacturer:

New Holland

Factory:

Basildon, England

New Holland TS100 Power

Engine:

100 hp

74.6 kW

PTO (claimed):

80 hp

59.7 kW

Mechanical

Chassis:

4x2 2WD

4x4 MFWD 4WD

Steering:

power

Brakes:

hydraulic wet disc

Cab:

Two-post folding ROPS. Cab

optional with air-conditioning.

Transmissions: 8-speed unsynchronized gear

16-speed two-speed power shift

12-speed

24-speed

16-speed

New Holland TS100 Engine

New Holland 5.0L 4-cyl diesel

Fuel tank:

42 gal

159.0 L



Engine details ...

Photos

No photos of the New Holland TS100 are currently available. To submit yours, email it to Peter@TractorData.com. Photos may only be used with the permission of the original photographer.



Hydraulics

Type: open center

closed center*

Pressure: 2500 psi

172.4 bar 2700 psi 186.2 bar *

2 to 4 Valves:

Pump flow: 9.7 gpm

36.7 lpm 18.2 gpm 68.9 lpm

21 gpm 79.5 lpm *

Total flow:

37 gpm 140.0 lpm

Steering flow:

9.5 gpm 36.0 lpm

Steering press.:

2100 psi

144.8 bar (2WD)

2500 psi

172.4 bar (4WD)

Power Take-off (PTO)

Rear PTO:

independent

Rear RPM:

540/1000

Tractor hitch

Rear Type:

Rear lift (at 24"/610mm):

II,IIN 4,200 lbs 1905 kg 6,210 lbs

2816 kg (assist ram)

8.240 lbs

3737 kg (two assist

rams)

Dimensions & Tires

2WD Wheelbase:

92.1 inches

233 cm

4WD Wheelbase:

93 inches 236 cm

Weight:

7275 to 9855 pounds

Front tire:

7.50 - 16

Rear tire:

16.9-30



Full dimensions and tires ...

TS100 Serial Numbers

Location: Serial number decal inside the hood on the right side of the tractor.

Electrical

Ground:

negative

Charging system: Charging amps:

alternator 55

100 (cab)

Batteries:

1 2*

Battery CCA.

800

Battery volts:

12

Page information

Last update: May 27, 2022

Copyright:

Copyright 2022 TractorData LLC

Contact: Peter@TractorData.com

©2000-2022 - TractorData.com®. Notice: Every attempt is made to ensure the data listed is accurate. However, differences between sources, incomplete listings, errors, and data entry mistakes do occur. Consult official literature from the manufacturer before attempting any service or repair.