

OFFICE OF THE SULLIVAN COUNTY PURCHASING AGENT

3411 HIGHWAY 126 – SUITE 201
BLOUNTVILLE, TN 37617-0569

PHONE 423/323-6400

FAX 423/323-7249

REQUEST FOR PROPOSAL #E190245(AW)

(MUST INCLUDE RFP# ON OUTSIDE OF ENVELOPE)

COMMODITY/SERVICE DESCRIPTION:

OPENING DAY: **FEBRUARY 24, 2015** TIME: 2:00 P.M

SULLIVAN COUNTY USER DEPARTMENT: SCHOOL

THIS REQUEST FOR PROPOSAL (RFP) MUST BE RETURNED IN A SEALED ENVELOPE VIA MAIL, COURIER OR IN PERSON. PHONE, FAX OR ELECTRONIC RESPONSES ARE NOT ACCEPTABLE! RESPONSES WILL BE ACCEPTED BY THE PURCHASING AGENT ONLY UNTIL THE DAY/TIME DESIGNATED ABOVE, AT WHICH TIME THEY WILL BE PUBLICLY OPENED. RESPONSES MUST CLEARLY IDENTIFY THE RFP # ON THE OUTSIDE OF THE ENVELOPE, BE PRESENTED IN ORIGINAL FORMAT, BE COMPLETED IN TOTALITY AND BEAR THE HANDWRITTEN SIGNATURE OF A DULY AUTHORIZED COMPANY REPRESENTATIVE. LATE RESPONSES WILL NOT BE ACCEPTABLE!

SUBMISSION OF THIS RFP VERIFIES VENDOR'S ACCEPTANCE OF THE RFPs LANGUAGE, REQUIREMENTS AND THE GENERAL PROCUREMENT TERMS AND CONDITIONS FORM #GPTC1004-14.

*NOTE: IF FORM #GPTC1004-14 IS OMITTED FROM THIS RFP SOLICITATION, WE HAVE THE APPROPRIATE SIGNED DOCUMENTS FROM YOUR COMPANY. IF FORM #GPTC1004-14 IS ENCLOSED WITH THIS RFP SOLICITATION, PLEASE SIGN AND RETURN THE APPROPRIATE PAGES WITH YOUR RFP REPOSE. **By submission of this RFP/RFQ, the responding firm certifies compliance with Title VI and Title VII of the Civil Rights of 1964, as amended, and all regulations promulgated thereof.***

ALL RFPs MUST BE OFFERED IN STRICT CONFORMANCE TO ALL LANGUAGE, REQUIREMENTS, TERMS AND CONDITIONS AND SPECIFICATIONS AS SOLICITED. FAILURE TO COMPLY WITH THE RFP PREREQUISITE WILL BE CAUSE TO DISQUALIFY SAME.

UNLESS OTHERWISE DESIGNATED, ALL PRICES OFFERED SHALL BE GUARANTEED FOR A MINIMUM OF SIXTY (60) DAYS FROM OPENING DATE. UNIT PRICES FOR GOODS/SERVICES SHALL BE QUOTED "NET 30 DAYS". EACH LINE ITEM PRICE MUST INCLUDE ALL CHARGES, INCLUDING SHIPPING, HANDLING, FREIGHT OR ANY OTHER COSTS ASSOCIATED TO THE DELIVERY TO THE DESIGNATED SULLIVAN COUNTY LOCATION. SULLIVAN COUNTY WILL NOT ACCEPT ADDITIONAL DELIVERY CHARGES AS A SEPARATE LINE ITEM. AWARDS MAY BE DETERMINED PER UNIT (LINE ITEM) AND/OR AS A TOTAL (WHOLE) AWARD; WHICHEVER IS IN THE BEST INTEREST OF SULLIVAN COUNTY. ALL GOODS PROVIDED TO SULLIVAN COUNTY SHALL BE FREE FROM DAMAGE/DEFECTS. GOODS DAMAGED IN TRANSIT BY COMMON CARRIER ARE THE SOLE RESPONSIBILITY OF THE VENDOR, INCLUDING ALL COMMUNICATIONS AND REPLACEMENT ARRANGEMENTS.

IF INFORMATION (SPECIFICATIONS, DATA SHEETS, ANALYSIS, DRAWINGS, ETC.) OR PRODUCT SAMPLES ARE REQUESTED IN THIS RFP, RESPONDING VENDOR MUST ENCLOSE/SUPPLY SAME. FAILURE TO COMPLY WILL BE CAUSE TO DISQUALIFY THE VENDOR FROM AWARD CONSIDERATION.

THE SULLIVAN COUNTY PURCHASING AGENT HAS THE RIGHT TO ACCEPT, REJECT, AWARD OR CANCEL ANY/ALL QUOTES AND TO WAIVE ANY INFORMALITIES OR IRREGULARITIES, IF SAME IS DEEMED IN THE BEST INTEREST OF SULLIVAN COUNTY. SULLIVAN COUNTY DOES NOT OBLIGATE ITSELF TO ACCEPT THE LOWEST AND/OR ANY QUOTE OFFERED.

DELIVERY DATE _____

TERMS: NET 30 DAYS

(NOTE: DELIVERY TIME (DAYS/WEEKS/MONTHS) MUST BE INDICATED ... ASAP IS NOT ACCEPTABLE)

VENDOR: _____ REPRESENTATIVE: _____

PLEASE PRINT

PHONE: _____ FAX: _____ E-MAIL: _____

SIGNATURE: _____ DATE: _____

**ATTACHMENT TO RFP# E190245(AW)
FOR: Geared Head Bench Lathes, Turning Tool Kit and Toolpost**

ITEM NO.	QTY	UNIT	DESCRIPTION	UNIT PRICE	PRICE
1	1	EA	<p>Jet 3HP GH-1340W-1 GEARED HEAD BENCH LATHE w/ COLLET CLOSER AND TAPER ATTACHMENT MFG# 321160 Detailed Specifications: Size 13 x 40 Accessory 1 Taper Attachment Accessory 2 Collet Closer Swing Over Bed (In.) 13 Swing Over Cross Slide (In.) 7-1/2 Swing Through Gap (In.) 19 Length of Gap (In.) 9-3/8 Distance Between Centers (In.) 40 Spindle Bore (In.) 1-1/2 Spindle Mount D1-4 Spindle Taper with Sleeve MT-5 (MT-3) Number of Spindle Speeds 12 Range of Spindle Speeds (RPM) 40 - 1,800 Number of Longitudinal and Cross Feed Rates 40 Range of Longitudinal Feeds (IPR) .0012 - .0294 Range of Cross Feeds (IPR) .0003 - .0103 Number of Inch Threads 40 Range of Inch Threads (TPI) 4 - 112 Number of Metric Threads 22 Range of Metric Threads .45 - 7.5 Max Tool Size (In.) 5/8 x 5/8 Compound Slide Travel (In.) 3-1/2 Cross Slide Travel (In.) 6-3/8 Carriage Travel (In.) 37-1/2 Tailstock Spindle Travel (In.) 4-3/4 Taper in Tailstock Spindle MT-3 Follow Rest Capacity (In.) 2-3/4 Steady Rest Capacity (In.) 3-3/4 Width of Bed (In.) 10-1/2 Motor (HP) 3 HP, 230V, 1Ph Prewired (V.) 230 Weight (Lbs.) 2,081 Drive Geared Head Overall Dimensions (L x W x H) (In.) 78 x 38 x 59 Style (Type) Engine - Geared Head Height 47.5000 Length 73.7500 Weight 2374.0000 Width 29.5000</p>		

2	2	EA	Jet 22 Piece Turning Tool Kit For 13" and 14" Lathes MFR# 660200 Includes: 3/8"x 6" double end boring bar • 1/2"x9" double end boring bar • 5/8" x 10" double end boring bar • 4 Hex keys • Adjustable Turning tool holder • HSS Knurling tool with three pairs of knurls • MT3 half dead center • MT3 carbide tipped dead center • MT3 heavy duty live center • 2 pcs. 3/16"x1-1/2" round tool bits • 2pcs 3/16"x2" HSS square tool bits • 2pcs 1/4"x2" HSS square tool bits • 2pcs 5/16"x2-1/2" HSS square tool bit • 1 pc 3/8"x2-1/2" HSS square tool bit • 1pc 3/32" x 1/2" x 3-1/2" HSS (P) cutoff blade		
3	2	EA	13"-18" 300 SERIES QUICK CHANGE WEDGE TYPE TOOL POST SET MFR# 650300 Set contains one piston type tool post and one each of 5 tool holders • 200(BXA) Series Tool Post • #1 Boring & Facing • #2 Boring, Turning & Facing • #4 Boring, Heavy Duty • #7 Universal Parting Blade • #10 Knurling, Facing & Turning • Working parts hardened and ground • Maximum rigidity fro chatter-free performance • Holders fit ALLORRIS and YUASA tool posts • Increases productivity of all lathe operations • Completely sealed for maintenance free operation • Change tools in seconds • Fits 10"-15" swing lathes		
					FREIGHT
					<u>TOTAL</u>
			QUOTE F.O.B. SULLIVAN NORTH HIGH SCHOOL, 2533 JOHN B. DENNIS HWY, KINGSPORT TN 37660		
			QUOTE MUST INCLUDE <u>ALL</u> CHARGES: SHIPPING, HANDLING, FREIGHT, ETC.		
			PLEASE QUOTE THE ABOVE ITEMS AS SPECIFIED.		