

**BID NUMBER:0027**  
**BID TITLE: BID 0027 -EMS AMBULANCE REMOUNT**  
**BID ENVELOPE/PACKAGE CONTAINING**

**Bids MUST be received in a sealed envelope/package with the bid number, company name and opening date clearly marked. Failure to comply may result in rejection of your entire bid. Late bids, e-mailed bids and faxed bids will not be considered nor returned. Union County will not be responsible for any lost or misdirected mail.**



**UNION COUNTY FINANCE  
DEPARTMENT  
300 MAIN STREET  
MAYNARDVILLE, TN  
37807**

**[purchasing@unioncountyttn.org](mailto:purchasing@unioncountyttn.org)**

**(865) 658-3400 Phone**

**(865) 392-7428 Fax**



---

**Bid documents must be completed in ink or typed, signed in ink, and free from alterations, erasures or mark-throughs.**

**BID NOTICE**

Union County EMS will be accepting sealed bids for new GMC Type I Ambulance two wheel drive remount. Sealed proposals must be submitted to Union County Finance Office, 300 Main Street, Maynardville, TN 37807 ATTN: BID 0027-Remount. Proposals will be accepted until 3:00 p.m. February 22, 2016 at the Finance Office location. Submissions will be opened immediately following the close of the bids. Bids will not be awarded until the bids have been reviewed for compliance and approved Union County reserves the right to reject any and all bids.

## SECTION 1 - GENERAL TERMS AND CONDITIONS

**1.1 ALTERATIONS OR AMENDMENTS:** Alterations, amendments, changes, modifications or additions to this solicitation shall not be binding on Union County without prior written approval.

**1.2 NO CONTACT POLICY:** After vendor receives a copy of this bid, any contact initiated by any vendor with any Union County representative, other than the Finance Department, concerning this invitation for bid is prohibited and agreements made thereto will not be considered binding on Union County. Any such unauthorized contact may cause the disqualification of the bidder from this procurement transaction.

**1.3 QUESTIONS:** Any questions concerning the bid document must be submitted to [purchasing@unioncountyttn.org](mailto:purchasing@unioncountyttn.org) no less than ninety-six (96) hours before bid opening date.

**1.4 BID STAMP:** The bid/time stamp in the Union County Finance office will be the time of record.

**1.5 TAXES:** Union County is not liable for Federal excise or State sales tax. Tax exemption certificates will be provided upon request.

**1.6 CONFLICT OF INTEREST:** If requested by the Director of Finance, vendors must complete and submit a "Conflict of Interest Affidavit Statement" prior to contract award, see T.C.A. 5-14-114 and T. C. A. 12-4-101.

**1.7 NON-COLLUSION:** Vendors, by submitting a signed bid, certify that the accompanying bid is not the result of, or affected by, any unlawful act of collusion with any other person or company engaged in the same line of business or commerce, or any other fraudulent act punishable under Tennessee or United States law.

**1.8 NON-DISCRIMINATION:** Vendors, during the performance of this contract, will not discriminate against any employee or applicant for employment because of race, religion, sex, national origin or disability except where religion, sex, national origin or disability is a bona fide occupational qualification reasonably necessary to the normal operation of the contractor.

**1.9 SAME AS OR EQUIVALENT TO:** Vendors are to bid as specified herein or propose an approved equal. Determination of equality is solely Union County's responsibility. The designated brands are for reference purpose only, not a statement of preference. When an alternate manufacturer, brand, model or make is bid, Union County will determine if the item bid does meet or exceed the items as specified. If the bidder does not indicate that an alternate manufacturer, brand, model or make is being bid, it is understood that the item(s) bid are the same manufacturer, brand, model or make as was requested in the Invitation to Bid. Comparable products of other manufacturers will be considered if proof of comparability is contained in the bid. It shall be the responsibility of the vendors, including vendors whose product is referenced to furnish upon request catalog pages, brochures or other data as will provide an adequate basis for determining the quality and functional capabilities of the product offered. Failure to provide this data may be considered valid justification for rejection of bid.

**1.10 MULTIPLE BIDS/AWARDS:** Union County will consider multiple bids that meet specifications. Bid awards may include multiple approved vendors and the list of approved vendors may be added to or deleted from at anytime.

**1.11 STATE OF TENNESSEE CONTRACTORS' LICENSE LAW (T.C.A. 62-6-119 b):** No bid will be opened or considered for which the total cost of the project is twenty-five thousand dollars (\$25,000) or more, unless the outside of the sealed bid envelope/package containing the bid provides the following information: the Company Name, the Contractor's license number, license classification, the date of the license expiration and that part of each license classification applying to the bid. In addition, each heating ventilation or air conditioning, plumbing and electrical subcontractor's license number, date of the license expiration and that part of each classification applying to the bid if the value of the work is \$25,000 or greater, must be notated. If the value of either the contractor or the subcontractor's work is less than \$25,000, the bid envelope/package containing the bid is to be notated with the phrase "Contractor or Subcontractor's Bid is Less than \$25,000" after each appropriate heading. In the case of joint ventures, each party submitting the bid must provide this information. If no subcontractors are being used, the outside of the envelope/package containing the bid must state, "No Subcontractors are being used on this project."

**1.12 ACCEPTANCE:** Vendors shall hold their price firm and subject to acceptance by Union County for a minimum period of sixty (60) working days from the date of the bid opening, unless otherwise indicated in their bid. to be supplied, their conformity with specifications, their suitability to the requirements of Union County and the delivery terms. Any or all bids may be rejected for good cause.

**1.13 BID AWARDS:** Bids will be awarded to the lowest and best bidder, taking into consideration the qualities of the articles to be supplied, their conformity with specifications, their suitability to the requirements of Union County and the delivery terms. Union County also reserves the right to not award this bid.

**1.14 PROTEST:** Any vendor wishing to protest the bid award shall notify in writing the Union County Director of Finance, 300 Main Street, Maynardville TN 37807. No protest will be accepted, except those protests made in writing and received within (10) ten calendar days of the bid award. Protests must be in writing and envelopes/package containing protest must be clearly marked with bid number and words “BID PROTEST”. The Director of Finance, in conjunction with the Finance Committee, and with the advice and counsel of the County Attorney, shall review and make a final decision as to any bid protest. Appeals shall be filed in the Circuit or Chancery Courts of Union County within sixty (60) days of the final decision.

VENDORS PLEASE NOTE: UNION COUNTY WILL NOT STOP THE PURCHASE PROCESS. THE PURCHASE MAY BE COMPLETED OR THE PROJECT MAY BE RE-BID WHILE THE PROTEST PROCEDURE IS STILL IN OPERATION. IF A RE-BID IS MADE, THE PROTESTING VENDOR SHOULD SUBMIT A NEW BID. OTHERWISE, THEY WILL BE WITHOUT A BID ON THE RE-BID. FURTHER, THE RE-BIDDING WILL NOT END THE APPEALS PROCESS. IT WILL CONTINUE UNTIL A FINAL DECISION IS REACHER OR THE COMPLAINANT WITHDRAWS THE APPEAL.

**1.15 DELIVERY:** Bid pricing is to include complete supply and delivery to Union County, Tennessee. Vendors are to state the delivery time in the bid. Union County requires that vendors deliver all products “free on board” to final destination unless indicated otherwise in their bid, reference Terms & Conditions section 2.4.

**1.16 PROOF OF FINANCIAL AND BUSINESS CAPABILITY:** Bidders must, upon the request of Union County, provide satisfactory evidence of their ability to furnish products or services in accordance with the terms and conditions of these specifications. Union County will make the final determination as to the bidder’s ability.

**1.17 VENDOR’S DEFAULT:** Union County reserves the right, in case of vendor default, to procure the articles or services from other sources and hold the defaulting vendor responsible for any excess costs occasioned thereby.

**1.18 DUPLICATE COPIES:** Union County requires that all vendors submit one original and one exact copy of their bids, including brochures; unless additional copies are requested in bid specifications.

**1.19 DRUG-FREE WORKPLACE:** Under the provisions of Tennessee Code Annotated §50-9-113 enacted by the General Assembly effective 2001, all employers with five (5) or more employees who contract with either the state or a local government to provide construction services are required to submit an affidavit stating that they have a drug free workplace program that complies with Title 50, Chapter 9, in effect at the time of submission of a bid at least to the extent required of governmental entities. The statute imposes other requirements on the contractor and contractors should consult private legal counsel if legal questions arise under this section or any other provision of this document. All contractors shall provide a written affidavit signed by the principal officer of a covered employer acknowledging that the contracting entity is in compliance with the Drug Free Workplace laws of State of Tennessee.

**1.20 RESTRICTIVE OR AMBIGUOUS SPECIFICATIONS:** It is the responsibility of the bidder to review the entire Invitation to Bid document and to notify the Finance Department if the Invitation to Bid is formulated in a manner that would unnecessarily restrict competition or if it is ambiguous in what is being requested. The Director of Finance must receive questions regarding the specifications or bid procedures not less than seventy-two (72) hours prior to the time set for the bid opening.

**1.21 SCHOOL CAFETERIA BIDS:** If this bid is for Union County School’s Cafeteria Food Service Department, bidders must be in compliance with Section 104(d) of the William F. Goodling Child Nutrition Reauthorization Act of 1998 which requires school and institutions participating in the National School Lunch Program (NSLP) and School Breakfast Program (SBP) to “Buy American” to the maximum extent practicable.

**1.22 TERMINATION:** Union County reserves the right to terminate this contract in whole or in part with thirty (30) days written notification to the contractor. In the event of termination, the County shall not be liable for any costs other than the cost of services performed and materials delivered and accepted prior to termination date.

**1.23 OSHA SAFETY:** The Contractor is responsible for training their employees in Safety and Health Regulations for the job, assuring compliance with Tennessee Occupational Safety and Health regulations and any other Regulatory Agency.

**1.24 PERFORMANCE BOND:** A standard surety or performance bond or an irrevocable letter of credit in favor of Union County Government at a federally insured financial institution will be required to be submitted with bid, if indicated in section four, item six insurance requirement checklist.

**1.25 BACKGROUND CHECKS:** Contractors shall comply with Public Chapter 587 of 2007, as codified in Tennessee Code Annotated Section 49-5-413, which requires all contractors to facilitate a criminal history records check conducted by the Tennessee Bureau of Investigation and the Federal Bureau of Investigation for each employee prior to permitting the employee to have contact with students or enter school grounds when students are present.

**1.26 AWARD RESULTS:** As soon as practicable after proposal or bid evaluations, interested parties may request results by contacting [purchasing@unioncountyttn.org](mailto:purchasing@unioncountyttn.org). Individual notices are normally not mailed or e-mailed except to the successful vendor.

**1.27 PRICE INCREASE/DELIVERY CHARGES:** Request for price or delivery charge increases must be received in writing 30-days prior to implementation. The Union County Director of Finance will review requests and make a determination to continue or cancel services.

**1.28 INDEMNIFICATION/HOLD HARMLESS:** Contractor shall indemnify, defend, save and hold harmless Union County and, its officers, agents and employees from all suits, claims, actions or damages of any nature brought because of, arising out of, or due to breach of the agreement by Contractor, its subcontractors, suppliers, agents, or employees or due to any negligent act or occurrence or any omission or commission of Contractor, its subcontractors, suppliers, agents or employees.

**1.29 DECLARATIVE STATEMENT:** Any statement or words (i.e.: must, shall, will, etc) are declarative statements and the proposer must comply with the condition. Failure to comply with any such condition may result in their bid being non-responsive and disqualified.

**1.30 WAIVING OF INFORMALITIES:** Union County reserves the right to waive minor informalities or technicalities when it is in the best interest of Union County.

**1.31 APPROPRIATION:** In the event no funds are appropriated by Union County for the goods or services in any fiscal year or insufficient funds exist to purchase the goods or services, then the Contract shall expire upon the expenditure of previously appropriated funds or the end of the current fiscal year, whichever occurs first, with no further obligations owed to or by either party.

**1.32 ASSIGNMENT:** Contractor shall not assign or sub-contract this agreement, its obligations or rights hereunder to any party, company, partnership, incorporation or person without the prior written specific consent of Union County.

**1.33 QUANTITIES:** Union County does not guarantee quantities to be purchased off this bid.

**1.34 UNIT PRICE:** Unit price for each unit bid shall be shown and such price shall include packing unless otherwise specified. A total shall be entered in the amount column of the pricing page for each item bid. In case of discrepancy between any unit price and an extended price, the unit price will be presumed to be correct, subject, however, to correction to the same extent and in the same manner as any other mistake.

**1.35 MODIFICATION OR WITHDRAWAL OF BIDS** When it is certain that a mistake has been made in the preparation of the bid, a request will be made to the bidder to confirm the bid. Provisions must be made so that mistakes can be taken care of and the ambiguity resolved satisfactorily. Bids may be modified or withdrawn by written notice received in the Finance Department prior to the time and date set for the bid opening. The changes or withdrawal of the bids should be in writing and signed by an official of the company. The envelope containing the modification should clearly state "modification to bid: Either the entire bid or a particular item may be withdrawn or modified in this manner.

**1.36 PRE-BID CONFERENCES** – Attendance at Pre-bid Conference is strongly encouraged. When deemed necessary a Mandatory Pre-bid Conference will be held. A company representative **MUST** be in attendance and sign the Pre-bid sign-in sheet in order to be awarded the bid.

**1.37 ADDENDUM** -Union County Government reserves the right to amend this solicitation by addendum. Addendum will be posted up to 48 hours in advance of the bid/proposals due date and time at <http://www.unioncountyttn.com/board.php?page=Countyfinance>. It is the bidder's responsibility to check for addendum. If in the County's opinion revisions are of such a magnitude, the deadline for this solicitation may be extended in an addendum. In addition, addendum can change specifications, reply sheets, and times and dates for pre-bid meetings as well as due dates/deadlines for questions and bids/proposals.

**NUMBER:0027**  
**BID TITLE: BID 0027 -EMS AMBULANCE REMOUNT**

**SECTION 4. INSURANCE REQUIREMENT CHECKLIST**

The bidder awarded this bid or contract will maintain, at their expense adequate insurance coverage to protect them from claims arising under the Worker’s Compensation Act, any and all claims for bodily injury and property damage to the Bidder and to Union County Government while delivery and service are being done. A certificate of insurance must be on file in the Purchasing Department before work may begin and must be maintained until work is completed.

**Only the items marked with an “X” are applicable to this bid and or contract.**

1.  **Workers Compensation** Statutory limits  
**Employers Liability** 100,000/100,000/500,000
  
2.  **Commercial General Liability** \$1,000,000 per occurrence  
\$2,000,000 aggregate
  - Occurrence Form Only
  - Include Premises Liability
  - Include Contractual
  - Include XCU
  - Include Products and Completed Operations
  - Include Personal Injury
  - Include Independent Contractors
  - Include Vendors Liability
  - Include Professional or E&O Liability
  
3.  **Business Auto** \$1,000,000
  - Include Garage Liability \$1,000,000
  - Include Garage Keepers Liability
  - Copy of Valid Drivers License
  - Copy of Current Motor Vehicle Record
  - Copy of Current Auto Liability Declarations Page
  
4.  **Crime Coverages**
  - Employee Dishonesty
  - Employee Dishonesty Bond
  
5.  **Property Coverages**
  - Builders Risk
  - Inland Marine
  - Transportation
  
6.  Performance Bond Required – A One Hundred Percent (100%) performance or an irrevocable letter of credit in favor of Union County Government at a federally insured financial institution. **MUST** be submitted **before purchase** order issued.

**Certificate Holder Shall Be:** Union County Government, Maynardville, Tennessee, and shall show the bid number and title. Union County Government shall be named as an additional insured on all policies except worker’s compensation and auto. Insurance carrier ratings shall have a Best’s rating of A-VII or better, or its equivalent. Cancellation clause on certificate should strike out “endeavor to” and include a 30-day notice of cancellation where applicable. Any deviations from the above requirements must be disclosed to the Union County Purchasing Agent. Any liability deductibles or exclusions must also be disclosed. Exceptions can be granted if applicable.

**Bidders Statement and Certification**

I understand the insurance requirements of these specifications and will comply in full within **21 (twenty-one) calendar days** if awarded this bid and or contract. I agree to furnish the county with proof of insurance for the entire term of the bid and or contract.

\_\_\_\_\_  
**Vendor Name**

\_\_\_\_\_  
**Bid Representative Name (Please Print)**

\_\_\_\_\_  
**Authorized Signature**

\_\_\_\_\_  
**Date**

# ***UNION COUNTY EMS***

---

***MAYNARDVILLE, TN.***

## ***REMOUNT AMBULANCE SPECIFICATION***

**EMERGENCY MEDICAL VEHICLE  
TYPE I (4X2) DRW  
CLASS 2  
CONFIGURATION A (ALS)**

# **TYPE I GMC DRW REMOUNT**

**DESIGNED TO MEET OR EXCEED  
FEDERAL SPECIFICATION KKK-A-1822F,**

## REMOUNT SPECIFICATIONS FOR EMERGENCY MEDICAL CARE VEHICLE

### 1.0 SCOPE, PURPOSE AND CLASSIFICATION

- 1.1** **Scope:** This specification covers the remounting and refurbishment of a commercially produced, surfaced medical care vehicle, hereinafter referred to as an ambulance or vehicle. A vehicle in compliance with this specification shall be defined as a standard ambulance. This vehicle shall be in accordance with the Ambulance Design Criteria if the National Highway Traffic Administration, U.S. Department of Transportation, Washington D.C. This bid specification is based on the most current Federal Ambulance Specification KKK-A-1822.
- 1.2** **Purpose:** The purpose of this document is to provide minimum specifications and test parameters for the remounting and refurbishment of an emergency medical care vehicle that meets the needs and desires of this agency. It establishes essential criteria for the design, performance, equipment and appearance of the vehicle. The object is to provide a vehicle that is in accordance with nationally recognized guidelines. It is the intent to return the unit to new or like new condition per the specification.
- 1.3** **Classifications:** This specification calls for the following type of vehicle. It is in accordance with latest KKK-A-1822 standard.
- Type I – Cab Chassis with modular ambulance body
  - Class 2 – Two rear wheel driven (4x2)
  - Configuration A (ALS) – Elevating cot and squad bench (3.1.5.1)
- 1.4** **General:** This is an engineer, design, construct and deliver type specification and it is not the intention of this agency to write out vendors of similar or equal equipment of the types specified. It should be noted, however, that this specification is written around specific needs of this agency. With the intent to standardize certain components, therefore in numerous places we have named specific brands of components. This has been done to establish a certain standard of quality. Other brands will only be accepted providing the vendor provides documentation in the bid that the particular brand offered meets or exceeds the quality of the actual brand called for in the specification.
- 1.5** **Materials:** The emergency medical care vehicle, chassis, ambulance body, equipment, devices, medical accessories and electronic equipment to be delivered under this contract shall be standard commercial products, which meet or exceed the requirements of this specification. The ambulance shall comply with all Federal Motor Vehicle Safety Standards (FMVSS), the Federal regulations applicable or specified for the year of manufacture. The chassis, components and optional items shall be as represented in the manufacturer's current technical data. Materials used in the construction shall be new and not less than the quality conforming to current engineering and manufacturing practices. Materials shall be free of defects and suitable for the service intended.
- 1.6** **Manufacturing Ability:** It is the intent of these specifications that the Remounter of this vehicle(s) has the ability to remount and refurbish a complete ambulance within their plant facility, except for the chassis. The Ambulance Remounter must have significant experience in remounting and refurbishment of modular ambulance bodies and have performed a minimum of 100 remounts in the last five years. In addition, the Bidder/manufacturer must include with this bid, proof of \$10,000,000.00 product liability.

In addition, the Bidder must provide proof they are a member of the Ford QVM program.

- 1.7 Exceptions to Specifications:** Any exceptions to these specifications indicated must be clearly pointed out. Otherwise, it will be considered that the items offered are in strict compliance with these specifications and the successful bidder will be held responsible for delivering a vehicle meeting these specifications. Any exceptions must reference by Paragraph Number and Line and explain in detail on a separate sheet marked "Exceptions". Any bidder not complying shall not be considered as responsive.

Any Proposal which indicates "NO EXCEPTION" to any item on our proposal documents, and also includes a letter from the vendor taking major or total exception to our specifications or indicates they are quoting to provide their standard methods of construction without listing any differences in the manner described, will be immediately rejected as non-compliant and removed from further consideration.

Should a vendor offer a quotation in response to this proposal and not take explicit exceptions and attempt to offer a unit not in compliance with the exact specifications, the Purchaser reserves the sole right to issue a Purchase Order with specified penalties and/or invoke a Performance Bond. Penalties will be assessed by the Purchaser. These will require that the Vendor pay the difference in price as offered in their proposal and what the Purchaser must eventually pay (from another compliant vendor) for vehicle(s) meeting these specifications (if performance bond is not otherwise provided).

- 1.8 Prices and Payments:** All bid prices shall be complete and include warranty and delivery of the completed vehicle to this agency.

Payment shall be made in accordance with these specifications and the Bid Proposal submitted by the Bidder. Payment will be made upon acceptance of the vehicle(s) and equipment specified under these specifications.

All bid prices and conditions must be specified on the Bid Proposal Form. Bid prices shall be valid for at least 60 days from the date of the Bid Opening, or otherwise specified on the Bid Proposal Form.

Full payment will be made as each unit is received, inspected and found to comply with procurement specifications, free of any damage and properly invoiced.

The successful vendor shall, at delivery, supply this agency with MSO's.

- 1.9 Warranty:** The successful bidder shall provide a remounter's warranty coverage for the ambulance or rescue vehicle conversion, which coverage shall, at a minimum include:

- 1.9.1** A limited Warranty shall be provided in the ambulance remount conversion. The remounter shall warranty to the original retail purchaser that, for a period of sixty (60) months or sixty thousand (60,000) miles from the point of delivery, whichever first occurs, the ambulance remount shall be free of substantial defects in remount materials and remount workmanship, which are attributable to Warrantor remount work and which arise during the course of normal use and service. There shall be a copy of the **Warranty statement included in the bid documents. NO EXCEPTIONS.**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_



**1.9.2** There shall be a five (5) year / One hundred thousand (100,000) mile warranty on the Ambulance Remount electrical wiring system effective on the starting date this agency accepts delivery of the completed vehicle. It is the intent if this requirement that items not manufactured or installed by the ambulance remounter be excluded. **There shall be a copy of the Warranty statement included as part of the bid documents. NO EXCEPTIONS.**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.9.3** There shall be a three (5) year / unlimited mileage paint warranty covering the ambulance conversion and any painting done on the chassis. **There shall be a copy of the Warranty statement included with the bid. NO EXCEPTIONS.**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.9.4** Warranty on the chassis portion of the completed ambulance or rescue vehicle shall be the responsibility of the OEM chassis manufacturer. The terms of such warranty are set forth in the chassis warranty literature included in the owner's manual. The successful manufacturer's sole responsibility with regard to the chassis shall be to provide reasonable assistance to the purchaser in obtaining warranty from the chassis manufacturer or its authorized service center. **Bidders failing to meet these requirements shall be considered non-responsive.**

**1.10** **Anti-Collusion Statement:** By executing and submitting this bid, the bidder certifies that this bid is made without reference to any other bid and without any agreement, understanding, collusion or combination with any other person in reference to such bidding.

**1.11** **Ambulance Bids and Alternate Bids:** Considerable time and effort has been invested to design these specifications to the specific needs of Union County EMS. Therefore, alternate bids not exactly to spec will not be considered.

**1.12** **Warranty Surety:** To ensure quality, service, and full compliance to the above warranties to the vehicle, with the exception to the chassis, must be constructed by the ambulance manufacturer. Additional elements constructed and installed "in-house" are required to ensure service and parts availability. Subcontractors or lease/rental agreements to outside agencies will fail to meet this requirement. **NO EXCEPTIONS WILL BE ALLOWED.**

**1.12.1** Does the ambulance manufacturer, as the prime contractor, construct the modular body?

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.12.2** Does the ambulance manufacturer, as the prime contractor, apply the paint?

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.12.3** Are interior cabinets constructed and installed by the ambulance manufacturer as the prime contractor?

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.12.4** Are the wiring harnesses, circuit boards, and O2 systems assembled, installed and tested by the ambulance manufacturer as the prime contractor?

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.12.5** Is the upholstery for seat cushions, head pads, and backrests assembled and installed by the ambulance manufacturer as the prime contractor?

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.13** **Delivery:** Since delivery proposals by the bidder will weigh heavily in the determination of the bid award, the delivery schedules that are submitted by the bidders shall automatically become binding upon successful bidder.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.14** **Anti-Collusion Statement:** By signing this bid, the bidder agrees that their bid is made without any understanding, agreement, or connection with any other person, firm, or corporation making a bid for the same purpose and that their bid is in all respects fair and without collusion or fraud.

Company Name: \_\_\_\_\_

Bidder Signature: \_\_\_\_\_

Date: \_\_\_\_\_

**1.15** **Service and Warranty Repair:** The successful bidder must have a comprehensive ambulance service and repair facility in the mid-central area of Tennessee to administrate warranty repair as needed. The bidder must have factory trained service specialist and carry necessary inventory levels to affect prompt repair. Bidders shall have the right to contract with a local agency, properly equipped and trained to handle warranty and repair issues.

Bidders must list below their service facility and parts department profile to the purchaser:

Facility Name: \_\_\_\_\_

Facility Address: \_\_\_\_\_

Contact Name: \_\_\_\_\_

Approx. Miles from Purchaser: \_\_\_\_\_

Years of Experience in Ambulance Repair Business: \_\_\_\_\_

Square Feet of Facility: \_\_\_\_\_

Number of Bays: \_\_\_\_\_

Number of Employees: \_\_\_\_\_

Number of Full Time Ambulance Technicians: \_\_\_\_\_

Are Technicians Factory Trained?: \_\_\_\_\_

Total Years of Shop Repair Experience: \_\_\_\_\_

Value of Service and Parts Inventory: \_\_\_\_\_

24-Hour Turn Around Time on Warranty and Service: \_\_\_\_\_

Number of Lift Areas for Service: \_\_\_\_\_

Can Service Facility Perform Remounts: \_\_\_\_\_

Can service Facility Perform Aluminum Modular Repair: \_\_\_\_\_

Is the Facility an Authorized PPG Commercial Fleet Paint Center and repair Facility? \_\_\_\_\_

Can service Facility do Scotchlite and Lettering? \_\_\_\_\_

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.16** **Documentation of Remount Facilities:** Union County EMS is very concerned with making bid awards to the most qualified remounter. In order to aid our decision, each bidder shall submit with their bid the following documentation:

**1.16.1** Photographs of physical plant including:

**1.16.1.1** All Bays and interior of remount facilities

**1.16.1.2** Paint Shop

**1.16.1.3** Paint Booth, spray facilities, and mixing room.

**1.16.2** Document of adequate Workman's Compensation Insurance, Product Liability Insurance, and Garage Keepers Liability Insurance.

**1.16.3** A current copy of their state issued Motor Vehicle Dealers License.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.17** Union County EMS requires that the ambulance remounter provide "in house repairs for structural repairs from any outside accidents, as well as warranty items that may arise as the result of the remount work.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.18** **Inspection Trips:** A pre-build, mid-construction, and final construction conference shall be held at the successful bidder's facilities. Arrangements shall be for two (2) Union County EMS representatives. Bidders more than 300 miles from Maynardville, TN shall provide transportation, at no cost to Union County EMS, via commercial air carrier for two people each trip. Other transportation, meals, lodging, rental vehicles, and fuel shall be included. Bidders shall include the cost of these meetings and travel in with their bid. These items are not to be "optioned" or "line itemed" in the bid. **NO EXCEPTIONS.**

**1.18.1** There shall be a pre-build conference held at the successful bidder's facilities prior to the start of work.

**1.18.2** There shall be a mid-construction conference held at the successful bidder's facility.

**1.18.3** There shall be a final construction visit prior to completion and final delivery of the finished vehicle.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.19** **References:** Union County EMS wishes to do business with an experienced, reliable and honest ambulance Remounter. The Ambulance Remounter must show proof of being in business for five (5) consecutive years as said business. A further evidence of the bidders ability to perform, the contractor shall submit a list of five (5) customers with similar type ambulance remounts delivered. The references shall also include name of service, address, contact and phone number. Further, the reference listing shall include the names and contact numbers of all new ambulance

remount sales delivered by the bidding party for the last six (6) months. These customers shall be easily identified in the references listing as recent new ambulance deliveries. This agency will sample said references, along with any additional references from various sources, and compile results. The successful bidder will have a minimum of a 95% approval rating.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**1.20 Bid Award Criteria:** Union County EMS is soliciting quality, state-of-the-art, and reliable emergency medical vehicle(s). Acquisition price shall not be the only or prevailing factor in deciding the successful bidder.

**1.21 Warning:** Union County EMS will not tolerate Vendors who state compliance to specifications, but deliver an incomplete product and/or sub-standard materials and workmanship. Vendors who have made delivery of such an ambulance without making every reasonable effort to remedy the defects found at the time of delivery or within the warranty period will be notified that they are DEBARRED from submitting bids to this agency in the future. This agency will not waste valuable time (more than once) trying to recover legal costs and deal with lost in-service time of new apparatus, working with vendors who are unresponsive to the needs of this agency.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

## **2.0 TECHNICAL REQUIREMENTS**

Minimum technical specifications for providing all aluminum Type I Ambulance Module and subsequent remount to a 2016 GMC C3500 4x2 DRW Cab Chassis. Vehicle must comply with Federal and State laws and regulations and all safety regulations as applicable on date of delivery concerning automotive equipment and conditions and will be complete with standard equipment and all extra equipment as specified.

**2.1 Manufacturer and Model Year:** The chassis requirement for this specification is a **Chevrolet 2016 or newer.**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**2.2 Chassis Specifications:**

2016 GMC Reg. Chassis Cab, 162" WB, 84.3" CA, 2WD 13,200 GVWR  
Ebony, Premium Cloth  
Preferred Equipment Group  
Summit White Exterior Color  
Label, Fasten Safety Belts  
Seats, High Back Bucket Driver and Passenger  
Seat Adjuster, 6 Way Power Drivers Side  
Seat Adjuster, 6 Way Power Passenger Side  
Floor Covering, Rubberized Vinyl, Black  
Locking Differential Rear  
Rear Axle, 3.73 Ratio  
Wide Track Rear Axle  
Engine Block Heater  
Exhaust Break  
Alternators, Dual 125 Amps Each  
Engine, Duramax Diesel 6.6L Turbo V-8, 335hp/685 lb-ft  
Transmission, Allison 1000 6-Speed Automatic  
Fuel Tank, Rear 40 Gallon  
Tires, Front /Rear LT235/80R17E All-Season Hwy, Blackwall  
Back-up Alarm Calibration Only, No Alarm or Jumper

Lamp Delete, LED, Center High Mounted Stop/Break (CHMSL)  
 Battery, Heavy Duty Dual 730 CCA  
 XM Radio Delete  
 High Idle Switch  
 AM/FM Stereo w/ MP3 Compatible CD Player, Clock  
 License Plate Bracket, Front  
 Ambulance Package  
 Emissions, California State Requirements  
 Tire, Spare LT235/80R17E All Season Hwy, Blackwall  
 BCM Program for LED Compatible Rear lamps  
 Paint Solid

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**2.3 Running Boards:** Install new highly polished aluminum diamond plate running boards.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**2.4 Wheel Liners:** Install GM supplied chrome wheel covers.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**2.5 Suspension:** Suspension shall be modified as necessary to insure proper loading height.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**2.6 Mud Flaps:** The complete unit is to have custom mud flaps installed.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**3.0 REMOVAL AND TRANSFER OF MODULAR AMBULANCE BODY**

**3.1 Ambulance Module:** The agencies existing module shall be utilized:

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**3.2 Dismount:** Disconnect all sub systems between chassis and module. This will include all environmental connections, all electrical connections, and all structural connections. Lift the module to allow full inspections of the understructure. This removal will in no way deform, disfigure, or compromise the module.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**3.3 Module Inspection:** Inspect all exposed structure and framing for cracks, warpage, excessive wear and corrosion. Any questionable areas shall be treated with dye penetrant material to expose cracks. Professionally repair as needed.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**3.4 Type Changeover:** Transfer module Type III to a Type I. Modify suspension and bottom of module as necessary.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**3.5 Module Remount:** Mount down module squarely on chassis. The Remounter is to use OEM rubber isolators, mounting bolts and transfer body per OEM chassis body builders guidelines. The use of aftermarket, or substandard, components are strictly prohibited.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**3.6 Cab Seal:** Install a non-electrolytic accordion rubber boot between module and cab. Sealinterface to eliminate air and water leaks. New stainless steel bolts and urethane adhesive will be used to fasten boot plate to cab and/or module body.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**3.7 Existing Chassis:** The existing used chassis will be made roadworthy, and able to be driven back to the purchasers place of business.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

#### 4.0 NEW CHASIS PEPARATION

**4.1 Springs:** As necessary, level each side of the modular body to insure proper handling and performance.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**4.2 Exhaust Modification:** Extend tailpipe to match module width:

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**4.3 Fuel Tank:** Modify fuel tank filler location(s) as necessary to comply with FMVSS and OEM chassis manufacturer's body builder guidelines.

#### 5.0 EXTERIOR BODY TRIM

**5.1 Fuel Fill:** Provide and install new cast Products fuel fill dish.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**5.2 Diamond Plate:** Install all new aluminum diamond plate trim on module body. This will include rub rails, running boards, corner stone guards, and mid body rub rails if equipped.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**5.3 Rear Bumper:** A new, all aluminum rear bumper assembly, with center flip-up Grip-Strut® including new aluminum diamond plate rear kickplate and black hard dock bumpers will be installed.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**5.4 Fenderettes:** The existing treadplate surrounding the rear wheel well areas shall be removed and reinstalled. Any holes remaining from this removal shall be welded up and refinished in a professional manner. A new set of highly polished fenderettes shall be installed.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

#### 6.0 MODULE EXTERIOR PAINT AND LETTERING

**6.1** **Preparation:** Prior to any paint and bodywork beginning, remove all exterior compartment and entry doors, all hardware, hinges, handles, gaskets, windows, trim, and lights. **NO EXCEPTIONS TO THIS REQUIREMENT WILL BE ALLOWED.**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**6.2** **Surface Refinished:** In order to provide the highest quality paint surface preparation, and to evaluate the module for evidence of electrolysis, complete and total mechanical removal of all paints, oils, and contaminants from module surface will be achieved. Sand blasting is not acceptable and may damage the module. The remounter shall provide before and after media blast stripping photos to show compliance with this requirement. **NO EXCEPTIONS TO THIS REQUIREMENT WILL BE ALLOWED.**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**6.3** **Electrolysis Inspection:** The module will be inspected 100% for evidence of electrolysis. Such areas will be specially treated to prevent any further damage and remove visible damage. **NO EXCEPTION.**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**6.4** **Damage Repair:** All minor body damage will be repaired in an industry standard professional manner to like new condition. **NO EXCEPTION.**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**6.5** **Paint Process:** The module body shall be painted in PPG Single Stage Concept Urethane Paint Process. **NO EXCEPTION.**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**6.6** **Paint Striping:** An orange reflective stripe will be placed per the State of Tennessee Rules and Regulations:

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**6.7** **Lettering:** Provide and install customer specific lettering. Install KKK, DOT, Ambulance Star of Life decals per KKK regulations. Specific details of the decal package will be arranged with the successful vendor.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

## **7.0 ELECTRICAL SYSTEM**

**7.1** **Switch Panels:** Provide and install new custom built front switch panels with full size Car1ingswitch Contura switches. A digital ammeter, voltmeter, and low voltage alarm will be installed.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**7.2** **Siren:** The existing siren shall be replaced with a new SVP SA-441, 200 Watt Siren.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**7.3 Power Distribution Panel Check:** The Power Distribution panel shall be checked for 100% complete operation. Any compromised components will be replaced. Remounter shall provide a five (5) year / sixty thousand (60,000) mile electrical warranty. NO EXCEPTIONS.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**7.4 Wiring Installation:** All new power wiring provided shall be copper and conform to all the SAE J1292 requirements and shall have GXL or SXL high temperature thermoplastic or better insulation rated to 125 degrees centigrade and conforming to SAE J1127 and J1128.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**7.5 Wiring Labeling:** All wiring shall be permanently color-coded and function labeled for easy identification and troubleshooting.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**7.6 Wiring Loom:** The engine wiring shall be routed in conduit or high temperature looms with a rating of 300 degrees Fahrenheit. All added wiring shall be in protective loom, located in accessible, enclosed and protected locations, and kept at least six inches away from the exhaust system components. Wiring and components shall not terminate in the oxygen storage compartment except for the compartment light and door switch plunger. All conduits, looms and wiring shall be secured to the body or frame with insulated metal straps in order to prevent sagging and movement which results in chafing, pinching, snagging, or any other damage. All apertures on the vehicle shall be properly grommeted for passing wiring and conform to SAE 1292.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**7.7 Battery Switch:** An ignition activated set of two (2) 200 amp solenoids will be used to control power to the module. These solenoids shall only affect the module wiring and shall in no way disconnect any power associated with the chasis.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**7.8 Cab Wiring:** Install new power distribution harness and battery cables properly sized for their respective loads.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**7.9 Tail Lights:** The existing taillight holes shall be welded up and finished in a professional manner. The stop/taillights, Turn Signal lights, and Back up Lights shall be Whelen light # 600 series LED mounted in a chrome cast triple housing. All lights are to be replaced with LED ICC lights.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**7.10 Warning Lights:** Provide and install all new Whelen 900 series Super-LED warning Lights and Clear Lenses with chrome flanges (#90FLANGC) on the module. The existing front lightbar shall be removed and five (5) Whelen 900 series Super-LED warning lights shall be installed per the following drawing configuration:

**RED CLEAR/RED CLEAR RED/CLEAR RED**

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_



- 7.11 Intersecting Lights:** Provide and install two (2) Whelen 700 Series Super-LED **Red/Clear** intersection lights with Angled Chrome Cast housing.
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.12 Rear Wheel Lights:** Provide and install two (2) Whelen #700 Series Super-LED **Red/Clear** with chrome flange mounted above the rear tires. One (1) on each side.
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.13 Grille Lights:** Provide and install two (2) new Whelen #700 Series Super-LED **Red/Clear** grille lights in the grille area.
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.14 Speakers:** Provide and install a pair of new Cast Products 100 Watt through the bumper siren speakers (CPISAD3809-11C35-1, CPISAP3809-11C35-1).
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.15 Cab Console:** Provide and install a low profile dark colored floor mounted console to house the switch panel, siren, and gauges. The console face also will provide areas for drink holders, clip board and radio head installation. This console is to have a Zolatone sprayed-on surface, durable enough to withstand continual use without showing signs of excessive wear.
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.16 Door Switches:** Install all new door switches to meet or exceed existing switches.
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.17 Dome Lights:** Install twelve (12) new Whelen LED (#80COEHCR) dome lights with high/low control. Because this unit currently has fluorescent dome lights, it will be necessary to replace the existing headliner in order to accommodate these new LED dome lights. This new headliner shall be constructed using OEM materials and workmanship.
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.18 Back-up Alarms:** Install new Signal Vehicle Products back-up alarm (#62-102) with minimum 97db.
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.19 Two-Way Radio(s):** The existing two-way radio(s) shall be transferred over to the new unit.
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.20 Inverter:** The existing inverter shall be thoroughly inspected for proper function. If a problem is found it shall be brought to the attention of the agency and a decision will be made regarding replacement.
- Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 7.21 Shoreline:** The existing shoreline hole location shall be welded up and refinished in a professional manner. A new 110VAC/20amp shoreline outlet with weather proof cover shall be installed. The new location shall be higher up on the module and the exact location shall be determined by the

successful vendor un unison with this agency. The complete shoreline circuit shall be tested for proper function.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**8.0 EXTERIOR COMPARTMENTS**

**8.1 Weather-stripping:** Replace all door gaskets with original or equivalent seal.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**8.2 Compartment Door:** Compartment Doors are to be closely inspected for condition and repaired as necessary.

**8.2.1** Checked and trued for alignment and closure

**8.2.2** All hold opens checked for operation and defective closures replaced

**8.2.3** Lubricate all door latches and locks for proper operation

**8.2.4** Replace any defective latches or locks to insure 100% operation

**8.2.5** Any damaged windows will be replaced with like OEM windows form OEM Manufacturer.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**8.3 Compartment Interiors:** Any and all carpeting in the compartment interiors will be removed. If the compartment interiors are painted, then these surfaces will be properly prepped and Zolatone will be applied to these surfaces. If the compartments are diamond plate, these surfaces will be properly cleaned and refreshed.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**9.0 PATIENT COMPARTMENT CABINERY AND FIXTURE**

**9.1 Sub-Floor:** After removal of the old floor covering, the sub-floor shall be closely inspected for damage. The sub-floor shall be repaired or replaced as necessary.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**9.2 Flooring:** Sub-floor shall be sanded to remove all imperfections before installation of the new floor. A Loneseal #424 Lonseal Lonplate II Funmeatal safety floor shall be installed and caved up sidewalls 4" for ease of cleaning. The floor shall be color coordinated to the interior color scheme and approved by this agency prior to installation.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**9.3 Thresholds:** Replace side and rear thresholds with satin finish stainless steel sealed for sanitation. There will be 2" non-skid material applied to these thresholds for added safety.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**9.4 Upholstery:** The upholstery in the patient compartment shall be replaced with thermal formed seamless 36 ounce. The bidder must also install a new EVS, or equivalent, child safety seat with a minimum three-point retention system.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

9.5 **Custom Cabinets:** Any special requested cabinets are to be fabricated in a manner consistent with the existing cabinets.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

9.6 **Cabinetry:** Cabinets will be checked for sharp edges, defective areas, and professionally repaired including the following items:

9.6.1 Trim out interior to a like new condition

9.6.2 Manually check cabinet mounting bolts to insure stability and strength

9.6.3 Check all shelves for security and make rattle proof

9.6.4 Check all seatbelts and replace all defective ones

9.6.5 Replace any damaged or missing trim

9.6.6 Replace any rusty or discolored screws or trim

9.6.7 Provide high quality clean up and sanitation to all cabinetry, compartments, headliner, etc.

9.6.8 Replace all Plexiglas, aluminum window tracks, and felt.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

## 10.0 HEATING AND AIR CONDITIONING

10.1 **Heat/Cool Unit:** Install new Hoseline Super Core Heat/Cool unit with a wall mount thermostat. There will be an auxiliary underbody mounted condenser installed per Hoseline and OEM chassis requirements. This system shall be complete with all-new hoses and fittings.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

10.2 **Heat/Cool Testing:** System shall be extensively tested for peak performance and readings shall be provided to the customer.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

10.3 **Power Vent:** Shall be tested and repaired or replaced to meet original equipment performance.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

## 11.0 OXYGEN AND VACUUM SYSTEM

11.1 **Oxygen System:** Perform 4-hour leak test at 100 psi. Repair any leaks noted and re-test and tag system with certification.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

11.2 **Oxygen Outlets:** Check all oxygen outlets for proper function. Replace any defective outlets as needed with all new Ohio outlets. Perform 4-hour 100 psi leak test and seal.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

11.3 **Suction System:** Test vacuum lines and outlets for proper operation and repair or replace as necessary.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

## 12.0 MISCELLANEOUS EQUIPMENT

- 12.1** The ambulance shall be equipped with the following miscellaneous equipment.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 12.2** One O2 Wrench on chain.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 12.3** One Cast Dual portable O2 holder, wall and floor mount.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 12.4** Two 5 lb fire extinguishers.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 12.5** One (1) Stryker Power Pro XT 6506 cot with Knee gatch, two-stage IV Pole, and wheel locks.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 12.6** Rear color back up camera mounted over rear doors with LCD monitor integrated in the rearview mirror.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 12.7** White window film shall be applied to side and rear entry door windows.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 12.8** Zoll E series mounting bracket shall be provided and installed in the left wall action area.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 12.9** Havis CF-19 Computer Mount Part # DS-PAN-212 with appropriate passenger side mounting package for chassis.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_
- 12.10** Three O2 Flow meters with quick connects shall be provided.  
Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**13.0 LIQUIDATING DAMAGES**

- 13.1** Ambulance(s) must be delivered within 90 total days of the purchase order being received by the successful bidder. If there is a delay in receiving the chassis the service must be notified and provided documentation of such a delay within 5 working days of the purchase order being received and the service has the right to extend the delivery up to 120 total days. If no such contact has been made with the service after the 5 working days it is understood that the delivery time will be within the 90 total days, and each day beyond the 90 day delivery period will result in a \$200.00 per day penalty to be deducted from the bid price. If the bidder is granted an extension up to 120 days due to a chassis delay, the above penalty will be enforced after the 120 day period. The bidder shall provide documentation to verify the order date of the chassis and documentation to verify delivery of the chassis at their facility.

Does your bid comply EXACTLY as written? Yes \_\_\_\_\_ NO \_\_\_\_\_

**UNION COUNTY EMS**

**BID PROPOSAL**

NAME OF BIDDER: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

CITY/STATE/ZIP: \_\_\_\_\_

TELEPHONE: \_\_\_\_\_

PERSON TO CONTACT: \_\_\_\_\_

We herewith submit and bid the bid as follows:

CHASSIS/MAKE \_\_\_\_\_

MODEL/TYPE: \_\_\_\_\_

F.O.B. POINT: \_\_\_\_\_

DELEIVERY – CALENDAR DAYS: \_\_\_\_\_

TERMS: \_\_\_\_\_

NET PRICE COMPLETE, AS SPECIFIED.....\$ \_\_\_\_\_

BID IS:           \_\_\_\_\_           **AS PER SPECIFICATION, TAKING NO EXCEPTIONS**

                  \_\_\_\_\_           **TAKING ONLY THOSE SPECIFICATION EXCEPTIONS LISTED, ATTACHED AND REFERENCED TO PARAGRAPH NUMBER SPECIFIED.**

It is agreed by the undersigning bidder that the signature and submission of this bid represents the bidder's acceptance of all terms, conditions, and requirements of the bid specifications and, if awarded, the bid will represent the agreement between the two parties.

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

NAME PRINTED: \_\_\_\_\_ DATE: \_\_\_\_\_

**EXCEPTIONS / CLARIFICATIONS**

Each bidder may copy this form, as necessary to sufficiently list all exceptions and variations from specifications (Please list as shown, by page, item number, and check if vendor chooses not to supply, or is unavailable, or describe deviation or substitution in detail, if furnished). Purchaser will be the sole judge of proposed substitution equivalency.

VENDOR NAME: \_\_\_\_\_

BIDDING: \_\_\_\_\_

EXCEPTION PAGE: \_\_\_\_\_ OF \_\_\_\_\_