

# **ROCKDALE COUNTY, GEORGIA**

**September 22, 2021**

## **Replacement Fire Hose for Rockdale County Fire Rescue**

**INVITATION TO BID  
No. 21-30**



**ROCKDALE COUNTY FINANCE DEPARTMENT  
PROCUREMENT DIVISION  
958 MILSTEAD AVENUE  
CONYERS, GA 30012  
770-278-7552**

**INTRODUCTION:**

This is an Invitation to Bid (ITB) for the purchase of Replacement Fire Hose for Rockdale County Fire Rescue in Rockdale County. Instructions for preparation and submission of a bid are contained in this packet. Bids must be typed or printed in ink.

Rockdale County provides equal opportunity for all businesses and does not discriminate against any person or business because of race, color, religion, sex, national origin, and handicap or veterans status. This policy ensures all segments of the business community have access to supplying the goods and services needed by Rockdale County.

**PURCHASING CONTACT FOR THIS REQUEST:**

All questions concerning this ITB and all questions arising subsequent to award are to be addressed to the Purchasing Division via email to Meagan Porch, Buyer, at [meagan.porch@rockdalecountyga.gov](mailto:meagan.porch@rockdalecountyga.gov) or the following address:

Rockdale County Finance Department  
Purchasing Division  
Attn: Meagan Porch  
958 Milstead Avenue  
Conyers, GA 30012  
Phone: (770) 278-7557, Fax (770) 278-8910  
E-mail: [meagan.porch@rockdalecountyga.gov](mailto:meagan.porch@rockdalecountyga.gov)

To maintain a "level playing field", and to assure that all bidders receive the same information, bidders are requested **NOT** to contact anyone other than the contact above until after the award of the contract. Doing so could result in disqualification of the bidder.

**BID COPIES FOR EVALUATION:**

One (1) hard copy and one (1) original hard copy and one (1) Flash Drive in Adobe PDF format will be required for review purposes. *(Original must be clearly marked "Original" and the Copies clearly marked "Copies.")*. Flash Drives that are blank or have incorrect information on them will not be acceptable and may be justification for disqualification. Check your Flash Drive(s) to ensure that they have the appropriate material on it before submitting.

All bid materials must be completed and enclosed in a sealed envelope prior to submittal. The ITB number must be clearly written on the outside of the envelope. **Incomplete, incorrect, unsealed, unmarked, or improperly submitted bids may be rejected.**

**CONTRACT TERM:**

One (1) year with option to renew three (3) additional one (1)-year terms.

**DUE DATE:**

Sealed bids will be received at the Rockdale County Finance Department, Procurement Division, 958 Milstead Avenue, Conyers, GA 30012 no later than **2:00 P.M., local time, Thursday, October 14, 2021**. Bids received after this time will not be accepted. Bidders are not required to attend bid opening.

**PRE-BID CONFERENCE:**

N/A

**QUESTIONS AND CLARIFICATIONS:**

All questions and/or requests for clarifications concerning this ITB must be submitted to the Purchasing Division via email to [meagan.porch@rockdalecountyga.gov](mailto:meagan.porch@rockdalecountyga.gov) or at the above address no later than **2:00 p.m., local time, on Thursday, October 7, 2021**. It shall be the Bidders responsibility to seek clarification as early as possible prior to the due date and time. Written responses from the County to the questions it receives will be in an addendum and posted to the County's website at [www.rockdalecountyga.gov](http://www.rockdalecountyga.gov), under Bid Opportunities. Questions or requests for clarifications received after this deadline will not receive a response.

**ADDENDA:**

Answers to questions submitted that materially change the conditions and specifications of this ITB will be issued in an addendum and posted to the County's website at [www.rockdalecountyga.gov](http://www.rockdalecountyga.gov) under Bid Opportunities. Any discussions or documents will be considered non-binding unless incorporated and issued in an addendum.

**It is the bidder's responsibility to check the Rockdale County website at [www.rockdalecountyga.gov](http://www.rockdalecountyga.gov), under Bid Opportunities for any addenda that may be issued, prior to submitting a bid for this ITB.**

**WARRANTY AND / OR GUARANTY:**

The bidder will state below or will furnish a separate letter attachment which fully explains the condition of Warranty and/or Guaranty. If no Warranty and/or Guaranty is applicable, it must be so stated. NOTE: Failure to respond to the requirement of this paragraph may result in the bid being non-responsive.

---



---

**FOREIGN PRODUCTS:**

Rockdale County prefers to buy items produced and/or manufactured in the United States of America; however, foreign products may be considered provided it is so stated. Bidder certifies that item(s) offered on this bid is/are manufactured/produced in the United States.

Yes \_\_\_\_\_ No \_\_\_\_\_

If "No" state place: \_\_\_\_\_

---

**QUALIFICATIONS OF OFFERORS:**

Bidders must have a current business license from their home office jurisdiction and provide a copy of that license with the submittal of their bid response. Rockdale County vendors doing business in Rockdale County must have a current Rockdale County Business License.

Bids from any offeror that is in default on the payment of any taxes, license fees, or other monies due to Rockdale County will not be accepted.

Bidders are to submit at least **three (3) three references** from projects with similar experience using the materials and process in this Invitation to Bid.

**ESCALATION CLAUSE:**

During the life of the contract, if the successful bidder requests a price increase, the successful bidder shall furnish price lists to the County for his/her increases and those of his/her supplier (e.g. factory) increases, as and if prices are changed. Furnish also a list of his/her supplier's (e.g. factory) prices that had been in effect during bidder's earlier prices; so that County can see the difference. Price change will be in effect only after receipt and approval of one copy of these price lists, (or catalogs), by the Rockdale County Purchasing Department. Price lists and changes thereto are to be furnished under the contract and without charge to the County. Catalogue(s) or Price List(s) are to be submitted to Purchasing Department, P.O. Box 289, Conyers, GA 30012. All price increases will require Board of Commissioners approval as a change order to the contract.

**SILENCE OF SPECIFICATIONS**

The apparent silence of these specifications and any supplemental specifications as to any details, or the omission from it of a detailed description concerning any point, shall be regarded as meaning that only the best commercial practices are to prevail and that only materials of first quality and correct type, size and design are to be used. All workmanship is to be first quality. All interpretations of this specification shall be made upon the basis of this statement, with County interpretation to prevail.

**OPTION TO AUDIT**

Successful bidder will be required to maintain complete records during the life of the contract and for a period of one year after completion of the contract. Such records are to be made available to the County if officially requested, to be audited by a designated County auditing staff. In such audits reveal overcharges and/or undercharges, such will be adjusted, and compensation made by either party to correct charges.

**TORT IMMUNITY:**

No officer, employee, or agent of the County acting within the scope of his/her employment or function shall be held personally liable in tort or named as a defendant in any action for injury or damage suffered because of any act, event, or failure to act.

**PROPRIETARY INFORMATION:**

Careful consideration should be given before submitting confidential information to Rockdale County. The Georgia Open Records Act permits public scrutiny of most materials collected as part of this process. Please clearly mark any information that is considered a trade secret, as defined by the Georgia Trade Secrets Act of 1990, O.C.G.A. §10-1-760 et seq., as trade secrets are exempt from disclosure under the Open Records Act. Rockdale County does not guarantee the confidentiality of any information not clearly marked as a trade secret.

**AWARD OF CONTRACT:**

The Rockdale County Procurement Office and/or Evaluation Committee make a recommendation for award. The Board of Commissioners will make the actual award of the contract and has the authority to award the contract to a company different than the company recommended by the Procurement Office and/or Evaluation Committee. Rockdale County reserves the right to make no awards, multiple awards, one award for all items; or whatever the County deems to be in its best interest.

**QUANTITIES:**

The quantities listed in the Bidders Response Schedule are provided as an estimate for bid purposes. The County will not be obligated to quantities beyond actual needs.

**SELECTION PROCESS:**

The Rockdale County Procurement Office and/or Evaluation Committee make a recommendation for award. The Board of Commissioners will make the actual award of the contract and has the authority to award the contract to a company different than the company recommended by the Purchasing Department and/or Evaluation Committee.

This is a past performance/quality/price trade-off source selection in which competing offeror's past and present performance history and product quality will be evaluated on a basis approximately equal to price. Award will be made to the responsible offeror whose bid represents the best value after evaluation in accordance with the factors listed below. Rockdale County Board of Commissioners may reject any or all bids if such action is in the county's interest.

Rockdale County may evaluate bids and award a contract without discussions with offerors. Therefore, the offeror's initial bid should contain the offeror's best terms from a price and technical standpoint. The County reserves the right to conduct discussions if the County later determines them to be necessary.

**INSURANCE:**

N/A

**BONDS:**

N/A

**PIGGYBACKING**

Rockdale County encourages and agrees to the successful bidder extending the pricing, terms and conditions of this solicitation or resultant contract to other governmental entities at the discretion of the successful bidder.

**GENERAL INFORMATION:****RECEIPT OF BID:**

No bids received after said time or at any place other than the time and place as stated in the notice shall be considered. No responsibility shall attach to Rockdale County for the premature opening of a bid not properly addressed and identified.

**WITHDRAWAL OF BID:**

A bidder may withdraw his bid before the bid due date, without prejudice to the bidder, by submitting a written request of withdrawal to the Rockdale County Procurement Office.

**REJECTION OF BID:**

Rockdale County may reject any and all bids and must reject a bid of any party who has been delinquent or unfaithful in any formal contract with Rockdale County. Also, the right is reserved to waive any irregularities or informalities in any bid in the proposing procedure. Rockdale County shall be the sole judge as to which bid is best, and in ascertaining this, will take into consideration the business integrity, financial resources, facilities for performing the work, and experience in similar operations of the various bidders.

**STATEMENT OF EXPERIENCE AND QUALIFICATIONS:**

The bidder may be required, upon request, to prove to the satisfaction of Rockdale County that he/she has the skill, experience, necessary facilities and ample financial resources to perform the contract(s) in a satisfactory manner and within the required time. If the available evidence of competency of any bidder is not satisfactory, the bid of such bidder may be rejected. The successful bidder is required to comply with and abide by all applicable federal and state laws in effect at the time the contract is awarded.

**NON-COLLUSION AFFIDAVIT:**

By submitting a bid, the bidder represents and warrants that such bid is genuine and not sham or collusive or made in the interest or in behalf of any person not therein named, that the bidder has not directly or indirectly induced or solicited any other bidder to put in a sham bid, or any other person, firm or corporation to refrain from proposing and that the bidder has not in any manner sought by collusion to secure to that bidder any advantage over any other bidder.

**INTEREST OF:**

By submitting a bid, the bidder represents and warrants that a Commissioner, Administrator, employee, nor any other person employed by Rockdale County has, in any manner, an interest, directly or indirectly, in the bid or in the contract which may be made under it, or in any expected profits to arise therefrom.

**DOCUMENTS DEEMED PART OF THE CONTRACT:**

The notice, invitation to bidders, general conditions, and instructions for bidders, special conditions, specifications, bid, and addenda, if any, will be deemed part of the contract.

**GOVERNING LAWS:**

This contract is made under and shall be governed and construed in accordance with the laws of the State of Georgia.

**ERRORS AND OMISSIONS:**

The vendor shall not take advantage of any errors or omissions in this Bid Request and shall promptly notify Rockdale County of any omissions or errors found in this document.

**STANDARD INSTRUCTIONS:**

1. The instructions contained herein shall be construed as a part of any bid invitation and/or specifications issued by Rockdale County and must be followed by each bidder.
2. The written specifications contained in this bid shall not be changed or superseded except by written addendum from Rockdale County. Failure to comply with the written specifications for this bid may result in disqualification by Rockdale County.
3. All goods and materials shall be F.O.B. Destination Conyers, Georgia and no freight or postage charges will be paid by Rockdale County unless such charges are included in the bid price.
4. The following **ITB# 21-30** must be written clearly on the outside of each bid envelope in order to avoid prior opening in error.
5. All bids must be received and in-hand at bid due date and time. Each bidder assumes the responsibility for having his/her bid received at the designated time and place of bid due date. Bids received after the stated time and date may be subject to rejection without consideration, regardless of postmark. Rockdale County accepts no responsibility for mail delivery.
6. Unless otherwise stated, all bids submitted shall be valid and may not be withdrawn for a period of 120 days from the due date.
7. Each bid form submitted must include the name of the business, mailing address, the name, title and signature of the person submitting the bid. When submitting a bid to Rockdale County the first page of your bid package should be the bid form listing the price, delivery date, etc., unless the bid form is requested to be in a separate envelope.
8. Rockdale County reserves the right to accept a bid that is not the lowest price if, in the County's judgment, such bid is in the best interest of the County and the public. The County reserves the right to reject any and all bids.
9. Telephone, Emailed or Facsimile bids will not be accepted.
10. No sales tax will be charged on any orders except for contracts that include construction materials being purchased through a third party.

Federal I.D. #58-6000882  
Sales Tax Exempt #58-800068K
11. If applicable, completed questionnaires must be signed manually. Rockdale County reserves the right to accept or reject any bid on the basis of incomplete or inaccurate answers to the questionnaire.
12. If applicable, warranty information shall be provided.
13. Bidders shall state delivery time after receiving order.
14. Bidders shall identify any subcontractors and include an explanation of the service or product that they may provide.

**BID SPECIFICATIONS:**

The specifications are as follows:

**General:**

Purchase Price shall include delivery, F.O.B. Rockdale County, Conyers, GA 30012.

Include any brochures and specifications that pertain to the equipment that you are proposing.

List any options and the cost for the options separately.

Warranty information must be provided with the submittal of bid.

All manuals associated with the equipment must be delivered with the equipment at no additional charge to Rockdale County. Manuals included but not limited to: Electrical, Pump, Wiring, Mechanical, Operational, Parts, Service, etc.

## MINIMUM TECHNICAL SPECIFICATIONS FOR FIRE HOSES

<b>TECHNICAL SPECIFICATIONS FOR FIRE HOSES:</b>	<b>BIDDER STATE COMPLIANCE YES/NO</b>
<b>ITEM 1 SPECIFICATIONS (1-inch ALL-AMERICAN HOSE Type SF):</b>	
1. All-American Hose, Type 8F- 300-Service pound test, 100 percent synthetic. Polyester single jacket with polyurethane lining.	
2. Dura Cote treatment.	
3. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	
4. Lengths shall be one hundred (100) feet).	
5. Color shall be Yellow	
<b>COUPLINGS:</b>	
a. U.S. Brand Only	
b. One-inch National Standard Thread.	
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	
d. Rocker lug and Higbee cut.	
<b>ITEM 2 SPECIFICATIONS (1-¾ inch ALL-AMERICAN HOSE, N-DURA, Tan):</b>	
1. Color-Tan	
2. Inside diameter - 1.88 Inches	
3. Service Test Pressure - 400 PSI	
4. Proof Test Pressure - 800 PSI	
5. Burst - 1200 PSI	
6. Length shall be 50' Feet	
7. Average Weight 50' Coupled- 16 LBS	
8. Flat Width 3.2 IN.	
9. Outer jacket shall be woven from 100% nylon yarns over an inner liner consisting of a one-piece extruded EPDM rubber tube.	
10. Hose shall be heat resistant, drag resistant and kink resistant.	
11. Hose shall be treated with Dura-Cote Treatment	
12. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM D1149-91 and ASTM D518-86 (R91), Procedure B.	
13. Chemical resistance contamination by most chemicals will have no effect on the short-term performance of the hose.	
14. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	
<b>COUPLINGS:</b>	
a. U.S. Brand Only	
b. One- and one-half inch National Standard Thread.	
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless	
d. Rocker lug and Higbee cut	

<b>ITEM 3 SPECIFICATIONS (1-3/4-inch, ALL-AMERICAN HOSE, N-DURA, ORANGE):</b>	<b>BIDDER STATE COMPLIANCE YES/NO</b>
1. Color - Orange	
2. Inside Diameter - 1.88 Inches	
3. Service Pressure - 400 PSI	
4. Proof Test Pressure - 800 PSI	
5. Burst - 1200 PSI	
6. Length shall be 50' Feet	
7. Average Weight 50' coupled- 16 LBS	
8. Flat Width 3.2 IN.	
9. Outer jacket shall be woven from 100% nylon yarns over an inner liner consisting of a one-piece extruded EPDM rubber tube.	
10. Hose shall be heat resistant, drag resistant and kink resistant.	
11. Hose shall be treated with Dura-Cote Treatment	
12. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM D1149-91 and ASTM- D518-86 (R91), Procedure B.	
13. Chemical resistance contamination by most chemicals will have no effect on the short-term performance of the hose.	
14. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	
<b>COUPLINGS:</b>	
a. U.S. Brand Only	
b. One- and one-half inch National Standard Thread.	
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	
d. Three-rocker lug and Higbee cut.	
<b>ITEM 4 SPECIFICATIONS (1-3/4-inch ALL-AMERICAN HOSE N-Dura, Green):</b>	
1. Color - Green	
2. Inside diameter- 1.88 Inches	
3. Service Test Pressure - 400 PSI	
4. Proof Test Pressure- 800 PSI	
5. Burst - 1200 PSI	
6. Length shall be 50'.	
7. Average Weight 50' Coupled- 16 LBS	
8. Flat Width 3.2 IN.	
9. Outer jacket shall be woven from 100% nylon yarns over an inner liner consisting of a one-piece extruded EPDM rubber tube.	
10. Hose shall be treated with Dura-Cote Treatment	
11. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM DI 149-91 and ASTM- D518-86 (R91), Procedure B.	
12. Chemical resistance contamination by most chemicals will have no effect on the short-term performance of the hose.	
13. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	

<b>COUPLINGS:</b>	<b>BIDDER STATE COMPLIANCE YES/NO</b>
a. U.S. Brand Only	
b. One- and one-half inch National Standard Thread.	
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	
d. Three-rocker lug and Higbee cut.	
<b>ITEM 5 SPECIFICATIONS (2 ½ inch ALL-AMERICAN HOSE N-Dura, Red):</b>	
1. Color - Red	
2. Inside Diameter - 2.5 Inches	
3. Service Pressure - 400 PSI	
4. Proof Test Pressure - 800 PSI	
5. Burst Pressure - 1200 PSI	
6. Length shall be 50'	
7. Average Weight 50' Coupled 26 LBS	
8. Flat Width - 4.5" Inches	
9. Outer jacket shall be woven from 100% nylon yarns over an inner liner consisting of a one-piece extruded EPDM rubber tube.	
10. Hose shall be treated with Dura-Cote Treatment	
11. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM DI 149-91 and ASTM-D518-86 (R91), Procedure B.	
12. Chemical resistance contamination by most chemicals will have no effect on the short-term performance of the hose.	
13. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	
<b>COUPLINGS:</b>	
a. U.S. Brand Only	
b. 2.5-inch National Standard Thread.	
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	
d. Three-rocker lug and Higbee cut.	
<b>ITEM 6 SPECIFICATIONS (3-inch ALL-AMERICAN HOSE N-Dura Blue):</b>	
1. Color- Blue	
2. Inside Diameter - 3.0	
3. Service Test Pressure - 400 PSI	
4. Proof Test Pressure - 800 PSI	
5. Burst Pressure - 1200 PSI	
6. Length shall be 50 Feet	
7. Average Weight 50' Coupled 34 LBS	
8. Flat Width 5.3 Inches	
9. Outer jacket shall be woven from 100% nylon yarns over an inner liner consisting of a one-piece extruded EPDM rubber tube	
10. Hose shall be treated with Dura-Cote Treatment	
11. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM DI 149-91 and ASTM-D518- 86 (R91), Procedure B.	
12. Chemical resistance contamination by most chemicals will have no effect on the short-term performance of the hose.	
13. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	

<b>COUPLINGS:</b>	<b>BIDDER STATE COMPLIANCE YES/NO</b>
a. U.S. Brand Only	
b. 2.5-inch National Standard Thread.	
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	
d. Three-rocker lug and Higbee cut.	
<b>ITEM 7 SPECIFICATIONS (5-inch ALL-AMERICAN HOSE Triple Duty-Type TD):</b>	
1. Color - Yellow	
2. Inside Diameter - 5 Inch	
3. Service Test Pressure - 200 PSI	
4. Proof Test Pressure - 400 PSI	
5. Burst Pressure - 600 PSI	
6. Length shall be 100' Feet	
7. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	
8. Average Weight 100' Coupled-110 Lbs.	
<b>COUPLINGS:</b>	
a. U.S. Brand Only	
b. 5-inch Stortz type	
<b>ITEM 8 SPECIFICATIONS (5-inch ALL-AMERICAN HOSE Triple Duty-Type TD):</b>	
1. Color - Yellow	
2. Inside Diameter - 5 Inch	
3. Service Test Pressure - 200 PSI	
4. Proof Test Pressure - 400 PSI	
5. Burst Pressure - 600 PSI	
6. Lengths shall be (50) feet.	
7. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	
8. Average Weight 50' Coupled- 40 Lbs.	
<b>COUPLINGS:</b>	
a. U.S. Brand Only	
b. 5-inch Stortz type	
<b>ITEM 9 SPECIFICATIONS (5-inch ALL-AMERICAN HOSE Triple Duty-Type TD):</b>	
1. Color - Red	
2. Inside Diameter - 5 Inch	
3. Service Test Pressure - 300 PSI	
4. Proof Test Pressure - 600 PSI	
5. Burst Pressure - 900 PSI	
6. Lengths shall be (50} feet.	
7. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	
8. Average Weight 50' Coupled- 55 Lbs.	
9. Outer jacket shall be woven from 100% nylon	
10. Thermoplastic polyurethane Liner	
11. Hose shall be treated with Dura-Cote Treatment	

12. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	
<b>COUPLINGS:</b>	
a. U.S. Brand Only	
b. Aluminum National Standard Thread.	
c. One end shall be 6-inch NST coupled with rocker lugs. The other end shall be 4.5-inch NST coupled with extended lugs.	
<b>ITEM 10 SPECIFICATIONS (3-inch ALL-AMERICAN HOSE N-Dura WHITE):</b>	
1. Color - White	
2. Inside Diameter - 3 - Inch	
3. Service Test Pressure - 400 PSI	
4. Proof Test Pressure - 800 PSI	
5. Burst Pressure - 1200 PSI	
6. Lengths shall be (25) feet.	
7. The year manufactured shall be stenciled on the hose body and die stamped on each coupling.	
8. Average Weight 25' Coupled- 17 Lbs.	
9. Outer jacket shall be woven from 100% nylon yams over an inner liner consisting of a one-piece extruded EPDM rubber tube	
10. Hose shall be treated with Dura-Cote Treatment	
11. Ozone resistance shall show no signs of visible cracking of the cover of liner when tested in accordance with ASTM 01149-91 and ASTM-O518-86 (R91), Procedure B.	
12. Chemical resistance contamination by most chemicals will have no effect on the short-term performance of the hose.	
13. The year manufactured shall be stenciled on the hose body and die stamped on each male and female coupling.	
<b>COUPLINGS:</b>	
a. U.S. Brand Only	
b. Aluminum National Standard Thread.	
c. 6061 T6 Aircraft Aluminum Alloy, Hard Anodized, Seamless Extrusion	
d. Three-rocker lug and Higbee cut.	
<b>MINIMUM REQUIREMENTS:</b>	
<b>COUPLINGS AND HOSE:</b>	
All Couplings and Hoses will be manufactured in the U.S.A No Exception.	
<b>WARRANTY:</b>	
Warranty For All Hose Sizes	
The successful bidder will warranty the hose and couplings for defects in materials and workmanship for ten (10) years.	
All hose and couplings meet and or exceed NFPA 1961 Standard	

**End Minimum Specifications**

**BID FORM – ITB No. 21-30**

Instructions: Complete all THREE parts of this bid form.

**PART I: Bid Summary**

Complete the information below and the Bid Schedule provided in this ITB. If you wish to submit more than one brand, make a photocopy of this Bid Form.

**Lump Sum Bid Price \$** \_\_\_\_\_

**PART II: Addenda Acknowledgements (if applicable)**

Each vendor is responsible for determining that all addenda issued by the Rockdale County Finance Department – Purchasing Division have been received before submitting a bid.

Addenda	Date Vendor Received	Initials
"1"		
"2"		
"3"		
"4"		
"5"		
"6"		

**PART III: Vendor Information:**

Vendor Name	
Address	
Telephone	
E-Mail	
Representative (print name)	
Signature of Representative	
Date Submitted	

<b>BID PRICING SCHEDULE (Bid Form Continued)</b>					
<b>ITEM NO.</b>	<b>COMMODITIES OR SERVICES</b>	<b>ESTIMATED NUMBER OF UNITS</b>	<b>UNIT</b>	<b>UNIT PRICE</b>	<b>AMOUNT</b>
1.	Hose, All-American, 1-inch nominal internal diameter, <b>Type 8 F</b> , 300-pound service test, Length 100 Feet, 100 percent synthetic with a polyurethane lining, and in accordance with minimum specifications. <b>(ONLY)</b>	15	Section		
2.	Hose, All-American, 1-3/4-inch <b>N-Dura</b> , Color Tan. Service Pressure 400PSI, Acceptance Pressure 800PSI, Length 50 Feet, and accordance with minimum specifications. <b>(ONLY)</b>	10	Section		
3.	Hose, All-American, 1¾ inch <b>N-Dura</b> , Color Orange, Service Pressure 400PSI, Acceptance Pressure 800PSI, Length 50 Feet, and in accordance with minimum specifications. <b>(ONLY)</b>	10	Section		
4.	Hose, All-American, 1¾ inch <b>N-Dura</b> , Color Green, Service Pressure 400PSI, Acceptance Pressure 800PSI, Length 50 Feet, and in accordance with minimum specifications. <b>(ONLY)</b>	10	Section		
5.	Hose, All-American, 2-1/2 <b>N-Dura</b> , Color Orange, Service Pressure 400 PSI Acceptance pressure 800-lb test, Length 50 Feet, and in accordance with minimum specifications. <b>(ONLY)</b>	30	Section		
6.	Hose, All-American, 3" <b>N-Dura</b> , Color Blue, Service Pressure 400 PSI Acceptance pressure 800-lb test, Length 50 Feet, and in accordance with minimum specifications. <b>(ONLY)</b>	10	Section		

ITEM NO	COMMODITIES OR SERVICES	ESTIMATED NUMBER OF UNITS	UNIT	UNIT PRICE	AMOUNT
7.	Hose, All-American, 5-inch nominal internal diameter, <b>Triple Duty-Type TD</b> , Color Yellow, Length 100 Feet, 100% high strength, low stretch filament nylon with thermoplastic polyurethane liner, Aluminum Storz couplings. <b>(ONLY)</b>	15	Section		
8.	Hose, All-American, 5-inch nominal internal diameter, <b>Triple Duty-Type TD</b> , Color Yellow, Length 50 Feet, 100% high strength, low stretch filament nylon with thermoplastic polyurethane liner. Aluminum Storz couplings <b>(ONLY)</b>	5	Section		
9.	Hose, All-American, 5-inch nominal internal diameter, <b>Triple Duty-Type TD</b> , Color Red, Length 50 Feet, 100% high strength, low stretch filament nylon with thermoplastic polyurethane liner, Aluminum <b>NST 6-inch rocker lug and 4 -1/2 extended lug couplings</b> , and in accordance to minimum specifications. <b>(ONLY)</b>	4	Section		
10.	Hose, All-American, 2-1/2 <b>N-Dura</b> , Color White, Service Pressure 400 PSI Acceptance pressure 800-lb test, Length 25 Feet, and in accordance with minimum specifications. <b>(ONLY)</b>		Section		
11.	<b>Total – Lump Sum</b>				\$ _____

End Bid Price Schedule

**Affidavit Verifying Status  
for County Public Benefit Application**

By executing this affidavit under oath, as an applicant for the award of a contract with Rockdale, County Georgia, I \_\_\_\_\_, [Name of natural person applying on behalf of individual, business, corporation, partnership, or other private entity] am stating the following as required by O.C.G.A. Section 50-36-1:

1) \_\_\_\_\_ I am a United States citizen

**OR**

2) \_\_\_\_\_ I am a legal permanent resident 18 years of age or older or I am an otherwise qualified alien or non-immigrant under the Federal Immigration and Nationality Act 18 years of age or older and lawfully present in the United States.\*

In making the above representation under oath, I understand that any person who knowingly and willfully makes a false, fictitious, or fraudulent statement or representation in an affidavit shall be guilty of a violation of Code Section 16-10-20 of the Official Code of Georgia.

\_\_\_\_\_  
Signature of Applicant:

\_\_\_\_\_  
Date

\_\_\_\_\_  
Printed Name:

\*

\_\_\_\_\_  
Alien Registration number for non-citizens

SUBSCRIBED AND SWORN  
BEFORE ME ON THIS THE  
\_\_\_\_\_ DAY OF \_\_\_\_\_, 202\_\_.

\_\_\_\_\_  
Notary Public  
My commission Expires:

**\*Note:** O.C.G.A. § 50-36-1(e)(2) requires that aliens under the federal Immigration and Nationality Act, Title 8 U.S.C., as amended, provide their registration number. Because legal permanent residents are included in the federal definition of "alien", legal permanent residents must also provide their alien registration number. Qualified aliens that do not have an alien registration number may supply another identifying number below.

\_\_\_\_\_