



CITY OF DUBLIN
SPECIFICATIONS FOR HYDRAULIC DUMPING TRAILER
REQUEST FOR PROPOSAL
RFP #18-03-002
March 9, 2018

The City of Dublin is soliciting sealed proposals for the purchase of a **20 foot hydraulic dumping trailer** for use in the Sanitation Department for the purpose of hauling bulk trash, limbs, yard debris, building materials and other materials of similar nature. All equipment furnished must be new and unused.

Proposals are to be returned, sealed and marked "RFP #18-03-002" by **3:00 p.m. on Tuesday, March 27, 2018** to:

Courier:	City of Dublin Purchasing Dept.	Mail:	City of Dublin Purchasing Dept.
	215 Truxton St.		PO Box 690
	Dublin, GA 31021		Dublin, GA 31040

Proposals received after the specified date and time will not be considered. All proposals submitted must be FOB Dublin, Georgia.

The City reserves the right to accept or reject any or all proposals, to waive formalities and technicalities, and to make an award in the best interest of the City.

Factors to be considered in making this award, if awarded, will be equipment, price, availability, warranty and references. The City will be the sole judge of the weights given these factors.

Proposals will be opened in the conference room in the Purchasing Department, 215 Truxton St., Dublin, Georgia, on the hour and date specified above, local time prevailing. No proposals will be accepted after the opening time. No faxed or e-mailed proposals will be accepted.

Prices quoted shall be firm prices and remain firm until delivery is made. If awarded, the City will place an order with the successful bidder within forty-five (45) days after opening.

Please call Kris Harden, Purchasing Director, at 478-277-5047 should you have any questions.

SPECIFICATIONS

These specifications are the **minimum** acceptable and must be met or exceeded in order to be considered. Bidders must list any exceptions to the specifications. Warranty information must be provided. It is the responsibility of the proposer to ensure that the trailer being bid is suitable for the intended purpose. Trailer to be delivered to the City of Dublin, 215 Truxton St., Dublin, GA 31021.

MAKE/MODEL: _____

COMPLY/SPECIFY

FRAME:	Main trailer frame to be two (2) twelve (12) inch wide I beams with adequate cross members. Cross members to be 4" x 1/4" structural channel iron.	_____
AXLE:	15,000 lb.	_____
WHEELS:	Dual wheels with eight (8) lugs and four (4) tires. Specify size: _____	_____
BRAKES:	Electric brakes hooked up to chassis	_____
BODY:	To be constructed with five (5) inch structural channel main sills and four (4) inch cross sills. Cross sills to be placed on 12" centers. Floor to be 7 gauge steel, floor to be formed over and under the ends of cross sills. Over all width not to exceed eight (8) feet.	_____
SIDES:	Sides to be constructed of ten (10) gauge sheet metal. Side stakes to be ten (10) gauge formed channel placed on 24" centers. Sides to have ten (10) gauge formed channel at top of sides. Side stakes to be interconnected and welded to top rail. Body sides to be 48" high. Sides to be continuous, welded to floor.	_____
DOORS:	Body to be equipped with heavy duty barn type doors with positive latch. Hinges to have a minimum of 1" pins, and minimum of two (2) hinges per door. Doors must be capable of swinging around and against side of body for dumping.	_____
HOIST:	Body hoist to be equipped with two (2) hydraulic cylinders, lifting capacity of 30,000	

	lbs. with a minimum 5" O.D. cylinder. To be equipped with body prop to be installed on front frame rail.	
JACK:	Trailer to have a hydraulically operated jack stand.	
HITCH:	Pintle bolt on style capable of handling fully loaded trailer, 20-ton minimum	
LIGHTS:	Trailer to be equipped with LED lights to meet all state and federal standards. All wiring to be encased in metal tubing. Two (2) stop/tail lights to be mounted in rubber grommets in rear post of trailer. Two (2) white LED flashing lights to be mounted on rear upper corner of posts.	
VALVES:	Trailer to be equipped with a two (2) bank hydraulic valve to control hoist and jack leg stand. Jackstand hoist must be able to lift loaded trailer for disconnection or connection to trailer.	
TONGUE:	Trailer to have heavy-duty tongue with four (4) 5" structural channel and equipped with safety chains.	
PAINT:	All metal to be properly cleaned, primed and painted. Color: Forest Green or equivalent. State color: _____	
DISCONNECT:	Trailer to be equipped with flexible hydraulic hose with quick disconnect and heavy-duty wiring harness with quick disconnect, for connection of towing vehicles, quick disconnects located at hitch point. G.I. hitch required.	
TARP:	Trailer to be equipped with a heavy duty tarp to prevent debris from blowing or falling off of the trailer.	
WARRANTY:	One (1) year parts and labor on entire unit and three (3) year structural warranty.	

1 each – Hydraulic Dumping Trash Trailer

COST: \$ _____

**DELIVERY
TIME:** _____

BIDDER: _____

ADDRESS: _____

NAME: _____ **TITLE:** _____

SIGNATURE: _____

PHONE NUMBER: _____ **FAX NUMBER:** _____

E-MAIL: _____

Vendor Experience:

- List at least three (3) previous sales, with contact information, by vendor of similar trailer.

- Number of years vendor has been an authorized dealer. _____
- Nearest parts and service location. _____