
## Bulloch County Agri-Business Center Roof Repairs

## Scope of Work:

- I) Apply silicone coating at each primary and overflow drain location. Coating should extend beyond the drain in all directions to create a 5.5' x 6.5' rectangle.
- 2)Include in bid the cost to replace 250 square feet of roofing and insulation. Material is to be replaced "in kind" where possible to match existing roof plane. Existing insulation is approximately 5" thick. Cover board is required immediately under modified bitumen roof membrane.
  3)Replacement roof materials are to be installed in cold process adhesives approved for use by material manifestation.
- approved for use by material manufacturer.
- 4)Refill all pitch pans with pourable sealer 5)Coat all modified bitumen head and side laps that are showing exposed fiberglass strands, with silicone coating. Perform work in a neat manner
- using tape to define the edges of the repair. Repair should extend a min. of 2" beyond all sides to the exposed fiberglass.




Bulloch County Agri-Business Center, 151 Langston Chapel Road, Statesboro GA 30458



Local Area Map

Local Area Map with Building Lo

	Notes:
Drawing Index	
T-I Title Sheet	
R-1 Roof Plan and drain detail	
	1 10/2019
	No. Revision/Issue Date
	Bulloch County
	Agri-Business Center Roof Repairs 151 Langston Chapel Road
	Statesboro, GA 30458
	Title Sheet
i Langston Chapel Rd Langston Chape	Prepared by
	Lyon & Associates Roofing and Waterproofing
	Consultants
	Shet
ocation	I of 2
	Not to Scale



6" MIN

All drain locations

