



PURCHASING AND
MATERIALS MANAGEMENT

City of Myrtle Beach
SOUTH CAROLINA

(843) 918-2170
FAX: (843) 918-2182

REQUEST FOR QUOTE

Quote #113023L

Date: November 30, 2023

The City of Myrtle Beach is interested in obtaining a price quote on the items listed below. If you would like to provide a quote please return this form with your quote information to lgreenough@cityofmyrtlebeach.com, **NO LATER THAN 2:00PM on Wednesday, December 13, 2023**. If you have any questions, please call 843-918-2184. Products quoted must be new; no used, refurbished, or grey-market items will be accepted.

Line Item	Quantity	Unit	Cost Per Unit	Description	Total Price
1	80	ea	\$ _____	<p>RAB HBLED13A (Floodlight) Color: Bronze</p> <p>Compliance</p> <ul style="list-style-type: none"> • UL Listed: Suitable for wet locations. Suitable for ground mounting. • DLC Listed: This product is listed by Design Lights Consortium (DLC) as an ultra-efficient premium product that qualifies for the highest tier of rebates from CLD Member Utilities. Designed to meet DLC 5.1 requirements. DLC Product Code: PV5TSVJA <p>Performance</p> <ul style="list-style-type: none"> • Wattage Equivalency: 250W BR40 • Lifespan: 100,000 Hour LED lifespan based on IES LM-80 results and TM-21 calculations. <p>Construction</p> <ul style="list-style-type: none"> • Swivels: Fully adjustable with sure-grip locks. ½ inch NPS threaded arm with serrated locking swivel fits all standard mounting covers. Color matched EQ Grip Lock Nuts. Stainless steel screw. 	\$ _____

				<ul style="list-style-type: none"> • Housing: Precision die-cast aluminum housing. • Gaskets: High temperature silicone. • Finish: Formulated for high durability and long-lasting color. • Green Technology: Mercury and UV free. RoHS-compliant components. • Cold Weather Starting: The minimum starting temperature is -40°C (-40°F). • Maximum Ambient Temperature: Suitable for use in up to 40°C (104°F). • LFFlood 13W: LED Floodlight that reduces energy consumption by 85% compared to 100W PAR38. Spot and Flood beam patterns. Recommended for Residential and Commercial applications. <p>Optical</p> <ul style="list-style-type: none"> • NEMA Type: NEMA Beam Spread of 5H X 5V. • Reflectors: NEMA 5x5 floodlight reflector. Photometrics show flood configuration. <p>LED Characteristics</p> <ul style="list-style-type: none"> • Lumen Maintenance: The LED will deliver 70% of its initial lumens at 100,000 hours of operation. <p>Warranty</p> <ul style="list-style-type: none"> • Warranty: RAB warrants LED products will be free from defects in materials and workmanship for a period of five (5) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. 	
2	80	ea	\$ _____	<p>RAB MP19B (Post for ground mounted landscape lighting) Color: Black</p> <p>Compliance</p> <ul style="list-style-type: none"> • UL Listed: Suitable for wet locations. Fixtures with ground wire must be used. 	\$ _____

				Construction <ul style="list-style-type: none"> • Post Materials: UL Schedule 40 PVC Pipe. • Set Screw: Locks cap to post and prevents rotation. • Cap: PVC 	
SPECIFIED BRAND ONLY – NO SUBSTITUTIONS COPY OF WARRANTY AND TECHNICAL SPECIFICATION SHEET SHALL BE SUBMITTED WITH QUOTE					
					Shipping Cost \$_____
					Sales Tax 9% \$_____
					TOTAL \$_____
Approximate Delivery Date: _____					

Please include any additional product/company information that may be useful to the City. Quotes will be ranked by price and availability. The City will purchase the product that best meets it's needs and is most advantageous to the City.

Company Name: _____

Authorized Signature: _____

Contact Name: _____

Telephone #: _____

Email Address: _____