



WILLIAMSON COUNTY GOVERNMENT

July 19, 2021

To Whom It May Concern:

Williamson County is accepting bids for three (3) dump trucks for the Highway Department. Minimum bid specifications are enclosed. Please note any exceptions to the bid.

It is not the intent of Williamson County to favor one vendor; however, we do, from time to time, have to rely on vendors' help in writing specifications. We will accept all bids with exceptions noted, and all bids will be given equal consideration.

Bids will be opened August 17, 2021, 2:00 p.m. Bids should be submitted in a sealed envelope to the County Mayor's Office, 1320 West Main Street, Suite 125, Franklin, TN 37064. Each envelope should be plainly marked: **Bid – Dump Trucks, Highway Department, August 17, 2021. Envelope must also include bidder's company name. PLEASE NOTE: IF THE SEALED PACKAGE IS NOT LABELED EXACTLY AS SPECIFIED ABOVE, THE BID WILL NOT BE OPENED.**

Williamson County reserves the right to reject any and/or all proposals, to waive technicalities or informalities, and to accept any proposal deemed to be in the best interest of Williamson County. **No bid shall be valid unless signed.** No bid shall be accepted by FAX machine or e-mail.

Enclosed is an *Ethical Standards Affidavit*, *Iran Divestment Act Affidavit*, *Fair Employment Affidavit*, *Immigration Attestation and Immigration Compliance Affidavit*, and *Business Tax and License Affidavit*. Please complete these documents and return them with your bid.

If you have any questions, please e-mail leslie.mitchell@williamsoncounty-tn.gov. All questions must be submitted in writing by 4:30 p.m. CST on August 11, 2021. No addenda will be issued within 48 hours of the bid opening date and time.

Sincerely,

Leslie Mitchell, NIGP-CPP, CPPO, CPPB
Purchasing Agent



**MINIMUM BID SPECIFICATIONS
FOR (3) DUMP TRUCKS, TANDEM AXLE, CONVENTIONAL CAB AND CHASSIS
WITH 16FT. DUMP BODY FOR
WILLIAMSON COUNTY HIGHWAY DEPARTMENT**

GENERAL

These trucks shall be new, unused, current year manufactured tandem axle dump trucks. This is manufacturer's latest design and production, complete, serviced, ready for work, and includes all standard equipment as shown in the manufacturer's printed literature. Units furnished to this specification shall meet or exceed all requirements herein (see attachments). Price shall include delivery to the Williamson County garage at 302 Beasley Dr, Franklin, TN 37064.

Use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of the Williamson County Highway Department.

BID PRICE

The bid price shall include all destination charges, delivery charges, rebates and all other applicable costs and refunds.

MANUALS

Units shall be provided with two (2) copies of the operator's manual, two (2) copies of the maintenance and repair manual, and two (2) copies of the current parts manual. They should also be delivered with (2) extra sets of keys. Units will not be accepted for delivery until manuals as outlined above are received by the purchaser.

WARRANTY

Bidders shall submit a copy of all the manufacturer's warranties along with a complete explanation of the warranty with their bid. Warranty shall include service response time of maximum of 36 hours within notification by the Williamson County Highway Department.

DELIVERY

Upon award of bid, vehicles shall be delivered within 120 days.

WILLIAMSON COUNTY HIGHWAY DEPARTMENT
Dump Body Specifications

- Type:** Roger's Millennium Body for Mounting on 130/138 CT Truck.
- Size:** 16' long, 7'4" wide inside, 46" high sides, 52" high tailgate with 6" pockets front and rear.
- Capacity:** 17.5 cu yd.
- Materials:** ¼" AR 450 steel sides, front, tailgate and floor. Continuous welding. Hoist well to be not less than 1/4 " AR 450 steel.
- Extras:** Cab shield to be 20" long. Tailgate hydraulic Hi-Lift cylinders inside rear post. Steps on front sides of body. Lights, reflectors and mud flaps per Federal Motor Vehicle Safety Std. #108. Safety support strut and back up alarm per OSHA #1926.601. 8" channel push bumper with 3" pipe bolt on. Maintenance manual with each body. Air tailgate. Side post none, long members 2" x 8" x 3/16" Tubing full length, 3/16" Full fenders, DVA 20-N-3-A3HP2000. Valve to operate raising and lowering of body and operation of Hi-Lift tailgate, primed plus painted red acrylic urethane. 23" radius floor. EZ step drivers side, 8 LED strobe lights, rear tailgate guard, HD rear tow hooks, angle on top of 2" x 6" steel tubing and tailgate.
- Hoist:** Single front mounted telescopic cylinder with minimum 48" dump angle with pull out cable. 7"-135" stroke. Model 74135
- Pump:** Minimum capacity 31 gallons per minute at 1200 RPM. Relief valve equipped. Parker P51-313-9610-663.
- Controls:** Air controls.
- Hoist Frame:** Frameless body.
- PTO:** Hot shift Allison PTO.
- Tarp:** Electric tarp, assembly aluminum arms, vinyl tarp.
- Mounting:** Dump bed shall be mounted 5" back of cab.
- Oil tank:** Front mount.

Pusher Air Axle: Hendrickson (HLM) Model # MT20A-A49A. Fixed suspension with hub piloted disc wheels (4) steel rims 22.5 x 8.25 with (4) 11R22.5 tires hwy tread.

(IF NOT FACTORY MOUNTED)

Protective Coating: Entire undercarriage of truck and bed to have protective undercoating.

Controls: Controls for dump bed to be positioned forward so driver does not have to reach back to operate

Snow plow lights: Tracklite #TLC80880, 7" round LED.

Body Paint: Candy Apple Red #L2225EB

Specifications

Include these pages in your sealed envelope	Description	Complies		Description or Exceptions
		Yes	No	
Engine & Equipment				
	Diesel Engine, 13 L, 470 hp, 1650 lb-ft torque, 2010 EPA Compliant			
	160 amp alternator			
	(3) batteries, 12-volt, 3300 CCA, threaded studs or equal			
	Battery box located under cab			
	Positive & negative jump start posts			
	Compression brake			
	Horizontal after treatment (ATD) with RH vertical tailpipe (with clear BOC) and turnout and shield			
	Minimum 1500 sq. in. radiator			
	Fuel filter/fuel water separator			
	Gates blue stripe hoses or equal			
	Extended life antifreeze to -34 degrees			
	Block heater with receptacle mounted under LH door			
	Heavy duty starter with over crank protection			
Transmission & Equipment				
	Allison RDS 4500 Automatic			
	Vehicle interface wiring with body builder at end of frame			
	Provisions for customer installed PTO for end dump service			
	Synthetic transmission lube			
Front Axle & Equipment (Set Back Axle)				
	20,000 lb. single front axle			
	16.5x6 cam front brakes			
	Power steering with auxiliary gear, 4-quart power steering reservoir			
	Synthetic lube 75W-90			
	20,000 lb. flat leaf suspension with shock absorbers			
Rear Axle & Equipment				
	46,000 lb. tandem rear axle with pump			
	Ratio 4.30			
	HD drive lines, 18 series			
	Driver controlled traction differential both rear axles or equal			
	16.5x8.62 cam rear brakes			
	Asphalt spreader clearance for brake chambers			
	Synthetic lube 75W-90			
	Hendrickson Haulmax rear suspension, 46,000 lb., with steel beams			

Specifications

Include these pages in your sealed envelope	Description	Complies		Description or Exceptions
		Yes	No	
	Fore and aft and transverse control rods			
	54" axle spacing or equal			
Pusher Axle & Equipment				
	Hendrickson 20,000 lb. non-steer pusher axle and suspension			
	Dash mounted valve and gauge			
	16.5x7 cam brakes			
	52" axle spacing			
Brake System				
	Air brakes with wabco ABS/ Traction Control			
	Heated air dryer			
	Automatic drain valves on all tanks			
Wheelbase, Frame & Chassis Equipment				
	Wheelbase as required by body builder for 132" - 135" CA			
	HD frame with inner frame reinforcement, minimum RBM 3,200,000 lbf-in			
	Painted steel front bumper			
	Front tow hooks			
Fuel Tank & Equipment				
	Minimum 80 gallon aluminum fuel tank with fuel cooler, LH side under cab			
Tires & Wheels				
	Front tires 425/65R22.5 20 ply radial highway tread			
	Rear tires 11R22.5, 16 ply radial highway tread			
	Pusher tires 11R22.5, 14 ply radial highway tread			
	Front wheels 22.5x12.25 hub pilot aluminum disc			
	Rear and pusher wheels 22.5x8.25 hub pilot steel disc			
Cab Exterior				
	Conventional cab, 113" BBC or equal			
	Air cab mounts			
	Fender extensions			
	LH & RH exterior grab handles			
	Bright finish radiator bezel with chrome mounted air intake grille			
	Electric horn			
	Dual 24" polished aluminum air horns with shields, roof mounted or equal			
	LED headlights, daytime running lights and LED marker lights			

Specifications

Include these pages in your sealed envelope	Description	Complies		Description or Exceptions
		Yes	No	
	Dual west coast bright finish heated mirrors with LH & RH convex mirrors; power RH/LH mirrors			
	RH Down view mirror			
	Tinted glass all around			
Cab Interior				
	Gray vinyl interior with overhead console, interior sun visors			
	Lower window in passenger door			
	(2) cup holders console mounted			
	Heater, defroster, & air conditioning with recirculation switch			
	Heater plumbing shut off valves			
	Dome lights LH & RH, door activated, reading lights			
	12 volt power supply in dash			
	High back air suspension driver's seat with air lumbar and arm rests with suspension cover			
	High back non suspension passenger seat			
	Black Cordura plus cloth seat covers			
	Adjustable tilt & telescoping steering column			
Instruments and Controls				
	Low air pressure light & buzzer			
	Dash mount on/off engine fan switch			
	Primary & Secondary air pressure gauges			
	Dash mounted air restriction indicator			
	Back-up alarm, self adjusting 87 to 112 DB			
	Odometer/trip/hour/diagnostic/voltage display, data linked			
	Engine coolant temperature gauge			
	Engine oil temperature gauge			
	Transmission oil temperature gauge			
	Engine oil pressure gauge			
	AM/FM/WB radio with bluetooth hands free			
	Power & ground studs top of dash wiring with CB radio provisions			
	Multi-band AM/FM/WB/CB LH mirror mounted antenna			
	Intermittent wipers with arctic type blades			
	Power window and door locks			

Specifications

Include these pages in your sealed envelope	Description	Complies		Description or Exceptions
		Yes	No	
	Provisions for body builder furnished snow plow lights			
Paint				
	Cab color candy apple red base coat clear coat #L2225EB			
	Chassis color black			
Warranty				
	All standard warranties in addition to a standard 5yr/250,000 engine warranty. Add extended warranty equivalent to Detroit EW4.			
Dump Body Specs				
	Pls see attachment (2)			
Delivery				
	Within 120 days			

**(3) DUMP TRUCKS, TANDEM AXLE, CONVENTIONAL CAB AND CHASSIS WITH
16FT. DUMP BODY FOR
WILLIAMSON COUNTY HIGHWAY DEPARTMENT**

Include completed specification pages in your sealed envelope.

Unit Price \$ _____ Total (3) \$ _____

The bid price shall include all destination charges, delivery charges, title fees, rebates and all other applicable costs and refunds.

Estimated Delivery _____

The bidder has received the following addenda:

Addendum # _____	Dated _____
Addendum # _____	Dated _____
Addendum # _____	Dated _____
Addendum # _____	Dated _____
Addendum # _____	Dated _____

Company Name _____

Physical Address _____

Remittance Address _____

Authorized Signature _____

Printed Name _____

Phone _____

Fax _____

Email Address _____

Date _____

Ethical Standard Affidavit.

State of Tennessee

County of Williamson County

Ethical Standard Affidavit. After first being duly sworn according to law, the undersigned (“Affiant”) states that he/she has the legal authority to swear to this on behalf of _____. (“Contractor”) that no part of any other governmental monies provided for the services or products contemplated in this Agreement which was received from the State of Tennessee and/or Williamson County shall be paid directly to an employee or official of the State of Tennessee or Williamson County as wages, compensation, or gifts in exchange for acting as an officer, agent, employee, subcontractor, or consultant to the County or the Contractor in connection with any work contemplated or performed relative to this Agreement. Affiant and Contractor further swears that no federally, state, or county appropriated funds have been paid or will be paid, by or on behalf of the Contractor, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, any employee of the State of Tennessee, or employee of Williamson County in connection with the awarding of any federal, state, or county contract, the making or awarding of any government grant, the making of any government loan, and entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any federal, state or county contract, grant, loan, or cooperative agreement.

Affiant

By: _____

Title: _____

Witness: _____

Date: _____

**CERTIFICATION OF COMPLIANCE WITH
THE IRAN DIVESTMENT ACT**

Effective July 1, 2016, this form must be submitted for any contract that is subject to the Iran Divestment Act, Tenn. Code Ann. § 12-12-101, et seq., ("Act"). This form must be submitted with any bid or proposal regardless of where the principal place of business is located.

Pursuant to the Act, this certification must be completed by any corporation, general partnership, limited partnership, limited liability partnership, joint venture, nonprofit organization, or other business organization that is contracting with a political subdivision of the State of Tennessee.

Certification Requirements.

No state agency or local government shall enter into any contract subject to the Act, or amend or renew any such contract with any bidder/contractor who is found ineligible under the Act.

Complete all sections of this certification and sign and date it, under oath, in the presence of a Notary Public or a person authorized to take an oath in another state.

CERTIFICATION:

I, the undersigned, certify that by submission of this bid, each bidder and each person signing on behalf of any Respondent certifies, and in the case of a joint bid or contract each party thereto certifies, as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to Tenn. Code Ann. § 12-12-106.

Respondent represents it has the full power, knowledge, and authority to make this Certification and that the signatory signing this Certification on behalf of bidder/contractor has been duly authorized to do so on behalf of the bidder/contractor.

Sworn as true to the best of my knowledge and belief, subject to the penalties of false statement.

Printed Respondent Name Printed Name of Authorized Official

Signature of Authorized Official

Witness: _____

Date: _____

FAIR EMPLOYMENT PRACTICES AFFIDAVIT

State of _____ **County of** _____

Fair Employment Practices Affidavit: After first being duly sworn according to law, the undersigned (Affiant) states that he/she is the _____ (Offeror) and that by its employment policy, standards, and practices the Offeror does not subscribe to any personnel policy which permits or allows for the promotion, demotion, employment, dismissal, or laying off of any individual due to his/her race, creed, color, national origin, age, or sex, and that the Offeror is not in violation of and will not violate any applicable laws concerning the employment of individuals with disabilities.

And Further Affiant sayeth not:

By: _____

Title: _____

Address: _____

**IMMIGRATION ATTESTATION
AND IMMIGRATION COMPLIANCE ACT AFFIDAVIT**

CONTRACTOR'S LEGAL ENTITY NAME _____

CONTRACTOR'S TENNESSEE LICENSE NUMBER _____

The Contractor, identified above, does hereby attest, certify, warrant, and assure that the Contractor shall not knowingly utilize the services of an illegal immigrant in the performance of the Agreement and shall not knowingly utilize the services of any subcontractor who will utilize the services of an illegal immigrant in the performance of any Services under this Agreement.

By executing this affidavit, the undersigned person or entity verifies its compliance with the Tennessee Lawful Employment Act codified at *Tennessee Code Annotated, Section 50-1-701, et. seq.*, stating affirmatively that the Contractor which is contracting with Williamson County government has registered with and is participating in the federal work authorization program commonly known as E-Verify or has obtained and maintains copies of the required documents in accordance with the applicable provisions of the Tennessee Lawful Employment Act.

The Contractor further agrees that it will continue to comply with all provisions of the Tennessee Lawful Employment Act, and it will contract for the physical performance of services in satisfaction of such contract only with subcontractors who comply with the applicable provisions of the Tennessee Lawful Employment Act.

The undersigned person or entity further agrees to maintain records of the documents or of such compliance including documentation for all subcontractor(s) retained to perform such service on behalf of the Contractor for the minimum period provided in the Tennessee Lawful Employment Act.

BY: Authorized Officer or Agent Date
(Name of Person or Entity)

Title of Authorized Officer or Agent

Printed Name of Authorized Officer or Agent

Witness: _____

Date: _____

Business Tax and License Affidavit

Business Tax and License Affidavit. The undersigned, (“Affiant”), states that he/she has the legal authority to swear to this on behalf of _____, (“Contractor”); that Contractor is not in any manner in violation of *Tennessee Code Annotated, Section, 5-14-108(l)* which provides that “(n)o purchase shall be made or purchase order or contract of purchase issued for tangible personal property or services by county officials or employees, acting in their official capacity, from any firm or individual whose business tax or license is delinquent.” Affiant affirms and warrants that Contractor’s licenses are currently valid and all business taxes have been paid and are current as of the date of this affidavit. Contractor is licensed and pays business taxes in _____ (County), Tennessee.

Affiant

By: _____

Title: _____

Date: _____

Witness: _____

Date: _____