

**Mitigation Measures and Conditions [40 CFR 1505.2(c)]**

Summarize below all mitigation measures adopted by the Responsible Entity to reduce, avoid, or eliminate adverse environmental impacts and to avoid non-compliance or non-conformance with the above-listed authorities and factors. These measures/conditions must be incorporated into project contracts, development agreements, and other relevant documents. The staff responsible for implementing and monitoring mitigation measures should be clearly identified in the mitigation plan.

| Law, Authority, or Factor                             | Mitigation Measure  |
|---|---|
| Clean Air   | <i>All asbestos containing material (ACM) properties will be bid separately for demolition. The exact groups will be determined after asbestos testing results are received by the City of Georgetown. Demolition will then be completed. All ACMs waste bags and/or containers shall be properly labeled, prior to being placed into the waste transport vehicle, it shall be disposed of at a landfill approved or permitted to accept asbestos waste, stored asbestos waste shall be maintained in a secured, locked location, and the waste shall be transported and disposed of in a manner that will not permit the release of asbestos fiber into the air.</i> |
| Section 106 of the National Historic Preservation Act | <i>SHPO will be notified if any historic resources are found during demolition. Also during demolition Catawba are to be notified if Native American artifacts and / or human remains are located during the ground disturbance phase of this project.</i>  |
|   |   |
|   |   |