

OFFICE OF THE SULLIVAN COUNTY PURCHASING AGENT

3411 HIGHWAY 126 – SUITE 201  
BLOUNTVILLE, TN 37617-0569

PHONE 423/323-6400

FAX 423/323-7249

**REQUEST FOR PROPOSAL # 544 CARGO 300TB USAR(DB)**  
**(MUST INCLUDE RFP# ON OUTSIDE OF ENVELOPE)**

COMMODITY/SERVICE DESCRIPTION: **EMA – 2016 HLS GRANT – DELTA CARGO 300TB TRAILER**

OPENING DAY 03/15/18 TIME 2:00 PM  
SULLIVAN COUNTY USER DEPARTMENT **EMA HOMELAND SECURITY GRANT 2016**

**THIS REQUEST FOR PROPOSAL (RFP) MUST BE RETURNED IN A SEALED ENVELOPE VIA MAIL, COURIER OR IN PERSON. PHONE, FAX OR ELECTRONIC RESPONSES ARE NOT ACCEPTABLE!** RESPONSES WILL BE ACCEPTED BY THE PURCHASING AGENT ONLY UNTIL THE DAY/TIME DESIGNATED ABOVE, AT WHICH TIME THEY WILL BE PUBLICLY OPENED. RESPONSES MUST CLEARLY IDENTIFY THE RFP # ON THE OUTSIDE OF THE ENVELOPE, BE PRESENTED IN ORIGINAL FORMAT, BE COMPLETED IN TOTALITY AND BEAR THE HANDWRITTEN SIGNATURE OF A DULY AUTHORIZED COMPANY REPRESENTATIVE. LATE RESPONSES WILL NOT BE ACCEPTABLE!

By submission of this RFP/RFQ, the responding vendor certifies compliance with Title VI and Title VII of the Civil Rights act of 1964, as amended and all regulations promulgated thereof.

SUBMISSION OF THIS RFP VERIFIES VENDOR'S ACCEPTANCE OF THE RFPs LANGUAGE, REQUIREMENTS AND THE GENERAL PROCUREMENT TERMS AND CONDITIONS FORM #GPTC1004-14.

*NOTE: IF FORM #GPTC1004-14 IS OMITTED FROM THIS RFP SOLICITATION, WE HAVE THE APPROPRIATE SIGNED DOCUMENTS FROM YOUR COMPANY. IF FORM #GPTC1004-14 IS ENCLOSED WITH THIS RFP SOLICITATION, PLEASE SIGN AND RETURN THE APPROPRIATE PAGES WITH YOUR RFP REPOSE. **By submission of this RFP/RFQ, the responding firm certifies compliance with Title VI and Title VII of the Civil Rights of 1964, as amended, and all regulations promulgated thereof.***

ALL RFPs MUST BE OFFERED IN STRICT CONFORMANCE TO ALL LANGUAGE, REQUIREMENTS, TERMS AND CONDITIONS AND SPECIFICATIONS AS SOLICITED. FAILURE TO COMPLY WITH THE RFP PREREQUISITE WILL BE CAUSE TO DISQUALIFY SAME.

UNLESS OTHERWISE DESIGNATED, ALL PRICES OFFERED SHALL BE GUARANTEED FOR A MINIMUM OF SIXTY (60) DAYS FROM OPENING DATE. UNIT PRICES FOR GOODS/SERVICES SHALL BE QUOTED **"NET 30 DAYS"**. **EACH LINE ITEM PRICE MUST INCLUDE ALL CHARGES, INCLUDING SHIPPING, HANDLING, FREIGHT OR ANY OTHER COSTS ASSOCIATED TO THE DELIVERY** TO THE DESIGNATED SULLIVAN COUNTY LOCATION. SULLIVAN COUNTY **WILL NOT ACCEPT** ADDITIONAL DELIVERY CHARGES AS A SEPARATE LINE ITEM. AWARDS MAY BE DETERMINED PER UNIT (LINE ITEM) AND/OR AS A TOTAL (WHOLE) AWARD; WHICHEVER IS IN THE BEST INTEREST OF SULLIVAN COUNTY. ALL GOODS PROVIDED TO SULLIVAN COUNTY SHALL BE FREE FROM DAMAGE/DEFECTS. GOODS DAMAGED IN TRANSIT BY COMMON CARRIER ARE THE SOLE RESPONSIBILITY OF THE VENDOR, INCLUDING ALL COMMUNICATIONS AND REPLACEMENT ARRANGEMENTS.

IF INFORMATION (SPECIFICATIONS, DATA SHEETS, ANALYSIS, DRAWINGS, ETC.) OR PRODUCT SAMPLES ARE REQUESTED IN THIS RFP, RESPONDING VENDOR MUST ENCLOSE/SUPPLY SAME. FAILURE TO COMPLY WILL BE CAUSE TO DISQUALIFY THE VENDOR FROM AWARD CONSIDERATION.

THE SULLIVAN COUNTY PURCHASING AGENT HAS THE RIGHT TO ACCEPT, REJECT, AWARD OR CANCEL ANY/ALL QUOTES AND TO WAIVE ANY INFORMALITIES OR IRREGULARITIES, IF SAME IS DEEMED IN THE BEST INTEREST OF SULLIVAN COUNTY. SULLIVAN COUNTY DOES NOT OBLIGATE ITSELF TO ACCEPT THE LOWEST AND/OR ANY QUOTE OFFERED.

DELIVERY DATE \_\_\_\_\_ TERMS: NET 30 DAYS  
(NOTE: DELIVERY TIME (DAYS/WEEKS/MONTHS) MUST BE INDICATED ... ASAP IS NOT ACCEPTABLE)

**This project is funded under an agreement with the State of Tennessee**

VENDOR: \_\_\_\_\_ REPRESENTATIVE: \_\_\_\_\_  
PLEASE PRINT

PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_ E-MAIL: \_\_\_\_\_

SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

**ATTACHMENT TO RFP 544 CARGO 300TB USAR(DB) FOR 2016 EMA HLS GRANT**

ITEM NO.	QTY.	DESCRIPTION	UNIT PRICE	TOTAL
1	1	DELTA CARGO 300TB TANDEM AXLE ENCLOSED V NOSED CARGO TRAILER - BUMPER PULL		
		<b>Additional options to be added:</b>		
		INTERIOR LIGHTS - 2 Dome Lights included. ADD (2 ) TWO ADDITIONAL DOME LIGHTS TO THE INTERIOR.		
		LENGTH: 20', Tires: 16" radial		
		8' Width		
		6" Additional Height		
		(2) TWO - RV Style Camper Vents		
		V-Nose		
		5200# axle Torsion (in lieu of 3500# axles) tandem		
		Full Rear Drop Ramp		
		(8) Eight - E-Track (per 8 ft. track)		
		16" Full Spare (Tire & Wheel)		
		GRAPHIC DESIGN - Graphic design shall be supplied and installed. The design will be supplied by the buyer to the successful bidder. A cost not to exceed \$1,500.00 should be allocated for designing, printing and installing the graphics. Required D.O.T. Reflective Taping shall be installed.		
<b>TOTAL</b>				

**BID MUST INCLUDE ALL CHARGES, SHIPPING, HANDLING, FREIGHT, ETC.**

**Delivery Address: 1800 Crescent Drive, Kingsport, TN**

**AVAILABILITY \_\_\_\_\_**

## SPECIFICATIONS

### These specifications are for a CARGO 300TB Tandem Axle Enclosed Trailer (Bumper Pull)

Specifications for a Tandem Axle Enclosed V Nosed Cargo Trailer – Bumper Pulled

The trailer shall be 20' long, 8' foot wide and 8' 6" high with a deck height of 14". The rear door opening shall be a minimum of 7' 6"

G.V.W.R shall be 10,400 #.

The two axles shall be Tandem Dexter 5200#.

Suspension shall be Eye-to-Eye Springs with Equalizer.

Electric brakes shall be on all axles.

The wheels shall be painted 16", 6-bolt with 16" Radial tires. Hub caps shall be installed on all wheels.

The frame shall be 2" x 3" angle iron with 2" x 2" angle iron crossmembers on 16" centers

The tongue shall be constructed of 3" channel iron with 3/8" heavy duty safety chains and safety latch hooks. A top wind 7000# jack with wheel shall be attached to the channel iron..

A full size side door with recessed handle and lock shall be installed.

COUPLER shall be 2 5/16" Bulldog Couple.r

The side shall be constructed with uprights of 1" x 2" Tubing on 20" centers and be covered with a 14 gauge smooth skin.

The roof shall be constructed of 18 gauge Metal with Bows on 24" centers.

The floor shall be constructed with 3/4" treated pine ply board.

Exterior lights shall be provided and comply with D.O.T. standards (Stop, Tail, Turn and Clearance).

4 interior dome lights shall be installed - 1 near each door and 2 evenly spaced in the center of the roof.

A 7-way RV style electric plug shall be provided on the tongue of the trailer.

The wiring shall be 14 gauge in Conduit with Junction Box.

The Pre-Prep shall be a 3-Step Acid Washed with Phosphorus Solution process.

The Joints shall be sealed with Polyurethane sealant.

The trailer shall be Primed with Rust Resistant Epoxy Primer.

The paint shall be Baked-on High Solid Urethane.

A Gravel Guard constructed of Aluminum Diamond plate shall be provided on the front of the trailer.

Graphics shall be supplied and installed. The design will be supplied by the buyer to the successful bidder. A cost not to exceed \$1500 should be allocated for designing, printing and installing the graphics.

Required D.O.T. Reflective Taping shall be installed.

The rear door shall be a full rear drop down ramp with external vertical ribs for supporting all terrain vehicles during the loading process.

An Emergency Breakaway switch & battery backup shall be provided on the tongue of the trailer.

There shall be 2 RV style Camper Vents installed on the roof centered and equally spaced.

E track shall be installed on both inside side walls. There shall be 2 - 16 foot sections on each wall. 1 section at 3 foot off the floor and the other at 6 foot off the floor.

The trailer shall be delivered to 1800 Crescent Dr. Kingsport Tennessee on a date and time agreed upon by the seller and buyer. A final acceptance inspection will be completed by the buyers representative.

Comply \_\_\_\_\_ Exception \_\_\_\_\_ for all above this section

---

**AUTHORIZED SIGNATURE - DATE**

# CARGO 300TB

# Tandem Axle Enclosed Trailer (Bumper Pull)

G.V.W.R	7,000 # to 10,400 #	SIDE DOOR	Full Size
COUPLER	2" Bulldog Coupler, 2 5/16" on 18' & 20'	EXTERIOR LIGHTS	D.O.T. Stop, Tail, Turn and Clearance
AXLES	Tandem 3,500#, Tandem 5,200# Dexter	INTERIOR LIGHTS	2 Dome Lights (1 near each door) Add → 2
SUSPENSION	Eye-to-Eye Springs with Equalizer	ELECTRIC PLUG	7-Way RV Style
BRAKES	Electric brakes on all axles	WIRING	14 gauge in Conduit with Junction Box
TIRE	16" Radials (15" radials on 14' and under)	PRE-PREP	3-Step Acid Washed with Phosphorus Solution
WHEEL	16", 6-bolt (15" wheels on 14' and under)	PREP	Joints sealed with Polyurethane sealant
FRAME	2 x 3 Angle	PRIMER	Rust Resistant Epoxy Primer
TONGUE	3" Channel	PAINT	Baked-on High Solid Urethane
CROSSMEMBERS	2 x 2 Angle on 16" centers	PINSTRIPES	Painted Pinstripes
SAFETY CHAINS	3/8" Heavy Duty with Safety Latch Hooks	BOX WIDTH	72" approx. standard
JACK	7,000# Top Wind with wheel	DECK HEIGHT	Approx. 14"
SIDES	14 gauge smooth skin	GRAVEL GUARD	Aluminum Diamondplate
SIDE UPRIGHTS	1 x 2 Tubing on 20" centers	GRAPHICS	Optional
FLOOR	3/4" Treated Pine	WIRING	Front Mount in conduit
ROOF	18 gauge Metal with Bows on 24" centers	REFLECTIVE TAPE	Required D.O.T. Reflective Taping
REAR DOOR	Double Rear Van Doors	SAFETY	Emergency Breakaway switch & battery backup



## SUGGESTED RETAIL PRICE

Length	Width	Height	Axle	Tires	MSRP
12'	6'	6'	Tandem 3500 # Spring	15" Radial	\$5,629
14'	6'	6'	Tandem 3500 # Spring	15" Radial	\$5,899
16'	6'	6'	Tandem 3500 # Spring	16" Radial	\$6,171
18'	6'	6'	Tandem 5200 # Spring	16" Radial	\$7,471
→ 20'	6'	6'	Tandem 5200 # Spring	16" Radial	\$8,282

## OPTIONS PRICING

6'8" Width	\$434	→ 5200# axle Torsion (in lieu of 3500# axles) tandem ←	\$668
7' OR 7'6" Width	\$923	5200# axle Spring (in lieu of 3500# axles) tandem	\$586
→ 8' Width ←	\$1,477	→ Full Rear Drop Ramp ←	\$508
→ 6" Additional Height (per 6") ←	\$397	Woodlined (5/8" plywood) per trailer foot	\$46
→ RV-Style Camper Vent ← (2)	\$102	→ E-Track (per 8 ft. track) ← (8)	\$37
Ladder Rack (on top)	\$469	E-Track Clips (ea)	\$22
→ V-Nose ←	\$122	15" Full Spare (Tire & Wheel)	\$193
Flip-up Side Mount Jack (in lieu of standard jack)	\$40	→ 16" Full Spare (Tire & Wheel) ←	\$226

# IRAN DIVESTMENT ACT AFFIDAVIT

As per Tennessee Code Annotated, Title 12, and effective July 1, 2016:

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each bidder is not on the list created pursuant to §12-12-106.

---

Signature

---

Date