



**SITE NOTES**

1. Path of travel (P.O.T.) as indicated is a barrier free access without any abrupt vertical changes exceeding 1/2" at 12 maximum slope, except that level changes do not exceed 1/4" vertical. Maximum cross-slope 2% typical. The contractor shall verify that all barriers on the indicated path of travel have been removed.
2. Provide a sign on or adjacent to all gates in the path of travel stating that "This gate is to remain locked in the open position during business/school hours or during any public functions." Words shall be in "T" capital letters.
3. Provide all necessary directional signs to create an efficient and convenient path of travel for persons with disabilities. Signs shall be designed to facilitate reading by the visually impaired. Background contrast and character proportion are critical. (See section 117B.5 through Section 117B.10)
4. For additional site improvements not described on Architectural Site Plans, see Engineer's drawings, including Civil, Plumbing, Electrical, Fire Alarm, Communications and Landscape, as applicable.
5. For Code Analysis, see building floor plans.

**LEGEND**

- Accessible path of travel
- ▨ Buildings to be Renovated

**IMPROVEMENTS IN ADDITION TO THE SHADED BUILDINGS**

1. New signal systems are included in the scope of work, which extend to all buildings. See plans.
2. Door hardware replacement and other changes occur throughout the site.
3. Site accessibility improvements occur throughout the property. See plans for extent.
4. Electrical and plumbing improvements occur throughout the property. See plans.

School Address  
 Chaparral High School  
 114 N. Montgomery  
 Ojai, CA 93023

**SITE PLAN**

