



**Glass Drive Property Asbestos Survey**  
**Scope of Work Summary**

The general intent of this scope of work is to request an Asbestos Survey for the Glass Dr. property in preparation for demolition. The lot address associated with the district is shown below:

**Project Location:**

- 5538 Glass Drive, Pensacola – District 1

**Scope of Services:**

The Asbestos Survey scope includes, but is not limited to, the following:

- The audit shall meet the Florida Department of Environmental Protection (FDEP) rules defined in Chapter 62-257, Florida Administrative Code (FAC) and the Asbestos National Emission Standards for Hazardous Air Pollutants (NESHAP) adopted by reference in section 62-294.800, FAC.
- Asbestos NESHAP regulations must be followed for demolitions of facilities with at least 80 linear meters (260 linear feet) of Regulated Asbestos-Containing Materials (RACM) on pipes, 15 square meters (160 square feet) of regulated asbestos-containing materials on other facility components, or at least one cubic meter (35 cubic feet) off facility components where the amount of RACM previously removed from pipes and other facility components could not be measured before stripping.

**Project Timeline:**

This individual lot is associated with the Blue Springs Drainage Project at Crescent Lake. The anticipated timeline for the Asbestos Survey for this lot is 30 days from NTP. Anticipated report completion of July 15, 2019.

**Funding:**

Funding is available through LOST 3 funds.

**Function Code/Profile Code:**

Below is the Function Code and Profile Codes for the following sources:

- 23 Environmental Engineer
- A10 Asbestos Abatement
- H02 Hazardous Material Hauling and Storage
- T02 Testing and Inspection Services