

Request for Quote

*This is not a sealed bid. Quotes can be emailed or faxed to the Office of the Purchasing Agent.
See instructions below.*

The City of Knoxville requests your delivered price for search and rescue equipment as described in the attached specifications or approved equal. Price is to include delivery- FOB Destination

Any substitution must be suitable for the use for which it is intended and meet or exceed the design, weight, durability and strength requirements specified. Any equipment requiring certification to a specific standard, including but not limited to NFPA, must have been tested and certified as having met or exceeded that standard, prior to submittal of quote. Proof of certification may be required.

If quoting other than as specified, please enclose a copy of the specifications, and a picture of the item with quote. The decision of the department as to the suitability of any item for use shall be final.

The City of Knoxville reserves the right to reject any or all quotes, to accept or reject any items thereon, to waive technicalities or informalities, to split orders if in the best interest of the City, to evaluate bids by various criteria, and to accept any bid which, in its opinion, may be for the best interest of the City.

Preference may be given to those bidders with the ability to supply all items.

Standard payment term for the City of Knoxville is Net 30.

MODIFICATIONS: If modifications to this document are necessary, such changes will be made in the form of an addendum, posted to the Purchasing website: www.knoxvilletn.gov/purchasing. It is the vendor's responsibility to review the website to ascertain whether such addenda have been posted.

INCLEMENT WEATHER: During periods of inclement weather, the Purchasing Division will enact the following procedures with regard to solicitations and weather delays:

- If City offices are closed due to inclement weather on the date that quotes are due into the Purchasing Office, all solicitations due that same day will be moved to the next operational business day.
- The City of Knoxville shall not be liable for any commercial carrier's decision regarding deliveries during inclement weather.

In order for your quote to be considered for award, your completed form must be received by the Purchasing Office via email, fax, or hard copy no later than 2:30 p.m. on Wednesday, March 24, 2017. Late submissions shall not be accepted.

By submitting a quote to the City of Knoxville, the submitter warrants the following:

1. The quote is good for 60 days.
2. The Quoter is licensed to conduct business.
3. The Quoter will use environmentally friendly products and services whenever possible.
4. The Quoter has not entered into any collusion with any person in respect to the pricing of this order or any other.
5. The Quoter represents and agrees to the termination clause, and indemnification clause attached to this document.
6. The Quoter, to the best of its knowledge and belief, does not engage in investment activities in Iran and is not on the list created pursuant to T.C.A § 12-12-106 (available at [https://www.tn.gov/assets/entities/generalservices/cpo/attachments/List_of_persons_pursuant_to_Tenn. Code A nn. 12-12-106. Iran Divestment Act-July.pdf](https://www.tn.gov/assets/entities/generalservices/cpo/attachments/List_of_persons_pursuant_to_Tenn._Code_Ann._12-12-106_Iran_Divestment_Act-July.pdf))

Please complete the attached Quote Form and send your written quote to either the email address or fax number shown below:

Linda Blackburn
Senior Buyer
City of Knoxville
lblackburn@knoxvilletn.gov
FAX: (865) 215-2277

INDEMNIFICATION CLAUSE

Contractor shall defend, indemnify and hold harmless the City, its officers, employees and agents from any and all liabilities which may accrue against the City, its officers, employees and agents or any third party for any and all lawsuits, claims, demands, losses or damages alleged to have arisen from an act or omission of Contractor in performance of this Agreement or from Contractor's failure to perform this Agreement using ordinary care and skill, except where such injury, damage, or loss was caused by the sole negligence of the City, its agents or employees.

Contractor shall save, indemnify and hold the City harmless from the cost of the defense of any claim, demand, suit or cause of action made or brought against the City alleging liability referenced above, including, but not limited to, costs, fees, attorney fees, and other expenses of any kind whatsoever arising in connection with the defense of the City; and Contractor shall assume and take over the defense of the City in any such claim, demand, suit, or cause of action upon written notice and demand for same by the City. Contractor will have the right to defend the City with counsel of its choice that is satisfactory to the City, and the City will provide reasonable cooperation in the defense as Contractor may request. Contractor will not consent to the entry of any judgment or enter into any settlement with respect to an indemnified claim without the prior written consent of the City, such consent not to be unreasonably withheld or delayed. The City shall have the right to participate in the defense against the indemnified claims with counsel of its choice at its own expense.

Contractor shall save, indemnify and hold City harmless and pay judgments that shall be rendered in any such actions, suits, claims or demands against City alleging liability referenced above.

The indemnification and hold harmless provisions of this Agreement shall survive termination of the Agreement.



CITY OF KNOXVILLE
 OFFICE OF THE PURCHASING AGENT
 P.O. BOX 1631
 400 MAIN ST., ROOM 667
 KNOXVILLE, TN 37901

QUOTATION SHEET

THIS IS NOT AN ORDER

DATE: 03/17/2017 PAGE 1 Of 3

DOCUMENT NUMBER: **432656**

READ ALL INSTRUCTIONS AND CONDITIONS ON ATTACHED PAGES BEFORE QUOTING. QUOTE ON THIS FORM ONLY.
 QUOTE PRICE ON ITEMS LISTED OR EQUAL.

****ALL PRICES TO INCLUDE TRANSPORTATION CHARGES & NET TERMS UNLESS STATED OTHERWISE ****

Merchandise to be delivered to : City of Knoxville Police Department
 800 E. Howard Baker Jr Ave
 Attn: Karen Mitchell
 Knoxville TN 37915

QUOTE will be received at: Office of the Purchasing Agent, Room 667, 400 Main St., Knoxville, TN 37902,
 until 03/24/2017 02:30:00 PM

Search and Rescue Equipment

Special Instructions:

See attached copy for additional information and specifications. Price of all items to include delivery - FOB Destination.

No.	Quantity	Description	Brand	Unit	Unit Price	Total	Applicable Discount
1	300 Feet	ST12HTPCO Sterling NFPA 1/2" HTP Static Rope (Color Neon Green)					
2	300 Feet	ST12HTPCO Sterling NFPA 1/2" HTP Static Rope (Color Blue)					
3	2 Each	80111X Rescue Tech Rope Bags Size: Medium Color: Black & Green					
4	1 Each	80111X Rescue Tech Rope Bags Size: Super Color: Blue					
5	3 Each	60510210 M. R. Delta Screwlinks					

IMPORTANT - State Merchandise

Delivery Date Here: _____

Buyer Name: Blackburn, Linda
 Phone: 865-215-2074
 Fax: (865) 215-2277
 Email: lblackburn@knoxvilletn.gov

 (Company Name)

 (Authorized Signature)

 (Print Signed Name)

 (Phone Number)

 (Email Address)



CITY OF KNOXVILLE
 OFFICE OF THE PURCHASING AGENT
 P.O. BOX 1631
 400 MAIN ST., ROOM 667
 KNOXVILLE, TN 37901

QUOTATION SHEET

THIS IS NOT AN ORDER

DATE: 03/17/2017 PAGE 2 Of 3

DOCUMENT NUMBER: **432656**

READ ALL INSTRUCTIONS AND CONDITIONS ON ATTACHED PAGES BEFORE QUOTING. QUOTE ON THIS FORM ONLY.
 QUOTE PRICE ON ITEMS LISTED OR EQUAL.

****ALL PRICES TO INCLUDE TRANSPORTATION CHARGES & NET TERMS UNLESS STATED OTHERWISE ****

Merchandise to be delivered to : City of Knoxville Police Department
 800 E. Howard Baker Jr Ave
 Attn: Karen Mitchell
 Knoxville TN 37915

QUOTE will be received at: Office of the Purchasing Agent, Room 667, 400 Main St., Knoxville, TN 37902,
 until 03/24/2017 02:30:00 PM

Search and Rescue Equipment

No.	Quantity	Description	Brand	Unit	Unit Price	Total	Applicable Discount
6	2 Each	RE-P53D Rock Exotica Omni 2.0 Double Swivel Pulley					
7	2 Each	RE-P51 Rock Exotica Omni Block 1.5" Single Pulley					
8	2 Each	RP121 CMI 2" Prussik Minding Pulley					
9	2 Each	P58-L Petzl NFPD-G Swivel					
10	1 Each	D200L0 Petzl I'D NFPD Descender					
11	1 Each	HD26086 PMI Edge Roller System					

IMPORTANT - State Merchandise

Delivery Date Here: _____

Buyer Name: Blackburn, Linda
 Phone: 865-215-2074
 Fax: (865) 215-2277
 Email: lblackburn@knoxvilletn.gov

 (Company Name)

 (Authorized Signature)

 (Print Signed Name)

 (Phone Number)

 (Email Address)



CITY OF KNOXVILLE
 OFFICE OF THE PURCHASING AGENT
 P.O. BOX 1631
 400 MAIN ST., ROOM 667
 KNOXVILLE, TN 37901

QUOTATION SHEET

THIS IS NOT AN ORDER

DATE: 03/17/2017 PAGE 3 Of 3

DOCUMENT NUMBER: **432656**

READ ALL INSTRUCTIONS AND CONDITIONS ON ATTACHED PAGES BEFORE QUOTING. QUOTE ON THIS FORM ONLY.
 QUOTE PRICE ON ITEMS LISTED OR EQUAL.

****ALL PRICES TO INCLUDE TRANSPORTATION CHARGES & NET TERMS UNLESS STATED OTHERWISE ****

Merchandise to be delivered to : City of Knoxville Police Department
 800 E. Howard Baker Jr Ave
 Attn: Karen Mitchell
 Knoxville TN 37915

QUOTE will be received at: Office of the Purchasing Agent, Room 667, 400 Main St., Knoxville, TN 37902,
 until 03/24/2017 02:30:00 PM

Search and Rescue Equipment

No.	Quantity	Description	Brand	Unit	Unit Price	Total	Applicable Discount
12	1 Each	SM14900 SMC Roof Roller					
13	10 Each	SM21001N SMC NFPA-G Large Steel Carabiner					
14	10 Each	SM102200N SMC NGPA-G locking Steel Carabiner					
15	1 Each	EP306 EVAC Pre-Rig Backpack					
16	1 Each	PE42138 Cascade Advance Series Terrain Master Litter Wheel System					

IMPORTANT - State Merchandise

Delivery Date Here: _____

Buyer Name: Blackburn, Linda
 Phone: 865-215-2074
 Fax: (865) 215-2277
 Email: lblackburn@knoxvilletn.gov

(Company Name)

(Authorized Signature)

(Print Signed Name)

(Phone Number)

(Email Address)

Sterling NFPA 1/2" HTP Static Rope
(Item no: ST12HTPCO)

ITEM #S 1 & 2



Product Description

Low elongation makes this rope the top choice for mainline, haul systems and highline use. The strength that this rope provides also makes it a great choice specialized rescues and industrial safety applications.

Great for all types of technical rescue, confined space rescue, USAR, and industrial safety applications Note: tracer colors are subject to change.

Specs:

MBS lbs (kN) 8,081 (40.4)
 Weight (lbs/60 ft) 4
 Elongation at 300 lbs 0.80%
 NFPA1983, 2012 General
 CE Certified Yes

Rescue Tech Rope Bags
(Item no: 80111X)



ITEM #S 3 & 4

**ADDITIONAL SPECIFICATIONS
DOCUMENT NO: 432656**

Product Description

Constructed of heavy duty water resistant Cordura nylon sides and nearly-indestructible Ballistic Nylon bottom. Side seams of bags are double stitched so that no fabric edges are exposed for fraying. Bottom seam is double stitched and webbing reinforced for superior strength and resistance to abrasion. Drawstring closure with cord lock. Accomodates rope and or equipment. Has unique inside log book pouch. Handles connected to interior. Grommet on bottom allows drainage.

Size	Capacity (ft.)		Dimensions (in.)		Shoulder	
	7/16"	1/2"	Height	x Dia.	Handles	Straps
Personal	45		12 x 6		2	n/a
Small	175	125	75	10 x 10	2	n/a
Medium	300	225	125	17 x 10	2	1
Large	400	325	200	23 x 10	2	2
X-Large	600	500	350	17 x 14	2	2
Super	750	600	325	23 x 14	2	2
Jumbo	1150	900	500	23 x 17	2	2



ADDITIONAL SPECIFICATIONS
DOCUMENT NO: 432656



ITEM # 5

SEARCH AND RESCUE EQUIPMENT

Product Description

Links are often used as an inexpensive alternative to standard carabiners. They are most effective in applications for semi-permanent attachments. The Delta shape Tri-link is used where multi-directional loading is encountered. All links are complete with a long threaded nut closure.



Rock Exotica Omni Block 2.0" Double Swivel Pulley
(Item no: RE-P53D)

ITEM # 6

Product Description

If you're familiar with the Omni-Block pulleys, you know that the 2.0" Double will take its place as the largest double in the Omni family. In addition to hallmark Omni features like an integrated swivel, and push-button access to the sideplates, the 2.0" features a prussic-minding sideplate and working load limit (WLL) of 10kN (based on a 4-1 ratio).

Features:

- Install and remove rope while still connected to the anchor.
- Sideplate locks with two-stage, double-catch safety mechanism.
- Integrated swivel allows pulley to orient while reducing gain.
- Connect, install and remove rope with one hand.
- CNC machined for optimal weight & strength.

Specs:

Part Number: P53 D
MBS: 40 kN



Rock Exotica Omni-Block 1.5" Single Pulley
(Item no: RE-P51)

Product Description

These patented devices revolutionized pulley use when they were introduced in 2005. The Omni-Block combines a pulley with a swivel and offers tremendous advantages. It can replace a conventional pulley, carabiner & swivel and is lighter, less expensive and saves valuable vertical space. It also allows installing/removing the rope while the pulley is still anchored. While the standard version serves the needs of most users, the Omni is also available with some specialized options.

Weight: 9.2 oz (260 gm)

ITEM # 7


Breaking Strength:

1 x 18 kN=36 kN

Working Load:

2 x 4kN=8 kN

Max Rope Diameter: 13 mm



CMI 2" Prussik Minding Pulley - Single Sheave
(Item no: RP121)

ITEM # 8

Product Description

Red Anodized Aluminum sideplates, 2" Aluminum sheave, Bushing, and Steel axle.

MBS: 6800lbs

Rope Capacity: 1/2"

Efficiency: 89.2%



Petzl NFPA-G Swivel
(Item no: P58-L)

ITEM # 9

Product Description

Large Swivel:

- Prevents the rope from twisting when the load is turning
- Excellent performance and reliability due to maintenance-free sealed ball-bearings

Specifications:

SWIVEL L (P58 L):

- designed for two-person loads, up to three connectors can be attached to the ends
- breaking strength: 35 kN
- weight: 150 g
- certification: CE, NFPA 1953 G



**ADDITIONAL SPECIFICATIONS
DOCUMENT NO: 432656**

ITEM # 10

SEARCH AND RESCUE EQUIPMENT

Product Description

Self-braking descender with anti-panic function for rescue.

- Designed for rescue: lacks a gate
- Multi-functional handle allows the user to:
 - unblock the rope and control the descent with the hand on the braking side of the rope
 - move more easily on horizontal or low-angle terrain thanks to the button on the handle
 - to position himself while on the rope
- Anti-panic function is engaged if the user pulls too hard on the handle: the pivoting cam is released and automatically brakes to stop the descent
- Anti-error safety cam to reduce the risk of an accident due to incorrect installation of the device on the rope. The shape of the cam is designed to improve rope glide during an escape
- Pivoting cam makes it easier to take up the slack in the rope. Can also be used to make a reversible haul system, and for short ascents (in conjunction with a FOOTPRO foothold and ASCENSION handled-rope clamp).

Specifications


Small is for ropes between 10 and 11.5mm in diameter
 Large is for ropes between 11.5 and 13 mm in diameter
 Weight: 530 g for both sizes
 Individually tested

CERTIFICATION:

Small ID
 CE EN 341 Class A
 CE EN 12841 type C
 NFPA 1983 L

Large ID
 CE EN 341 Class A
 NFPA 1983 G

Small ID available in Standard Color (Gold) or Black.
 Large ID available in Standard Color (Red) or Black.




PMI Edge Roller System
(Item no: HD26086)

ITEM # 11

Product Description

Three linked units consisting of hard anodized aluminum side plates with two roller bars each. This lightweight and compact roller can be used linked together with the furnished screw links at sharp edges, or separated for long gradual breakovers. Length 23.6" (600mm).



SMC Roof Roller
(Item no: SM149000)


ITEM # 12

Product Description

Specialized edge protection designed for right angle structural edges. Optimum placement of the two 4" rollers keeps rope away from the edge to maintain rope strength and system efficiency. Made in USA.

ADDITIONAL SPECIFICATIONS
DOCUMENT NO: 432656

SEARCH AND RESCUE EQUIPMENT



SMC NFPA-G Large Steel Carabiner
(Item no: SM21001N)

ITEM # 13

Product Description

Large size locking carabiners developed by SMC especially for the needs of the fire and rescue communities. Large gate opening fits easily over litter rails. All models have stainless gates and locking sleeves for greater strength and reliability. MBS: 10,341lbf (46kN).

Certified: NFPA 1983, G
Length: 5.04"
Gate Opening: 1.2"
Weight: 10.6oz
MBS: 46 kN (10,641 lbf)



SMC NFPA-G Auto-Locking Steel Carabiner
(Item no: SM102200N)


ITEM # 14

Product Description

The new SMC Auto-locking lite alloy steel carabiner featuring a triple-action gate, meeting ANSI and OSHA requirements for connectors. Based upon one of the most popular frames in the industry, this carabiner uses an entirely new gate design that can be easily opened with one hand; just pull, twist and open. Release the gate and it automatically closes to a fully locked position. An offset "D" shape provides a smooth transfer of the Munter Hitch when used as a belay and has ample volume to clip in large diameter ropes and over the rails of most litters.

Certified to NFPA 1983, G.
Length: 4.52"
Gate Opening: .88"
Weight: 7oz.

EVAC Pre-Rig Backpack
(Item no: EP306)



ITEM # 15


**ADDITIONAL SPECIFICATIONS
DOCUMENT NO: 432656**

SEARCH AND RESCUE EQUIPMENT

Product Description

Improved design after extensive field testing. This pak is specially tailored for rescue teams who pre-rig, to shave extra minutes off their rescue times. It comes with straps and Velcro loops to secure pre-rigged rescue equipment in the inside compartment. This pak is extra-long (holds 300 ft. of 1/2" rope). And, like all of EVAC's S*A*R Paks, the Pre-Rig Backpack uses a narrow profile, semi-stayed internal frame design.

Dimensions: 10" L x 9"W x 31"H



Cascade Advance Series Terrain Master Litter Wheel System
(Item no: PE42138)

Product Description

The Terrain Master wheel delivers a smooth ride in the toughest terrain. Ideal for rough, muddy, sandy, or snow covered trails. Interchangeable with Cascade wheel saddle assembly.

Key Features:

- Aircraft aluminum
- Aluminum wheel rim
- New improved lightweight sealed hub
- Two piece construction for easy packing
- Saddle fits almost any rigid litter
- Wheel with tire quickly mounts to the saddle without tools
- Terrain Master wheel is interchangeable with Trail Tech wheel

Weight: 31lbs 0 oz

ITEM # 16