ARLINGTON COUNTY, VIRGINIA

AGREEMENT NO. 723-13LW AMENDMENT NUMBER 1

This Amendment Number 1 is made on the date of execution by the County and amends Agreement Number 1 dated February 14, 2014, ("Main Agreement") between Magnolia Plumbing, Inc. ("Contractor") and the County Board of Arlington County, Virginia ("County").

The County and the Contractor amend the Contract Term called for under the Main Agreement as follows:

Remove Paragraph 3. CONTRACT TERM in its entirety and replace it with the following:

The term of this Agreement will commence upon execution of this contract by the County, and the Contractor shall continue operations until March 30, 2021.

The County and the Contractor amend Schedule A called for under the Main Agreement as follows:

Add the attached proposal to Schedule A.

THE COUNTY BOARD OF ARLINGTON

All other terms and conditions of the Main Agreement remain in effect.

WITNESS these signatures:

COUNTY, VIRGINIA	WAGNOLIA FLOWIDING, INC.
AUTHORIZED SIGNATURE: <u>Lucas Alexander</u>	AUTHORIZED SIGNATURE: WS 1 Meg
NAME: LUCAS ALEXANDER TITLE: PROCUREMENT OFFICER	NAME AND TITLE: Christian D. Magnolia, Vice President
DATE: 03/21/2019	DATE: 3/21/19

MACNOLIA DI LIMPINO, INC.

Magnolia Tank & Drain Division

is proud to present the following proposal



ARLINGTON COUNTY / ART BUS FACILITY



Page 1 of 2

QUOTE #213-2017



PROPOSAL

Phone: (202) 829-8510 ext.1533 Fax: (240) 295-5827 Email: JStairs@Magnolia-Companies.com

BILL TO:			FAX	DATE						
Arlington County			(703) 228-4397	October 3, 2017						
DES / Facilities Management Bureau				ART Bus Facility						
1400 North Uhle Street, Suite 601			3201 South Eads Street							
Arlington, Virginia 22201			Arlington, Virginia 22202							
Attention: Jeremy Jenkins - Construction Management Specialist		OFFICE PHONE		CELL PHONE						
Email: jrjenkins@arlingtonva.us			(703) 228-4829		(571) 733-6330					
		SCH	EDULE OF SE	RVICES						
Tank/Drain Service	QTY	Capacity	PPG above Cont.	Service Type	Single Event	Frequency		Rate	E	xtended
Vactor Jet Line Cleaning	1	Trench Drain	Inside	Pump, Powerwash, & Haul	No	2	\$	680.00	\$	1,360.00
Oil/Sand Interceptor - Vehicle Washing Facility	1	16 Tons	Inside	Pump, Powerwash, & Haul	No	2	\$	4,100.00	\$	8,200.00
Sewage Ejector Pit	1	514 Gallons	Outside	Pump, Powerwash, & Haul	No	2	\$	1,210.00	\$	2,420.00
Oil/Sand Interceptor - Vehicle Washing Facility	1	550 Gallons	Outside	Pump, Powerwash, & Haul	No	2	\$	1,696.00	\$	3,392.00
									\$	-
									\$	-
_								, and the second	\$	-

General Terms & Conditions

- 1) The person signing this contract has the authority to order work and accept responsibility for payment. It is agreed that Magnolia Plumbing, Inc. (hereinafter "Magnolia or Company") will retain title to any equipment or materials that may be furnished until final payment is made and if payment is not made as agreed, Magnolia shall have the right to remove same and will be held harmless for any damages resulting from the removal thereof. It is also agreed that the customer will pay all costs and attorney's fee's in the amount of 33 1/3% of the principal balance due if the account is placed in the hand's of an attorney for collection. A charge of 1-1/2% interest per month will be charged on any balance unpaid after 30 day's.
- 2) Magnolia uses the highest standard of equipment in the methods approved throughout the drain cleaning industry; however there are unforeseen and unavoidable risks in performing these methods. Unforeseen and unavoidable risks are defined as but not limited to tree roots, grout, concrete, immovable objects, offsets in the piping, broken piping, corroded piping, defective piping and plumbing not installed in compliance with codes, laws, and industry standards. Magnolia will not be liable for drain cleaning cable, video inspection cable, jet hose, or any other equipment or accessories that our technicians cannot retrieve from the piping in the act of performing drain cleaning and/or drain maintenance. The removal of said equipment and/or accessories will be performed at an additional charge to the customer. Charges will be in accordance with the Company's prevailing rates. Furthermore the customer agrees to hold Magnolia harmless from any damages or expenses that occur as a result of attempting to clear or clean a sewer line other than those damages or expenses caused by Magnolia's gross negligence. In the event of the presence of unforeseen or unavoidable risk, Magnolia and customer agree Magnolia will do no further work associated with the unforeseen and unavoidable risk unless Magnolia and the customer agree otherwise.
- 3) Magnolia will not warrant any drain cleaning work performed unless Magnolia is given the authority to perform pipe video inspection after the Company has attempted to clear and/or clean the line so that the Company can view the condition of the sewer. If the pipe video inspection of the sewer line the Company is working on is found to be in good condition Magnolia will provide a warranty of (30) days. Findings of tree roots, excessive grease, grout, concrete, immovable objects, offsets in the piping, broken piping, corroded piping, defective piping, plumbing not installed in accordance with applicable codes and industry standards, and broken, missing, or ineffective drain covers void any warranty; however Magnolia can address these concerns at an additional charge if the customer so chooses. If Magnolia does not have the option of performing pipe video inspection because the video equipment cannot be used for the application then there is no warranty.
- 4) When the Company performs pipe video inspection, the Company will supply the customer with either the media (Tape, DVD, USB, other) or access to the video inspection. In the event the media itself is provided, this will be the sole copy of the video inspection and the Company does not keep another copy.
- 5) Magnolia uses the highest standard of equipment and the methods approved throughout the

- pipe locating industry; however we maintain that pipe locating is not an exact science. We have the capability to locate pipe with the degree of error allowed by the manufacturer of the equipment. We accept no liability for mismarking's as long as the work was performed by Magnolia in accordance with the manufacturer's specifications.
- 6) If customer has a problem with the drain line that Magnolia cleaned during the aforementioned warranty period, if any, Magnolia agrees to dispatch a technician to clean the line again at no additional charge unless the following is found: vandalism, and/or foreign objects such as but not limited to toys, trash, towels, rocks, or silverware that should not be flushed into a sewer system and were not present at the time of the previous pipe video inspection. In the event that any objects of this nature are found, the customer agrees to pay Magnolia for the return service call to clean the line again in accordance with the Company's then prevailing rates.
- 7) This contract may require the pumping and disposal of a regulated waste generated by the customer, known as "Generator" in this circumstance. Generator acknowledges that it is fully liable for the waste it has generated. Company is a licensed contractor certified to pump and transport certain regulated waste substances, however, it may not test the waste. If the designated disposal facility refuses to accept the waste for any reason or there is a change in the environmental policy procedure enforced by the governing jurisdiction or disposal facility or any other authority which effects including but not limited to the scope of work, disposal procedure, disposal costs, and/or licenses and certifications required to haul and dispose of the waste, Generator will bear any and all additional handling and disposal fees if Company deems necessary.
- 8) Customer understands that Company's pricing to pump tanks is based on estimated volume or volume issued by customer. Customer understands that Company is being charged based on actual volume removed and disposed of. If this contract references a price per gallon customer understands and agrees that they are liable to pay Company based on the actual volume of waste removed.
- 9) If this contract is for continuing services it shall be in effect for a period of (1) year beginning on the date of acceptance. The agreement will automatically renew itself annually thereafter with a potential increase being applied to the annual total unless amended or terminated by either party in writing with (30) days notice.
- 10) Customer recognizes the difficulty of ensuring that the Customer's pavement or driving surface is adequate to bear the weight of Company's vehicles. Therefore, Customer agrees that Customer will be responsible for any damage to Customer's pavement, curbing, or other driving surfaces resulting from the weight of Company's vehicles providing service at Customer location.
- 11) This proposal is compliant with a prevailing wage scale issued to Company by customer: Yes ☐ No ☑

WE PROPOSE hereby to furnish material, equipment and labor complete in accordance with the ab	ove specifications for t	the sum of:	
Fifteen Thousand Three Hundred Seventy-Two Dollars - ANNUALLY		\$	15,372.00
Payment will be made as follows:			
NET 30 DAYS			
All materials guaranteed as specified. All work to be completed in a professional manner			
according to standard practices. Any alteration or deviation from specifications involving	Authorized		
extra costs will be executed only upon written orders and will become an extra charge over	Signature:	Jon K. Stairs	
and above the estimate. All agreements contingent upon strikes, accidents or delays beyond		Note: This proposal may be withdrawn by Magnolia if	
our control. Owner to carry fire, tornado, and other necessary insurance.		not accepted within Thirty (30) Days	
Acceptance of Proposal - The above prices, terms and conditions	Authorized		
and attached specifications, if any, are hereby accepted. You are authorized	Signature:		
to do the work as specified. Payments will be made as outlined above.			
	Authorized		
Date of Acceptance:	Signature:		

Page 2 of 2



PROPOSAL

Phone: (202) 829-8510 ext.1533 Fax: (240) 295-5827

 Email: JStairs@Magnolia-Companies.com
 QUOTE #213-2017

 BILL TO:
 FAX
 DATE

 Arlington County
 (703) 228-4397
 October 3, 2017

 DES / Facilities Management Bureau
 ART Bus Facility

1400 North Uhle Street, Suite 601 3201 South Eads Street
Arlington, Virginia 22201 Arlington, Virginia 22202

Attention: Jeremy Jenkins - Construction Management Specialist

OFFICE PHONE

Email: jrjenkins@arlingtonva.us

OFFICE PHONE

(703) 228-4829

(571) 733-6330

Exhibit A - Scope of Work Description

TRENCH DRAIN

PUMPING & CLEANING

We hereby propose to furnish the necessary labor, materials, and equipment to complete the following scope of work:

- 1) Remove by pumping all of the debris and sediment from the (1) one, trench drain inlet.
 - * 73' 10" long by 2' 10" wide by 3' deep.
- 2) Using a high pressure water jet to power wash all of the internal surfaces of the trench drain inlet.
- 3) Using a high pressure water jet to clean the PVC outlet drain line, of the trench drain inlet.

PUMPING & CLEANING

BUS WASH CIRCULATOR TANK

We hereby propose to furnish the necessary labor, materials, and equipment to complete the following scope of work:

- 1) Remove by pumping all of the standing water, debris and sediment from the (1) one, bus wash circulator tank.
 - * Chamber A 58' 4" by 2' 10" by 5' 10" deep.
 - * Chamber B 3' by 2' 10" by 5' 10" deep.
 - * Chamber C 3' by 2' 10" by 5' 10" deep.
 - * Chamber D 9' 4" by 2' 10" by 5' 10" deep.
- 2) Using a high pressure water jet to power wash all of the internal surfaces of the bus wash circulator tank.
- 3) Using a high pressure water jet to clean the PVC outlet drain lines, of the bus wash circulator tank.

PUMPING & CLEANING

SEWAGE EJECTOR TANK

We hereby propose to furnish the necessary labor, materials, and equipment to complete the following scope of work:

- 1) Remove by pumping all of the contents from the (1) one, sewage ejector tank.
- 2) Using a high pressure water jet to clean the inlet drain line of the sewage ejector tank.
- 3) Using a high pressure water jet, to power wash all of the internal surfaces of the sewage ejector tank. The cleaning shall include the tank walls, pumps, piping and control wiring.

PUMPING & CLEANING

OIL SEPARATOR TANK

We hereby propose to furnish the necessary labor, materials, and equipment to complete the following scope of work:

- 1) Remove by pumping all of the contents from the (1) one, oil separator tank.
- 2) Using a high pressure water jet to clean the inlet and outlet drain lines of the oil separator tank.
- 3) Using a high pressure water jet to power wash all of the internal surfaces of the oil separator tank.
- 4) Haul the contents to an approved dump facility and provide the manifest documentation to the owner that the contents were disposed of properly, (if requested).
- 5) The price includes all dump fees associated with the hauling of the contents from the job site location to an approved dump facility.
- 6) Work shall include all confined space entry equipment as required by O.S.H.A. 29CFR1910.146
- 7) All work shall be scheduled with Jeremy Jenkins and performed during normal working hours.

Labor Schedule

Normal working hours of 7:30 A.M. to 4:00 P.M., Monday through Friday, excluding holidays.

After normal working hours (Overtime) 4:00 P.M. to 7:30 A.M., Monday through Friday, Saturday, Sunday and Holidays.