ARLINGTON COUNTY, VIRGINIA

AGREEMENT NO. 16-133-E AMENDMENT NUMBER 13

This Amendment Number 12 is made $\delta n^{28/2023}$ by the County and amends Agreement Number 16-133-RFP-E ("Main Agreement") dated April 15, 2016 between STV Incorporated ("Contractor") and the County Board of Arlington County, Virginia ("County").

The County and the Contractor agree to amend the Main Agreement as follows:

1. ATTACHMENT B, CONTRACT PRICE SCHEDULE – Revision of Hourly Rates

The hourly rate sheet which was included as an attachment to Amendment No.12 is hereby replaced with the attached hourly rate sheet and shall retroactively take effect on January 1, 2023.

All other terms and conditions of the Main Agreement remain in effect.

WITNESS these signatures:

THE COUNTY BOARD OF ARLINGTON COUNTY, VIRGINIA

STV INCORPORATED

AUTHORIZED: DocuSigned by: SIGNATURE: Dr. SHARDN T. LEWIS	AUTHORIZED: Docu ^{Signed by:} SIGNATURE: Jose Bustamante	
NAME:	NAME: Jose Bustamante	
TITLE: Purchasing Agent	TITLE:	
DATE:	DATE:	

Titles	Name	Actual Rate for Invoice
	Albert W. Ducker	81.46
	Alexander J. Smith	42.51
Architectural Designer	Alexander R. Joy	32.81
Senior Civil Engineer	Azwar Ahmed	117.79
Structural Engineer-Inspector	Brandon R. Yule	64.6
Senior Electrical Engineer	Brian T. Carroll	106.48
Fire Protection Engineer	David Ng	43.30
Senior Plubming/Fire Protection Engineer	Edward Henninger	72.59
Electrical Engineer	Hooshang Sharif	77.77
Civl Engineer	Ivan E. Mensah	45.95
Senior Fire Protection Engineer	James Perise	141.23
Senior Electrical Engineer	John J. Hopkins	65.79
Senior Electrical Engineer - QCQC	Joseph M. Hole	85.31
Senior Architect/PM	Laura L. Jeffords	92.19
Senior Mechanical Engineer	Michael B. Levengood	84.76
Senior Civil/Roadway Engineer - QAQC	Michael M. Hooshangi	118.56
Senior Structural Engineer	Milad Hallaji	68.16
Civl Engineer	Mustapha K. Mwamba	45.57
Electrical Engineering Specialist	Nebill Salih	48.01
Communciations Engineer	Pierce D. Ebert	46.78
Structural Engineer	Rithvik Boda	35.36
Mechanical Engineer	William R. Moser	45.40